ISHITA SRIVASTAVA

CSE – C

202401100200158

TEST CASE 3

```
TERMINAL                                                    powershell - n
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a>
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a> mkdir nodejs-api


    Directory: C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----         4/24/2026  11:33 AM                nodejs-api


PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a> cd nodejs-api
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api> npm init -y
Wrote to C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api\package.json:

{
  "name": "nodejs-api",
  "version": "1.0.0",
  "description": "",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC",
  "type": "commonjs"
}
```

```
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api> npm init -y
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api> npm install express

added 65 packages, and audited 66 packages in 3s

22 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api> node index.js
Server running on port 8080
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api> git init
Initialized empty Git repository in C:/Users/ishit/OneDrive/Desktop/DEVOPS MSE/Testcase_a/nodejs-api/.git/
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api> git add .
warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api> git commit -m "Initial commit: Node.js API set
up with health endpoint"
[main (root-commit) 1a355dc] Initial commit: Node.js API setup with health endpoint
 4 files changed, 858 insertions(+)
 create mode 100644 .gitignore
 create mode 100644 index.js
 create mode 100644 package-lock.json
 create mode 100644 package.json
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api> git remote add origin https://github.com/ishit
a384/devops-test3.git
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api> git branch -M main
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api> git push -u origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
```

```
a384/devops-test3.git
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api> git branch -M main
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api> git push -u origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 20 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 7.90 KiB | 1.13 MiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/ishita384/devops-test3.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS C:\Users\ishit\OneDrive\Desktop\DEVOPS MSE\Testcase_a\nodejs-api>
```







GITHUB REPO URL :

https://github.com/ishita384/devops-test3