```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\Admin> ssh
usage: ssh [-46AaCfGgKkMNnqsTtVvXxYy] [-B bind_interface] [-b bind_address]
           [-c cipher_spec] [-D [bind_address:]port] [-E log_file]
           [-e escape_char] [-F configfile] [-I pkcs11] [-i identity_file]
           [-J destination] [-L address] [-l login_name] [-m mac_spec]
           [-O ctl_cmd] [-o option] [-P tag] [-p port] [-Q query_option]
           [-R address] [-S ctl_path] [-W host:port] [-w local_tun[:remote_tun]]
           destination [command [argument ...]]
PS C:\Users\Admin> ssh bandit0@bandit.labs.overthewire.org -p 2220
ssh: connect to host bandit.labs.overthewire.org port 2220: Connection timed out
PS C:\Users\Admin>
PS C:\Users\Admin>  ssh bandit0@bandit.labs.overthewire.org -p 2220
ssh: Could not resolve hostname bandit.labs.overthewire.org: No such host is known.
PS C:\Users\Admin> ssh bandit0@bandit.labs.overthewire.org -p 2220
ssh: Could not resolve hostname bandit.labs.overthewire.org: No such host is known.
PS C:\Users\Admin> ssh bandit0@bandit.labs.overthewire.org -p 2220
The authenticity of host '[bandit.labs.overthewire.org]:2220 ([13.63.65.121]:2220)' can't be
established.
ED25519 key fingerprint is SHA256:C2ihUBV7ihnV1wUXRb4RrEcLfXC5CXlhmAAM/urerLY.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[bandit.labs.overthewire.org]:2220' (ED25519) to the list of
known hosts.

                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|


                  This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit0@bandit.labs.overthewire.org's password:
Connection closed by 13.63.65.121 port 2220
PS C:\Users\Admin> ssh bandit0@bandit.labs.overthewire.org -p 2220

                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|
```

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit0@bandit.labs.overthewire.org's password:

```
      ,----..            ,----,          .---.
     /   /   \         ,/   .`|         /. ./|
    /   .     :      ,`    .' :     .--'.  ' ;
   .   /   ;.  \   ;    ;     /    /__./ \ : |
  .   ;   /  ` ; .'___,/    ,' .--'.  '   \' .
  ;   |  ; \ ; | |    :     | /___/ \ |    ' '
  |   :  | ; | ' ;    |.';  ; ;   \  \;      :
  .   | ' ' ' : `----'  | | \   ;  `      |
  '   ;  \; /  |     '   :  ;   .   \    .\  ;
   \   \  ',  /      |   | '    \   \   ' \ |
    ;   :    /       '   : |     :   '  |--"
     \   \ .'        ;   |.'       \   \ ;
  www. `---` ver     '---' he       '---" ire.org
```

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on discord or IRC.

--[Playing the games]--

This machine might hold several wargames.
If you are playing "somegame", then:

* USERNAMES are somegame0, somegame1, ...
* Most LEVELS are stored in /somegame/.
* PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.
Please play nice:

* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players

```
   * don't post passwords or spoilers
   * again, DONT POST SPOILERS!
     This includes writeups of your solution on your blog or website!

--[ Tips ]--

  This machine has a 64bit processor and many security-features enabled
  by default, although ASLR has been switched off.  The following
  compiler flags might be interesting:

    -m32                    compile for 32bit
    -fno-stack-protector    disable ProPolice
    -Wl,-z,norelro          disable relro

  In addition, the execstack tool can be used to flag the stack as
  executable on ELF binaries.

  Finally, network-access is limited for most levels by a local
  firewall.

--[ Tools ]--

 For your convenience we have installed a few useful tools which you can find
 in the following locations:

    * gef (https://github.com/hugsy/gef) in /opt/gef/
    * pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
    * gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
    * pwntools (https://github.com/Gallopsled/pwntools)
    * radare2 (http://www.radare.org/)

--[ More information ]--

  For more information regarding individual wargames, visit
  http://www.overthewire.org/wargames/

  For support, questions or comments, contact us on discord or IRC.

  Enjoy your stay!

bandit0@bandit:~$ cat readme
Congratulations on your first steps into the bandit game!!
Please make sure you have read the rules at https://overthewire.org/rules/
If you are following a course, workshop, walkthrough or other educational activity,
please inform the instructor about the rules as well and encourage them to
contribute to the OverTheWire community so we can keep these games free!

The password you are looking for is: ZjLjTmM6FvvyRnrb2rfNWOZOTa6ip5If
```

```
bandit0@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
PS C:\Users\Admin> ssh bandit1@bandit.labs.overthewire.org -p 2220
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|


                  This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit1@bandit.labs.overthewire.org's password:
Permission denied, please try again.
bandit1@bandit.labs.overthewire.org's password:

      ,----..            ,----,          .---.
     /   /   \         ,/   .`|         /. ./|
    /   .     :      ,`    .' :     .--'.  ' ;
   .   /   ;.  \   ;    ;     /    /__./ \ : |
  .   ;   /  ` ; .'___,/    ,' .--'.  '   \' .
  ;   |  ; \ ; | |    :     | /___/ \ |    ' '
  |   :  | ; | ' ;    |.';  ; ;   \  \;      :
  .   |  ' ' ' : `----'  |  | \   ;  `      |
  '   ;  \; /  |     '   :  ;   .   \    .\  ;
   \   \  ',  /      |   | '    \   \   ' \ |
    ;   :    /       '   : |     :   '  |--"
     \   \ .'        ;   |.'       \   \ ;
  www. `---` ver     '---' he       '---" ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.

--[ Playing the games ]--

  This machine might hold several wargames.
  If you are playing "somegame", then:

    * USERNAMES are somegame0, somegame1, ...
    * Most LEVELS are stored in /somegame/.
    * PASSWORDS for each level are stored in /etc/somegame_pass/.
```

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.
Please play nice:

* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players
* don't post passwords or spoilers
* again, DONT POST SPOILERS!
  This includes writeups of your solution on your blog or website!

--[Tips]--

This machine has a 64bit processor and many security-features enabled by default, although ASLR has been switched off. The following compiler flags might be interesting:

```
-m32                    compile for 32bit
-fno-stack-protector    disable ProPolice
-Wl,-z,norelro          disable relro
```

In addition, the execstack tool can be used to flag the stack as executable on ELF binaries.

Finally, network-access is limited for most levels by a local firewall.

--[Tools]--

For your convenience we have installed a few useful tools which you can find in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[More information]--

For more information regarding individual wargames, visit
http://www.overthewire.org/wargames/

```
  For support, questions or comments, contact us on discord or IRC.

  Enjoy your stay!

bandit1@bandit:~$ cat ./-
263JGJPfgU6LtdEvgfWU1XP5yac29mFx
bandit1@bandit:~$ cat "spaces in this filename"
cat: 'spaces in this filename': No such file or directory
bandit1@bandit:~$ ls
-
bandit1@bandit:~$
bandit1@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
PS C:\Users\Admin> ssh bandit2@bandit.labs.overthewire.org -p 2220
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|_|\__|


                 This is an OverTheWire game server.
          More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit2@bandit.labs.overthewire.org's password:

     ,----..            ,----,          .---.
    /   /   \         ,/   .`|         /. ./|
   /   .     :      ,`    .' :     .--'.  ' ;
  .   /   ;.  \   ;    ;     /    /__./ \ : |
 .   ;   /  `  ; .'___,/    ,' .--'.  '   \' .
 ;   |  ; \ ; | |    :     | /____/ \ |    ' '
 |   :  | ; | ' ;    |.';  ; ;   \  \;      :
 .   |  ' ' ' : `----'  |  |  \   ;  `      |
 '   ;  \; /  |     '   :  ;   .   \    .\  ;
  \   \  ',  /      |   |  '    \   \   ' \ |
   ;   :    /       '   :  |     :   '  |--"
    \   \ .'        ;   |.'       \   \ ;
  www. `---` ver     '---' he       '---" ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.
```

--[Playing the games]--

This machine might hold several wargames.
If you are playing "somegame", then:

* USERNAMES are somegame0, somegame1, ...
* Most LEVELS are stored in /somegame/.
* PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.
Please play nice:

* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players
* don't post passwords or spoilers
* again, DONT POST SPOILERS!
  This includes writeups of your solution on your blog or website!

--[Tips]--

This machine has a 64bit processor and many security-features enabled by default, although ASLR has been switched off. The following compiler flags might be interesting:

```
-m32                    compile for 32bit
-fno-stack-protector    disable ProPolice
-Wl,-z,norelro          disable relro
```

In addition, the execstack tool can be used to flag the stack as executable on ELF binaries.

Finally, network-access is limited for most levels by a local firewall.

--[Tools]--

For your convenience we have installed a few useful tools which you can find in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/

```
    * pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
    * gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
    * pwntools (https://github.com/Gallopsled/pwntools)
    * radare2 (http://www.radare.org/)

--[ More information ]--

  For more information regarding individual wargames, visit
  http://www.overthewire.org/wargames/

  For support, questions or comments, contact us on discord or IRC.

  Enjoy your stay!

bandit2@bandit:~$ cat "spaces in this filename"
cat: 'spaces in this filename': No such file or directory
bandit2@bandit:~$ ls
--spaces in this filename--
bandit2@bandit:~$ cat "./-spaces in this filename-"
cat: './-spaces in this filename-': No such file or directory
bandit2@bandit:~$ cat *
cat: unrecognized option '--spaces in this filename--'
Try 'cat --help' for more information.
bandit2@bandit:~$ cat -- "--spaces in this filename--"
MNk8KNH3Usiio41PRUEoDFPqfxLPlSmx
bandit2@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
PS C:\Users\Admin> ssh bandit2@bandit.labs.overthewire.org -p 2220
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|


                  This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit2@bandit.labs.overthewire.org's password:
Permission denied, please try again.
bandit2@bandit.labs.overthewire.org's password:
Permission denied, please try again.
bandit2@bandit.labs.overthewire.org's password:
bandit2@bandit.labs.overthewire.org: Permission denied (publickey,password).
PS C:\Users\Admin> ssh bandit3@bandit.labs.overthewire.org -p 2220
                      _                     _ _ _
```

```
| |__   __ _ _ __   __| (_) |_
| '_ \ / _` | '_ \ / _` | | __|
| |_) | (_| | | | | (_| | | |_
|_.__/ \__,_|_| |_|\__,_|_|\__|
```

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit3@bandit.labs.overthewire.org's password:

```
     ,----..            ,----,          .---.
    /   /   \         ,/   .`|         /. ./|
   /   .     :      ,`    .' :     .--'. ' ;
  .   /   ;.  \   ;    ;     /    /__./ \ : |
 .   ;   /  ` ; .'___,/    ,' .--'.  '   \' .
 ;   |  ; \ ; | |    :     | /___/ \ |    ' '
 |   :  | ; | ' ;    |.';  ; ;   \  \;      :
 .   | ' ' ' : `----'  | | \   ;  `      |
 '   ;  \; /  |     '   :  ;   .   \    .\  ;
  \   \  ',  /      |   | '    \   \   ' \ |
   ;   :    /       '   : |     :   '  |--"
    \   \ .'        ;   |.'       \   \ ;
 www. `---` ver     '---' he       '---" ire.org
```

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on discord or IRC.

--[Playing the games]--

This machine might hold several wargames.
If you are playing "somegame", then:

* USERNAMES are somegame0, somegame1, ...
* Most LEVELS are stored in /somegame/.
* PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.

```
  Please play nice:

    * don't leave orphan processes running
    * don't leave exploit-files laying around
    * don't annoy other players
    * don't post passwords or spoilers
    * again, DONT POST SPOILERS!
      This includes writeups of your solution on your blog or website!

--[ Tips ]--

  This machine has a 64bit processor and many security-features enabled
  by default, although ASLR has been switched off.  The following
  compiler flags might be interesting:

    -m32                    compile for 32bit
    -fno-stack-protector    disable ProPolice
    -Wl,-z,norelro          disable relro

  In addition, the execstack tool can be used to flag the stack as
  executable on ELF binaries.

  Finally, network-access is limited for most levels by a local
  firewall.

--[ Tools ]--

 For your convenience we have installed a few useful tools which you can find
 in the following locations:

    * gef (https://github.com/hugsy/gef) in /opt/gef/
    * pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
    * gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
    * pwntools (https://github.com/Gallopsled/pwntools)
    * radare2 (http://www.radare.org/)

--[ More information ]--

  For more information regarding individual wargames, visit
  http://www.overthewire.org/wargames/

  For support, questions or comments, contact us on discord or IRC.

  Enjoy your stay!

bandit3@bandit:~$ ls -la inhere/
total 12
drwxr-xr-x 2 root    root    4096 Apr  3 15:17 .
```

```
drwxr-xr-x 3 root    root    4096 Apr  3 15:17 ..
-rw-r----- 1 bandit4 bandit3   33 Apr  3 15:17 ...Hiding-From-You
bandit3@bandit:~$ cat inhere/...Hiding-From-You
2WmrDFRmJIq3IPxneAaMGhap0pFhF3NJ
bandit3@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
PS C:\Users\Admin> ssh bandit4@bandit.labs.overthewire.org -p 2220
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|_|\__|


                 This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit4@bandit.labs.overthewire.org's password:

      ,----..            ,----,          .---.
     /   /   \         ,/   .`|         /. ./|
    /   .     :       ,`    .' :     .--'.  ' ;
   .   /   ;.  \   ;    ;     /    /__./ \ : |
  .   ;   /  ` ; .'___,/    ,' .--'.  '   \' .
  ;   |  ; \ ; | |    :     | /___/ \ |    ' '
  |   :  | ; | ' ;    |.';  ; ;   \  \;      :
  .   |  ' ' ' : `----'  |  | \   ;  `      |
  '   ;  \; /  |     '   :  ;   .   \    .\  ;
   \   \  ',  /      |   | '    \   \   ' \ |
    ;   :    /       '   : |     :   '  |--"
     \   \ .'        ;   |.'       \   \ ;
  www. `---` ver     '---' he       '---" ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.

--[ Playing the games ]--

  This machine might hold several wargames.
  If you are playing "somegame", then:

    * USERNAMES are somegame0, somegame1, ...
    * Most LEVELS are stored in /somegame/.
```

* PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.
Please play nice:

* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players
* don't post passwords or spoilers
* again, DONT POST SPOILERS!
  This includes writeups of your solution on your blog or website!

--[Tips]--

This machine has a 64bit processor and many security-features enabled by default, although ASLR has been switched off. The following compiler flags might be interesting:

```
-m32                    compile for 32bit
-fno-stack-protector    disable ProPolice
-Wl,-z,norelro          disable relro
```

In addition, the execstack tool can be used to flag the stack as executable on ELF binaries.

Finally, network-access is limited for most levels by a local firewall.

--[Tools]--

For your convenience we have installed a few useful tools which you can find in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[More information]--

For more information regarding individual wargames, visit

```
  http://www.overthewire.org/wargames/

  For support, questions or comments, contact us on discord or IRC.

  Enjoy your stay!

bandit4@bandit:~$ find . type f -exec file {} \; |grep text
./.bash_logout: ASCII text
./.bashrc: ASCII text
./.profile: ASCII text
./inhere/-file07: ASCII text
find: ‘type’: No such file or directory
find: ‘f’: No such file or directory
bandit4@bandit:~$ file . -type f -exec file {} \; |grep text
file: invalid option -- 't'
file: invalid option -- 'y'
Usage: file [-bcCdEhikLlNnprsSvzZ0] [--apple] [--extension] [--mime-encoding]
            [--mime-type] [-e <testname>] [-F <separator>]  [-f <namefile>]
            [-m <magicfiles>] [-P <parameter=value>] [--exclude-quiet]
            <file> ...
       file -C [-m <magicfiles>]
       file [--help]
bandit4@bandit:~$ find . -type f -exec file {} \; | grep text
./.bash_logout: ASCII text
./.bashrc: ASCII text
./.profile: ASCII text
./inhere/-file07: ASCII text
bandit4@bandit:~$ cat ./inhere/-file07
4oQYVPkxZOOEOO5pTW81FB8j8lxXGUQw
bandit4@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
PS C:\Users\Admin> ssh bandit5@bandit.labs.overthewire.org -p 2220
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|


                  This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit5@bandit.labs.overthewire.org's password:

      ,----..            ,----,          .---.
     /   /   \         ,/   .`|         /. ./|
```

```
  /   .     :      ,`    .' :     .--'.  ' ;
 .   /   ;.  \   ;    ;     /    /__./ \ : |
.   ;   /  ` ; .'___,/    ,' .--'.  '   \' .
;   |  ; \ ; | |    :     | /___/ \ |    ' '
|   :  | ; | ' ;    |.';  ; ;   \ \;      :
.   | ' ' ' : `----'  | | \   ;  `      |
'   ;  \; /  |     '   :  ;   .   \    .\  ;
 \   \  ',  /      |   | '    \   \   ' \ |
  ;   :    /       '   : |     :   '  |--"
   \   \ .'        ;   |.'       \   \ ;
 www. `---` ver     '---' he       '---" ire.org
```

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on discord or IRC.

--[Playing the games]--

This machine might hold several wargames.
If you are playing "somegame", then:

* USERNAMES are somegame0, somegame1, ...
* Most LEVELS are stored in /somegame/.
* PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.
Please play nice:

* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players
* don't post passwords or spoilers
* again, DONT POST SPOILERS!
  This includes writeups of your solution on your blog or website!

--[Tips]--

This machine has a 64bit processor and many security-features enabled by default, although ASLR has been switched off. The following compiler flags might be interesting:

```
  -m32                    compile for 32bit
  -fno-stack-protector    disable ProPolice
  -Wl,-z,norelro          disable relro

 In addition, the execstack tool can be used to flag the stack as
 executable on ELF binaries.

 Finally, network-access is limited for most levels by a local
 firewall.

--[ Tools ]--

 For your convenience we have installed a few useful tools which you can find
 in the following locations:

   * gef (https://github.com/hugsy/gef) in /opt/gef/
   * pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
   * gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
   * pwntools (https://github.com/Gallopsled/pwntools)
   * radare2 (http://www.radare.org/)

--[ More information ]--

 For more information regarding individual wargames, visit
 http://www.overthewire.org/wargames/

 For support, questions or comments, contact us on discord or IRC.

 Enjoy your stay!

bandit5@bandit:~$ find . -typef -size 1033c ! -perm /111
find: unknown predicate `-typef'
bandit5@bandit:~$ find . -type f -size 1033c ! -perm /111
./inhere/maybehere07/.file2
bandit5@bandit:~$ cat ./inhere/maybehere07/.file2
HWasnPhtq9AVKe0dmk45nxy20cvUa6EG

bandit5@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
PS C:\Users\Admin> ssh bandit6@bandit.labs.overthewire.org -p 2220
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|
```

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibson-1
bandit6@bandit.labs.overthewire.org's password:

```
      ,----..            ,----,          .---.
     /   /   \         ,/   .`|         /. ./|
    /   .     :      ,`    .' :     .--'.  ' ;
   .   /   ;.  \   ;    ;     /    /__./ \ : |
  .   ;   /  ` ; .'___,/    ,' .--'.  '   \' .
  ;   |  ; \ ; | |    :     | /___/ \ |    ' '
  |   :  | ; | ' ;    |.';  ; ;   \  \;      :
  .   | ' ' ' : `----'  | | \   ;  `      |
  '   ;  \; /  |     '   :  ;   .   \    .\  ;
   \   \  ',  /      |   | '    \   \   ' \ |
    ;   :    /       '   : |     :   '  |--"
     \   \ .'        ;   |.'       \   \ ;
  www. `---` ver     '---' he       '---" ire.org
```

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on discord or IRC.

--[Playing the games]--

This machine might hold several wargames.
If you are playing "somegame", then:

* USERNAMES are somegame0, somegame1, ...
* Most LEVELS are stored in /somegame/.
* PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.
Please play nice:

* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players

```
    * don't post passwords or spoilers
    * again, DONT POST SPOILERS!
      This includes writeups of your solution on your blog or website!

--[ Tips ]--

  This machine has a 64bit processor and many security-features enabled
  by default, although ASLR has been switched off.  The following
  compiler flags might be interesting:

    -m32                    compile for 32bit
    -fno-stack-protector    disable ProPolice
    -Wl,-z,norelro          disable relro

  In addition, the execstack tool can be used to flag the stack as
  executable on ELF binaries.

  Finally, network-access is limited for most levels by a local
  firewall.

--[ Tools ]--

 For your convenience we have installed a few useful tools which you can find
 in the following locations:

    * gef (https://github.com/hugsy/gef) in /opt/gef/
    * pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
    * gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
    * pwntools (https://github.com/Gallopsled/pwntools)
    * radare2 (http://www.radare.org/)

--[ More information ]--

  For more information regarding individual wargames, visit
  http://www.overthewire.org/wargames/

  For support, questions or comments, contact us on discord or IRC.

  Enjoy your stay!

bandit6@bandit:~$ find . -type f -user bandit7 -group bandit6 -size 33c
bandit6@bandit:~$ client_loop: send disconnect: Connection reset
PS C:\Users\Admin> ssh bandit6@bandit.labs.overthewire.org -p 2220
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|
```

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit6@bandit.labs.overthewire.org's password:
Permission denied, please try again.
bandit6@bandit.labs.overthewire.org's password:

```
      ,----..            ,----,          .---.
     /   /   \         ,/   .`|         /. ./|
    /   .     :      ,`   .' :     .--'.  ' ;
   .   /   ;.  \   ;    ;     /    /__./ \ : |
  .   ;   /  ` ; .'___,/    ,' .--'.  '   \' .
  ;   |  ; \ ; | |    :     | /___/ \ |    ' '
  |   :  | ; | ' ;    |.';  ; ;   \  \;      :
  .   | ' ' ' : `----'  | | \   ;  `      |
  '   ; \; /  |     '   :  ;   .   \    .\  ;
   \   \  ',  /      |   | '    \   \   ' \ |
    ;   :    /       '   : |     :   '  |--"
     \   \ .'        ;   |.'       \   \ ;
  www. `---` ver     '---' he       '---" ire.org
```

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on discord or IRC.

--[Playing the games]--

This machine might hold several wargames.
If you are playing "somegame", then:

* USERNAMES are somegame0, somegame1, ...
* Most LEVELS are stored in /somegame/.
* PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.
Please play nice:

```
    * don't leave orphan processes running
    * don't leave exploit-files laying around
    * don't annoy other players
    * don't post passwords or spoilers
    * again, DONT POST SPOILERS!
      This includes writeups of your solution on your blog or website!

--[ Tips ]--

  This machine has a 64bit processor and many security-features enabled
  by default, although ASLR has been switched off.  The following
  compiler flags might be interesting:

    -m32                    compile for 32bit
    -fno-stack-protector    disable ProPolice
    -Wl,-z,norelro          disable relro

  In addition, the execstack tool can be used to flag the stack as
  executable on ELF binaries.

  Finally, network-access is limited for most levels by a local
  firewall.

--[ Tools ]--

 For your convenience we have installed a few useful tools which you can find
 in the following locations:

    * gef (https://github.com/hugsy/gef) in /opt/gef/
    * pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
    * gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
    * pwntools (https://github.com/Gallopsled/pwntools)
    * radare2 (http://www.radare.org/)

--[ More information ]--

  For more information regarding individual wargames, visit
  http://www.overthewire.org/wargames/

  For support, questions or comments, contact us on discord or IRC.

  Enjoy your stay!

bandit6@bandit:~$ find / -type f -user bandit7 -group bandit6 -size 33c 2>/dev/null
/var/lib/dpkg/info/bandit7.password
bandit6@bandit:~$ cat /var/lib/dpkg/info/bandit7.password
morbNTDkSW6jIlUc0ymOdMaLnOlFVAaj
bandit6@bandit:~$ exit
```

```
logout
Connection to bandit.labs.overthewire.org closed.
PS C:\Users\Admin> ssh bandit7@bandit.labs.overthewire.org -p 2220
                      _                 _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|_|\__|


                 This is an OverTheWire game server.
          More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit7@bandit.labs.overthewire.org's password:

     ,----..            ,----,          .---.
    /   /   \         ,/   .`|         /. ./|
   /   .     :      ,`    .' :     .--'.  ' ;
  .   /   ;.  \   ;    ;     /    /__./ \ : |
 .   ;   /  ` ; .'___,/    ,' .--'.  '   \' .
 ;   |  ; \ ; | |    :     | /___/ \ |    ' '
 |   :  | ; | ' ;    |.';  ; ;   \ \;      :
 .   |  ' ' ' : `----'  | | \   ;  `      |
 '   ;  \; /  |     '   : ;   .   \    .\  ;
  \   \ ',  /      |   | '    \   \   ' \ |
   ;   :    /       '   : |     :   '  |--"
    \   \ .'        ;   |.'      \   \ ;
  www. `---` ver     '---' he       '---" ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.

--[ Playing the games ]--

  This machine might hold several wargames.
  If you are playing "somegame", then:

    * USERNAMES are somegame0, somegame1, ...
    * Most LEVELS are stored in /somegame/.
    * PASSWORDS for each level are stored in /etc/somegame_pass/.

  Write-access to homedirectories is disabled. It is advised to create a
  working directory with a hard-to-guess name in /tmp/.  You can use the
  command "mktemp -d" in order to generate a random and hard to guess
```

directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.
Please play nice:

* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players
* don't post passwords or spoilers
* again, DONT POST SPOILERS!
  This includes writeups of your solution on your blog or website!

--[Tips]--

This machine has a 64bit processor and many security-features enabled by default, although ASLR has been switched off. The following compiler flags might be interesting:

```
-m32                    compile for 32bit
-fno-stack-protector    disable ProPolice
-Wl,-z,norelro          disable relro
```

In addition, the execstack tool can be used to flag the stack as executable on ELF binaries.

Finally, network-access is limited for most levels by a local firewall.

--[Tools]--

For your convenience we have installed a few useful tools which you can find in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[More information]--

For more information regarding individual wargames, visit
http://www.overthewire.org/wargames/

For support, questions or comments, contact us on discord or IRC.

Enjoy your stay!

```
bandit7@bandit:~$ grep millionth data.txt
millionth       dfwvzFQi4mU0wfNbFOe9RoWskMLg7eEc
bandit7@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
PS C:\Users\Admin> ssh bandit8@bandit.labs.overthewire.org -p 2220
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|


                 This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit8@bandit.labs.overthewire.org's password:

      ,----..            ,----,          .---.
     /   /   \         ,/   .`|         /. ./|
    /   .     :      ,`    .' :     .--'.  ' ;
   .   /   ;.  \   ;    ;     /    /__./ \ : |
  .   ;   /  ` ; .'___,/    ,' .--'.  '   \' .
  ;   |  ; \ ; | |    :     | /____/ \ |    ' '
  |   :  | ; | ' ;    |.';  ; ;   \  \;      :
  .   |  ' ' ' : `----'  |  | \   ;  `      |
  '   ;  \; /  |     '   :  ;   .   \    .\  ;
   \   \  ',  /      |   | '    \   \   ' \ |
    ;   :    /       '   : |     :   '  |--"
     \   \ .'        ;   |.'       \   \ ;
  www. `---` ver     '---' he       '---" ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.

--[ Playing the games ]--

  This machine might hold several wargames.
  If you are playing "somegame", then:

    * USERNAMES are somegame0, somegame1, ...
    * Most LEVELS are stored in /somegame/.
    * PASSWORDS for each level are stored in /etc/somegame_pass/.
```

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.
Please play nice:

* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players
* don't post passwords or spoilers
* again, DONT POST SPOILERS!
  This includes writeups of your solution on your blog or website!

--[Tips]--

This machine has a 64bit processor and many security-features enabled by default, although ASLR has been switched off. The following compiler flags might be interesting:

```
-m32                    compile for 32bit
-fno-stack-protector    disable ProPolice
-Wl,-z,norelro          disable relro
```

In addition, the execstack tool can be used to flag the stack as executable on ELF binaries.

Finally, network-access is limited for most levels by a local firewall.

--[Tools]--

For your convenience we have installed a few useful tools which you can find in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[More information]--

For more information regarding individual wargames, visit
http://www.overthewire.org/wargames/

```
  For support, questions or comments, contact us on discord or IRC.

  Enjoy your stay!

bandit8@bandit:~$ sort data.txt | uniq -u
4CKMh1JI91bUIZZPXDqGanal4xvAg0JM
bandit8@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
PS C:\Users\Admin> ssh bandit9@bandit.labs.overthewire.org -p 2220
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|_|\__|


                 This is an OverTheWire game server.
          More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit9@bandit.labs.overthewire.org's password:

      ,----..            ,----,          .---.
     /   /   \         ,/   .`|         /. ./|
    /   .     :      ,`    .'  :     .--'.  ' ;
   .   /   ;.  \   ;    ;     /    /__./ \ : |
  .   ;   /  `  ; .'___,/    ,' .--'.  '   \' .
  ;   |  ; \ ; | |    :     | /___/ \ |    ' '
  |   :  | ; | ' ;    |.';  ; ;   \  \;      :
  .   |  ' ' ' : `----'  | |  \   ;  `      |
  '   ;  \; /  |     '   :  ;   .   \    .\  ;
   \   \  ',  /      |   |  '    \   \   ' \ |
    ;   :    /       '   :  |     :   '  |--"
     \   \ .'        ;   |.'       \   \ ;
  www. `---` ver     '---' he       '---" ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.

--[ Playing the games ]--

  This machine might hold several wargames.
  If you are playing "somegame", then:
```

* USERNAMES are somegame0, somegame1, ...
* Most LEVELS are stored in /somegame/.
* PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.
Please play nice:

* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players
* don't post passwords or spoilers
* again, DONT POST SPOILERS!
  This includes writeups of your solution on your blog or website!

--[Tips]--

This machine has a 64bit processor and many security-features enabled by default, although ASLR has been switched off. The following compiler flags might be interesting:

```
-m32                    compile for 32bit
-fno-stack-protector    disable ProPolice
-Wl,-z,norelro          disable relro
```

In addition, the execstack tool can be used to flag the stack as executable on ELF binaries.

Finally, network-access is limited for most levels by a local firewall.

--[Tools]--

For your convenience we have installed a few useful tools which you can find in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

```
--[ More information ]--

  For more information regarding individual wargames, visit
  http://www.overthewire.org/wargames/

  For support, questions or comments, contact us on discord or IRC.

  Enjoy your stay!

bandit9@bandit:~$ strings data.txt | grep '='
 ========== the
I\=Ow
V?L=
%3=VZ
========== password
={M\
========== is
=Dvq
=n/N
========== FGUW5ilLVJrxX9kMYMmlN4MgbpfMiqey
zX]%=
]\{=
bandit9@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
PS C:\Users\Admin> ssh bandit10@bandit.labs.overthewire.org -p 2220
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|


                 This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit10@bandit.labs.overthewire.org's password:


     ,----..            ,----,          .---.
    /   /   \         ,/   .`|         /. ./|
   /   .     :      ,`   .' :     .--'.  ' ;
  .   /   ;.  \   ;    ;     /    /__./ \ : |
 .   ;   /  ` ; .'___,/    ,' .--'.  '   \' .
 ;   |  ; \ ; | |    :     | /___/ \ |    ' '
 |   :  | ; | ' ;    |.';  ; ;   \  \;      :
 .   |  ' ' ' : `----'  |  |  \   ;  `      |
 '   ;  \; /  |     '   :  ;   .   \    .\  ;
```

```
 \   \ ',  /      |   | '    \   \   ' \ |
  ;   :    /       '   : |     :   '  |--"
   \   \ .'        ;   |.'       \   \ ;
www. `---` ver     '---' he       '---" ire.org
```

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on discord or IRC.

--[Playing the games]--

This machine might hold several wargames.
If you are playing "somegame", then:

* USERNAMES are somegame0, somegame1, ...
* Most LEVELS are stored in /somegame/.
* PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc restricted so that users cannot snoop on eachother. Files and directories with easily guessable or short names will be periodically deleted! The /tmp directory is regularly wiped.
Please play nice:

* don't leave orphan processes running
* don't leave exploit-files laying around
* don't annoy other players
* don't post passwords or spoilers
* again, DONT POST SPOILERS!
  This includes writeups of your solution on your blog or website!

--[Tips]--

This machine has a 64bit processor and many security-features enabled by default, although ASLR has been switched off. The following compiler flags might be interesting:

```
-m32                    compile for 32bit
-fno-stack-protector    disable ProPolice
-Wl,-z,norelro          disable relro
```

In addition, the execstack tool can be used to flag the stack as executable on ELF binaries.

```
  Finally, network-access is limited for most levels by a local
  firewall.

--[ Tools ]--

 For your convenience we have installed a few useful tools which you can find
 in the following locations:

    * gef (https://github.com/hugsy/gef) in /opt/gef/
    * pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
    * gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
    * pwntools (https://github.com/Gallopsled/pwntools)
    * radare2 (http://www.radare.org/)

--[ More information ]--

  For more information regarding individual wargames, visit
  http://www.overthewire.org/wargames/

  For support, questions or comments, contact us on discord or IRC.

  Enjoy your stay!

bandit10@bandit:~$ base64 -d data.txt
The password is dtR173fZKb0RRsDFSGsg2RWnpNVj3qRr
bandit10@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
PS C:\Users\Admin>
```