

**Started on** Saturday, 16 May 2026, 8:30 PM

**State** Finished

**Completed on** Saturday, 16 May 2026, 8:35 PM

**Time taken** 5 mins 12 secs

**Grade** 14.00 out of 15.00 (93.33%)

**Question 1** | Correct Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

- ☐ a. <class 'int'>
- ☐ b. <class 'tuple'>
- ☐ c. str
- ☒ d. <class 'str'> ✓

**Question 2** | Correct Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
```

```
set2 = {60, 70, 10, 30, 40, 80, 20, 50}
```

```
print(set1.issubset(set2))
```

```
print(set2.issuperset(set1))
```

- ☐ a. False  
True
- ☐ b. False  
False
- ☐ c. True  
False
- ☒ d. True ✓  
True

**Question 3** | Correct Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

- ☐ a. {}
- ☐ b. {2,5,1}
- ☐ c. {2,5,3,1}
- ☒ d. {3} ✓

**Question 4** | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

- ☐ a. Error
- ☒ b. False ✓
- ☐ c. Error
- ☐ d. True

**Question 5** | Correct Mark 1.00 out of 1.00

What will set1 | set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

- ☐ a. Elements of set2 will get appended to set1
- ☐ b. A new set will be created with the unique elements of set1 and set2.
- ☐ c. Elements of set1 will get appended to set2
- ☒ d. A new set will be created with the elements of both set1 and set2 ✓

**Question 6** | Correct Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- ☐ a. [1,2,3,4]
- ☒ b. (1,4,5,6,7) ✓
- ☐ c. {1,3,8,9,41}
- ☐ d. ("Wonder")

**Question 7** | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

- ☐ a. 2
- ☒ b. Error ✓
- ☐ c. 5
- ☐ d. 1

**Question 8** | Correct Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

- ☐ a. ['30', '8', '3', '2']
- ☐ b. ['2', '3', '8', '30']
- ☒ c. ['8', '30', '3', '2'] ✓
- ☐ d. ['2', '3', '30', '8']

**Question 9** | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

- ☐ a. [1, 2, 4, 3, 8, 9]
- ☒ b. [1, 4, 8] ✓
- ☐ c. [2, 3, 9]
- ☐ d. (1, 4, 8)

**Question 10** | Correct Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

- ☐ a. {'Yellow', 'Orange', 'Black', ['Blue', 'Green', 'Red']}
- ☐ b. Name Error
- ☐ c. TypeError: update() doesn't allow list as a argument.
- ☒ d. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

**Question 11** | Correct Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

- ☐ a. It will throw an error as there are two 0 while creating the set.
- ☒ b. {0,9} ✓
- ☐ c. {9}
- ☐ d. {0,0,9}

**Question 12** | Correct Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

- ☐ a. i,ii
- ☐ b. iii,iv
- ☒ c. i,iii ✓
- ☐ d. ii,iv

**Question 13** | Incorrect Mark 0.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- ☐ a. {'rec', 1, ('cse', 'ece')}
- ☐ b. {'rec', 1, ('cse', 'ece'), True}
- ☐ c.
- {'rec', True, ('cse', 'ece')}
- ☒ d. Error ✗

**Question 14** | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

- ☒ a. [55, 33, 11] ✓
- ☐ b. (55,33,11)
- ☐ c. ([55,33,11])
- ☐ d. [(55,33,11)]

**Question 15** | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

- ☐ a. (1,2,3,3,2,1)
- ☒ b. (1,2,3,4,5,6) ✓
- ☐ c. Error
- ☐ d. (1,2,3)(4,5,6)