



Patran release 2025.2




What's New



Patran Pre- and Post- Processing

40 years of innovation



Seamless integration: Effortlessly connects with MSC Nastran & other leading solvers (Marc, Abaqus, Ansys) for end-to-end simulation workflows



Modern User Experience: Intuitive interface, powerful visualization, and streamlined processes to boost productivity



Robust & Reliable: Proven accuracy and stability for mission-critical projects for all industries



Advanced Modeling: Fast geometry cleanup, flexible meshing (auto/manual), and comprehensive post-processing - handle the most complex assemblies with confidence

Value proposition:

Patran is a robust pre- and post-processing software for FEA, seamlessly supporting MSC Nastran. Trusted for decades, it offers comprehensive tools for modeling, meshing, and analysis. Widely used globally, Patran's reliability and extensive solver support make it indispensable for tackling complex engineering simulations

A decorative graphic consisting of two thick lines, one blue and one green, intersecting on a dark blue background. The blue line starts from the top left, goes down to the intersection, and then goes up to the top right. The green line starts from the bottom left, goes up to the intersection, and then goes down to the bottom right. The intersection point is located in the upper left quadrant of the slide.

“

New capabilities and updates Patran 2025.2

Release highlights

New in Patran 2025.2

Rotordynamics Excellence

- Deliver superior rotor performance with integrated hybrid damping data through ROTHYBD support.

Expanded Nastran Solver Support:

- Precision Monitoring Made Simple: Gain deeper insights with Monitor Point Support for structural and implicit preferences: MONSUM, MONSUM1, MONSUMT.
- Streamlined SuperElement Integration: Simplify workflows with NIFIMP-based import for SuperElement definitions.
- Next-Generation Composite Modeling: Accelerate design with support for the new PENTA solid composite element type in preprocessing.
- Optimized Beam Modeling: Achieve accurate results with double-sided PBARL and PBEAML support for enhanced structural representation.
- Advanced Contact Simulation: Model realistic interactions effortlessly with Linear Gap support in SOL 101.

Ease of use – improved user experience

- CATIA V5 R34 Compatibility: Seamlessly integrate with the latest CATIA version for smooth design workflows.
- Part-Based Model Organization: Simplify complex assemblies with enhanced MPC and Connector support for better model management.

Advanced Post-Processing with HDF5: Unlock high-performance data handling and faster results visualization.

- Dynamic Monitoring Insights: Visualize time- and frequency-dependent results with graph plotting for Monitor Points.
- Comprehensive Stress Analysis: Access RMS Von-Mises stress outputs for SOL 111 and SOL 200 random response cases.
- Enhanced Contact Analysis: Leverage new NLPERF contact output requests for deeper insight into nonlinear performance.
- MSC.Explore Integration: Experience full HDF5 format support for efficient exploration and analysis.

New capabilities and enhancements in MSC Patran 2025.2

Support Hybrid Damping Data For Rotors

Description:

- The new Hybrid Damping Data for Rotors feature introduces a powerful capability to define precise damping characteristics for rotors across all supported analysis types, including SOL101, SOL103, SOL110, SOL107, SOL111, SOL108, SOL109, SOL128, and SOL400. This enhancement ensures accurate modeling of dynamic behavior in complex systems. It offers unlimited rotor support, allowing models to scale effortlessly without restrictions on the number of rotors. Engineers can assign unique damping behavior to each rotor in 1D, 2D, or 3D, delivering maximum accuracy and flexibility for diverse engineering scenarios. Full export and read support from Nastran input files ensures seamless integration with existing workflows, minimizing setup time and complexity. Applicable to all rotodynamic scenarios, this feature supports advanced studies for complex, multi-rotor systems without compromise. With this capability, engineers achieve greater precision, scalability, and integration in rotodynamic simulations, paving the way for optimized designs and improved system reliability.

Benefits:

- User friendly and easy to define damping data for multiple rotors
- Enhanced Modeling Accuracy: Capture real-world damping behavior for improved simulation fidelity.
- Scalable and Flexible: Handle complex assemblies without constraints on rotor count or damping definitions.
- Performance Awareness: Advanced damping matrices supported—users can manage trade-offs between detail and computational cost.

Who needs it / Use cases:

- Aerospace and rotor design users

Define Rotor Hybrid Damping (ROTHYBD)

Rotor Type: 1D

Input Data

Select Rotor (ROTORID) Name Off ID Off Select Frequency Field(TABDMP1)

field.rot.4

Rotor Hybrid: Yes

Structural Damping[KDAMP]: No

Print Eigenvalue[PRTEIG]: No

Damping Units[TYPE]: Struct. Damp. (G)

Input Data: YES Auto Highlight Real Eigenvalue...

	Rotor Hybrid	Rotor	Structural Damping	Print Eigenvalue	Damping Units	Frequency Field
1	YES	ROTOR4.4	YES	NO	G	f:field.rot.4

Delete Selected Rows Insert 1 Rows Above Below

OK Cancel Reset

New capabilities and enhancements in MSC Patran 2025.2

Support for Monsum/Monsum1/Monsumt in Structure and Implicit Preference

Description:


- The new functionality delivers comprehensive pre- and post-processing support for MSC Nastran Monitor Sum cards, including Monitor Sum, Monitor Sum1, and Monitor Sumt, with structure and implicit preference handling. It enables saving Monitor Sums directly in the database for efficient data management and ensures full compatibility with existing workflows through the import of MONITOR case control and bulk section entries such as MONSUM, MONSUM1, and MONSUMT. Post-processing capabilities allow users to review and analyze results seamlessly, providing clear insights into monitored quantities throughout the simulation process. This feature supports a wide range of solution sequences, including SOL101, SOL103, SOL108, SOL109, SOL111, SOL112, and SOL400 (NLTRAN and NLSTAT), making it ideal for both linear and nonlinear structural analyses. By integrating these capabilities, engineers gain a streamlined workflow for monitoring, storing, and evaluating critical structural performance metrics with precision and ease.

Benefits:

- Easily work with complex models and access results at specific locations using MONSUM, MONSUM1, and MONSUMT definitions for precise monitoring.
- Validate simulation accuracy by comparing results directly with data from the physical testing department, ensuring confidence in performance.
- Reduce reliance on extensive physical testing, streamline verification processes, and accelerate development cycles—ultimately shortening time to market.

Who needs it / Use cases:

- All Patran /Nastran Users who are collaborating with physical testing departments



New capabilities and enhancements in MSC Patran 2025.2

Import (NIFIMP) of Part SuperElements (SEs)

Description:


The system now provides full recognition and handling of **BEGIN SUPER** sections, enabling seamless import of nodes, elements, and MPCs from each section and organizing them into their associated groups. Coordinates from each section are imported accurately, while duplicate ID offsets for nodes, elements, MPCs, and coordinates are applied, including references by other entities such as materials, loads, properties, and fields. When prompted, users must confirm duplicate ID offset adjustments to ensure consistency. Identically located nodes are neither offset nor duplicated, preserving model integrity. A primary superelement (SE) definition is created with proper association to its group and any boundary nodes. Analysis job setup supports selected superelements, and DOF sets (ASET/QSET) are imported with duplicate or offset node IDs for complete compatibility. This workflow ensures robust integration of superelements into complex models, maintaining accuracy and efficiency throughout the analysis process.

Benefits:

- Import of Existing Superelement Models: Seamlessly integrate pre-defined SE models into new analyses, saving time and leveraging previous work.
- Data Exchange Between Companies: Share essential structural data while protecting proprietary modeling details, ensuring confidentiality during collaboration.
- Modular Workflow: Enable parallel processing and independent development of substructures for faster project turnaround

Who needs it / Use cases:

- All Nastran Engineers using SE model



Limitations in 2025.2 (planned for upcoming releases):

- Material/Properties require unique IDs
 - Otherwise only first one encountered is recognized
- No Positioning of Imported SEs
 - SEBULK/SELOC/SEMPLEN/etc. not yet recognized
- SETREE not yet recognized or imported
- Only Primary SE definitions imported
 - External SE definitions not yet imported
 - Secondary SE definitions not yet imported
- Limited support of HDF5 file model import w/ SEs

New capabilities and enhancements in MSC Patran 2025.2

PENTA Solid Composite Element Type Support


Description:

This functionality introduces advanced support for composite and nonlinear analysis using specific element and property combinations. It includes CPENTA elements with PCOMPLS, CTRIA3 and CTRIA6 elements with PCOMP or PCOMPG for interlaminar shear evaluation, and CPENTA elements with MATG material definitions. These capabilities are supported exclusively in the implicit nonlinear preference and apply only to nonlinear performance (NLPERF) analyses. The feature is limited to CPENTA6 elements and does not extend to higher-order configurations, ensuring precise handling of complex composite structures. Import and forward translation are fully supported, allowing seamless integration of elements associated with geometry into the analysis workflow. This enhancement provides engineers with robust tools for accurate modeling and evaluation of nonlinear composite behavior in advanced structural simulations.

Benefits:

- **Improved Meshing Efficiency:** Using only CHEXA elements for solid shell formulations is highly inefficient, as avoiding CPENTA elements during meshing is challenging. Supporting CPENTA with PCOMPLS eliminates this limitation and streamlines model creation.
- **Greater Flexibility in Nonlinear Analysis:** CPENTA elements expand modeling options for complex geometries and nonlinear performance scenarios, reducing constraints in structural simulations.
- **Who needs it / Use cases:**

All users who are doing simulations in the composite area



New capabilities and enhancements in MSC Patran 2025.2

Double Sided PBARL/PBEAML Support

Description:


The double-sided blade cross-section has been added to both PBARL and PBEAML entries, enhancing flexibility in defining beam properties. For PBEAML, the cross-sectional interface calculates both the centroid and the shear center, while PBARL determines only the centroid. Internally, PBARL outputs the appropriate PBAR entry for CBAR elements, including section properties and stress recovery locations (C, D, E, F) relative to the centroid. Similarly, PBEAML generates the corresponding PBEAM entry for CBEAM elements, providing section properties and stress recovery locations relative to the shear center. This improvement ensures accurate representation of structural behavior and stress recovery for complex blade-like geometries, supporting advanced modeling and analysis workflows.

Benefits:

- Support for New Section Types: Addition of DSB0 and DSB1 sections enables accurate modeling of double-sided blade cross-sections.
- Improved Calculation of Sectional Properties: Ensures precise determination of centroid and shear center for arbitrary cross-sections using the default method.
- Enhanced Stress Recovery Accuracy: Provides correct C, D, E, F stress recovery locations relative to centroid (PBARL) and shear center (PBEAML).
- Greater Modeling Flexibility: Facilitates advanced structural analysis for complex blade-like geometries without manual adjustments.
- Streamlined Workflow: Reduces setup time and improves correlation with physical testing for high-fidelity simulations.

Who needs it / Use cases:

All user who are using bar abd beam elements, especially the aeroindustry



New capabilities and enhancements in MSC Patran 2025.2

Linear Gap Support in SOL 101.

Description:


The linear gap capability, implemented using CGAP elements, models simple contact behavior between two parts under compressive conditions without friction, large displacements, or material nonlinearity. This approach is ideal for scenarios such as hole bearing, heel-toe interaction, or fitting contacts, where a straightforward representation of contact is sufficient. In SOL101, requests can specify the use of CGAP elements for linear contact through LGAP case control options, including combinations like LGAP=ALL, LGAP(MITER=75)=ALL, and LGAP(MITER=20,PRTN=YES)=75. These options provide flexibility in defining contact behavior while maintaining computational efficiency. By leveraging linear gap modeling, engineers can accurately simulate localized contact effects in structural analyses without introducing unnecessary complexity.

Benefits:

- **Accurate Simulation of Compressive Contact:** Models the behavior of two parts coming into contact under compressive forces without friction or large displacement effects.
- **Ideal for Simple Contact Scenarios:** Suitable for applications like hole bearing, heel-toe interaction, and fitting contacts where linear contact is sufficient.
- **Supports Constrained Structures:** Enables reliable contact modeling in structures with fixed or limited degrees of freedom.
- **Inertia Relief Capability:** Works with inertia relief using PARAM,INREL,-1 or -4, allowing analysis of unconstrained or partially constrained systems.
- **Efficient Linear Analysis:** Integrated into SOL101 for static linear solutions, ensuring computational efficiency and simplicity.

Who needs it / Use cases:

All Nastran Engineers using Linear Gap. All engineers who are doing contact analysis



New capabilities and enhancements in MSC Patran 2025.2

Support for Catia V5 R34 format

Description:


- CATIA V5 R34 Import Support
 - Parts
 - Assemblies

Benefits:

- CAD Import

Who needs it / Use cases:

- Customer who are using CATIA V5 R34



New capabilities and enhancements in MSC Patran 2025.2

Part Based Model Organization - MPC and Connectors Support

Description:


Patran now offers enhanced model handling based on parts and assemblies, delivering greater competitiveness for aerospace and automotive applications. This project extends part functionality by supporting nodes, MPCs, and connectors, enabling more comprehensive and flexible modeling. New entities are fully integrated into the database for saving, loading, and importing, while a new part creation method based on nodes, MPCs, and connectors simplifies setup. All part operations have been improved to handle these entities efficiently, including import and export processes, visibility control, and color management. Updates to part entities during FEM actions such as renumbering or deletion ensure consistency throughout the workflow. Additionally, the “Organize Model” tool provides streamlined management of complex assemblies, making it easier to maintain clarity and control in large-scale models. These enhancements, driven by field feedback, significantly improve usability and productivity for advanced engineering projects.

Benefits:

- **Hierarchical Structure for Model Management:** Enables users to create, edit, review, visualize, export, and import model data in an organized and intuitive way.
- **Improved Productivity and Efficiency:** Streamlines workflows, reduces complexity, and accelerates model setup and modification.
- **Enhanced Usability:** Simplifies handling of large assemblies and complex models, making operations more user-friendly.
- **Modern Look and Feel:** Provides an updated interface that improves user experience and aligns with contemporary design standards.

Who needs it / Use cases:

- All Patran users, uses MPCs, Connectors etc.
- Part based model is supported in all major Patran pre and post workflows.



New capabilities and enhancements in MSC Patran 2025.2

Support of XY Plots for Monitor Points results with global variable like time or frequency

Description:


XY plotting of monitor results provides a clear and intuitive way to visualize key performance metrics over global variables such as time or frequency. This functionality enables users to generate plots for Monitor Point 1, Monitor Point 2, and Monitor Disp1, offering detailed insights into system behavior during analysis. By correlating monitored quantities with global parameters, engineers can easily track trends, identify anomalies, and validate simulation accuracy. These plots enhance postprocessing workflows by delivering precise graphical representations of monitored data, supporting better decision-making and streamlined reporting for complex structural and dynamic analyses.

Benefits:

- **Comprehensive Visualization:** Enables plotting of various monitor point results against global variables such as time or frequency for better insight.
- **Comparison Across Result Cases:** Allows users to analyze and compare multiple result cases in a single view, improving understanding of system behavior.
- **Enhanced Decision-Making:** Provides clear trends and correlations that support validation and optimization of designs.
- **Improved Postprocessing Efficiency:** Streamlines data interpretation by converting complex numerical outputs into intuitive graphical representations.
- **Supports Dynamic and Static Analysis:** Applicable to a wide range of scenarios, including frequency response and time-dependent simulations.

Who needs it / Use cases:

- All Patran Users using Monitor Points
- All CAE engineers who collaborate with the physical testing department



New capabilities and enhancements in MSC Patran 2025.2

HDF5 RMS Von Mises stress Output Request – SOL 111 Random analysis

Description:


The Von Mises stress output request in SOL111 random analysis postprocessing provides critical insight into structural performance under stochastic loading conditions. Using the STRESS options—CRMS, RMSVM, or RALL—engineers can evaluate stress distributions and identify potential failure regions based on combined stress states. This functionality is available for shell elements such as CQUAD4, CQUAD8, CQUADR, CTRIA3, CTRIA6, and CTRIAR, as well as solid elements including CHEXA, CTETRA, and CPENTA. It is important to note that Von Mises stress is not calculated for shell and solid composite elements in this context. By enabling accurate stress assessment for supported element types, this feature enhances the reliability of random vibration analysis and supports robust design validation in aerospace, automotive, and other high-performance applications.

Benefits:

- **Accurate Stress Evaluation in Random Analysis:** Provides Von Mises stress results using STRESS options (CRMS, RMSVM, RALL) for supported shell and solid elements.
- **Enhanced Postprocessing for Critical Components:** Enables engineers to identify stress hotspots under stochastic loading conditions for improved design reliability.
- **Consistency Across Tools:** PSD-based methodology delivers equivalent results to MSC Random and CAE Fatigue, ensuring uniformity in analysis workflows.
- **Supports Fatigue and Durability Studies:** Facilitates correlation between random vibration stress outputs and fatigue life predictions.
- **Efficient Integration in MSC Nastran:** Eliminates the need for external tools by implementing PSD evaluation directly within the solver.

Who needs it / Use cases:

- **Ideal for Aerospace and Automotive Applications**
Supports industries that demand high-precision stress analysis for safety, durability, and performance.



New capabilities and enhancements in MSC Patran 2025.2

HDF5 New Contact Output Requests - NLPERF

Description:


The new NLPERF contact output capability in MSC Nastran provides detailed postprocessing information for nonlinear contact analyses, enabling engineers to better understand contact behavior under complex loading conditions. This enhancement delivers comprehensive results such as contact forces, penetration depth, and status indicators for each contact pair, ensuring accurate evaluation of interaction between components. By supporting implicit nonlinear preferences, the feature improves correlation with physical testing and enhances confidence in simulation accuracy. These outputs are essential for validating designs in applications where contact performance is critical, such as aerospace, automotive, and industrial machinery. With this functionality, engineers can efficiently review and interpret contact behavior, optimize designs, and reduce development time through more reliable nonlinear analysis workflows.

Benefits:

- Now access and support of NLPERF results in the area Contact Gap Distance, Contact Gap Status, Contact Gap Translational
- Detailed Postprocessing Information: Provides comprehensive data for nonlinear contact analyses, including contact forces, penetration depth, and status indicators for each contact pair.
- Improved Understanding of Contact Behavior: Enables engineers to analyze interactions under complex loading conditions with greater clarity.
- Enhanced Correlation with Physical Testing: Supports implicit nonlinear preferences, improving alignment between simulation and real-world results.

Who needs it / Use cases:

- All NLPERF users and users who simulate contact scenarios



New capabilities and enhancements in MSC Patran 2025.2

MSC.Explore : Support of MSC Nastran HDF5 format

Description:


Patran now extends its Explore tool capabilities by supporting MSC Nastran HDF5 result files (.h5) for postprocessing operations under Tools | Results | Explore. This enhancement provides users with the same workflow as existing XDB file support, ensuring a seamless transition for those familiar with the Explore tool. The Patran user interface for Explore has been updated to allow selection of either .xdb or .h5 files. This integration simplifies result handling and ensures compatibility with advanced MSC Nastran output formats, making postprocessing faster and more robust while improving performance and scalability for large datasets.

Benefits:

- Enables users to perform Explore operations directly on MSC Nastran HDF5 result files.
- Now envelope postprocessing with HDF5 files
- Maintains the same workflow as XDB file support, minimizing learning effort.
- Improves performance and scalability for postprocessing operations.
- Makes postprocessing faster, more robust, and future-ready.

Who needs it / Use cases:

All Patran Users using Explore result tool for post processing.



Limitations:

Limitations are the same between XDB and HDF5 support.

- Supports Static, Transient, and Frequency Response Analysis. All selected results database files must be of the same analysis type and represent the same model.
- Supported only for Nastran H5 files with SOL 101, SOL 108, SOL 109, SOL 111, and SOL 112.
- Maximum Number of Elements or Grids: 1,000,000
- Number of Load Cases per Results Database file: 10,000
- Maximum Number of Time Step/Frequency output: 32,000
- No support for Superelement and Modules.

A decorative graphic on the left side of the slide consists of two thick lines, one blue and one green, that intersect. The blue line starts from the top left, goes down to the intersection, and then goes up and to the right. The green line starts from the bottom left, goes up to the intersection, and then goes down and to the right. The intersection point is located in the upper-left quadrant of the slide.

“ Previous Release Highlights

Highlights in Patran 2025.1



Rotordynamics

- Introducing new analysis types, such as complex eigenvalue and frequency response analyses in implicit nonlinear.



Superelements (SEs)

- Support SuperElement assembly with External SuperElements
- Support Secondary SuperElement definitions
- Superelement Visualization



MSC Nastran Card Coverage

- **Pre-processing and post-processing support** for Monitor Group and Monitor Displacement, MONGRP and MONDSP10
- **Non-linear analysis SOL 400 NLPERF:** Enhanced Hybrid Node-to-Segment Contact, improved Accuracy for Distributed Surface Loads on Shell Elements with Offsets, and expanded results for Checking, debugging, and monitoring the model



Part Based Model Organization

- MSC Nastran Import and Export based on Parts
- Parts/Assembly Definitions Export
- Part-Based Model Organization by Viewport Picking

Highlights in Patran 2024.2



Rotordynamics

- Rotor Dynamics support in implicit nonlinear – SOL400, NLTRAN nonlinear transient analysis
- Superelement support in rotordynamics



HDF5 postprocessing

- 32/64bit hybrid HDF5 support and improvements



Hex Meshing

- A new tool to split tetrahedral elements (linear or parabolic) into linear hexahedral elements



MSC Nastran Card Coverage

- Monitor point support in structure and implicit preference: MONPNT1; MONPNT2; MONPNT3; Monitor Point = All



User experience enhancements

- Part-based model organization
- GUI quick access functionalities

Highlights in Patran 2024.1



Rotordynamics

- Job setup for rotordynamic analysis for MSC Nastran solution sequences 101, 108, 109, 111, 128, and 129 is streamlined.
- Patran now supports multiple rotors.
- MSC Nastran coverage of nonlinear harmonic response with SOL 128 Phase II (NIFIMP) is fully supported.



MSC Nastran Card Coverage

- The MSC Nastran flagship solution for non-linear analysis (SOL 400) is now supported in Patran, including the NLMOPTS and NLSSEL options.
- Static acceleration (ACCEL/ACCEL1) import and export for both structural and implicit preferences (SOL400) is now supported.
- MDLPRM OFFDEF import and export for both structural and implicit preferences (SOL400) is now supported.



HDF5 postprocessing

- Import models via HDF5.
- Plot composite results for external super elements from an MSC Nastran HDF5 file.



User experience enhancements


- Graphical rendering now also includes property and material-based rendering.
- A new ribbon interface corresponds to legacy versions of Patran, making collaboration easier with users working on different versions of Patran.

An abstract graphic on a dark blue background. It features several thick lines: a blue line that starts from the top left, goes down to a vertex, and then goes up to the top right; a green line that starts from the bottom left, goes up to the same vertex, and then goes down to the bottom right. The text is positioned to the right of this vertex.

“ Additional Resources

Additional resources

[Nexus Home](#) | [Software](#) | [Patran \(hexagon.com\)](#)



Patran 2021.1 26-Feb-21 03:47:22
Fringe: SC1:DEFAULT, A1:Static subcase, Displacements, Translational, Magnitude, (NON-LAYERED)
Deform: SC1:DEFAULT, A1:Static subcase, Displacements, Translational.

BENEFITS

- Accurate model setup enables you to predict structural behavior efficiently.
- Evaluate product performance against requirements and optimize your designs with the help of the post-processing tool.
- Accelerate changes in product design, depending on real-time requirements.
- Virtual prototyping efforts provide results fast so that you can evaluate product performance against requirements and optimize your designs.
- Enjoy an open architecture due to the PCL language.

A complete FEA modeling Solution

Patran provides a rich set of tools that streamline the creation of analysis-ready FE models for linear, nonlinear, explicit dynamics, and thermal finite element solutions.

The benefits of Patran include:

[Visit](#)



Support email:



Licensing Questions:
msc_lic.support@hexagon.com

[Patran on SimCompanion](#)

Quick Access Links to Patran Resources

22 Feb, 2024 · Knowledge

Article Number

000023440

Description

Quick Links

[Search Knowledge Base](#)



[Latest Documentation](#)



[Download Software](#)



[Release Highlights](#)



[Peer Discussion Forum](#)



[Contact Support | Call/Email](#)



Thank you

Edmund Kohler

Product Manager

edmund.kohler@hexagon.com

Nitesh Patil

Patran Development Leader

nitesh.patil@hexagon.com

Connect

 [Hexagon Manufacturing Intelligence](#)

 [HexagonMI](#)

 [@HexagonMI](#)

 [@hexagon_mi](#)

New capabilities and enhancements in MSC Patran 2025.2

Description:

Benefits:

Who needs it / Use cases: