



GOBIND CABLE TERMINALS

ISO 9001:2015 CERTIFIED COMPANY

Mfrs. of :
Copper & Aluminium Crimping Sockets,
Cable Lugs, Thimbles & Connector





GOBIND CABLE
TERMINALS

ABOUT US

We are a reputed manufacturer and supplier of a diverse range of cable lugs for the electrical and engineering industries. Our product range includes Tubular Copper Lugs, Ring Pin, Fork Type, Aluminium Tubular Lugs, Copper Tubes, Aluminium Lugs, and Copper Cable Terminals. As an ISO 9001:2015 Certified Company, we use premium quality raw materials to ensure our products are safe, durable, and highly conductive. Available in standard and customized sizes, our specialized products are manufactured to precise technical specifications. They form the core of many electrical and engineering devices and meet the demands of industries requiring high-quality copper and aluminium lugs. We ensure dimensional and technical accuracy for ease of use in various applications and devices.



**GOBIND CABLE
TERMINALS**


INDEX

Products	Page
COPPER TUBULAR TERMINAL ENDS LIGHT DUTY	PAGE - 1
COPPER TUBULAR TERMINAL ENDS MEDIUM DUTY	PAGE - 2
COPPER TUBULAR TERMINAL ENDS HEAVY LONG BARREL DUTY	PAGE - 3
COPPER TUBULAR TERMINAL ENDS FOR XLPE CABLES	PAGE - 4 & 5
COPPER RING TYPE TERMINALS / RING TYPE INSULATED	PAGE - 6,7,8,9
COPPER PIN TYPE TERMINALS / PIN TYPE INSULATED	PAGE - 10
COPPER FORK TYPE TERMINALS / FORK TYPE INSULATED	PAGE - 11
COPPER OPEN-CLOSE TYPE SOLDERING	PAGE - 12
COPPER TUBULAR IN-LINE CONNECTOR	PAGE - 13
COPPER REDUCER TYPE TERMINAL ENDS	PAGE - 14
ALUMINIUM TUBULAR TERMINAL ENDS AS PER IS 8309 : 1993	PAGE - 15,16
ALUMINIUM LONG BARREL TUBULAR TERMINAL ENDS	PAGE - 17
ALUMINIUM IN-LINE CONNECTOR	PAGE - 18
ALUMINIUM LONG BARREL FERRULE FOR XLPE	PAGE - 19
ALUMINIUM REDUCER TYPE TERMINAL ENDS	PAGE - 20
SOLDERING TYPE COPPER TUBULAR SOCKETS SUITABLE FOR ALUMINIUM CONDUCTORS	PAGE - 21
COPPER TUBULAR TERMINAL AS PER DIN 46235	PAGE - 22,23
COPPER RING TYPE TERMINAL LUG AS PER DIN - 46234	PAGE - 24,25

COPPER TUBULAR TERMINAL ENDS LIGHT DUTY

MATERIAL : COPPER BS 1977:1976 & IS 1897

SURFACE: TIN PLATED




Size mm ²	Stud Hole E	A	C	D	F	B	K	H	G	J	CAT NO.
2.5	5.2	2.4	4	9	1	7	3	5	5	20	GCUS-05
4	6.5	3.2	4.8	11	1	7	3	6	6	22	GCUS-06
6	6.5	3.8	5.5	11	1	9	3	6	6	24	GCUS-07
10	6.5	4.4	6.2	11	1.3	9	3	6	6	24	GCUS-08
16	6.5	5.3	7.1	11	1.6	12	4	8	6	30	GCUS-09
25	6.5	7	9	13	2	12	5	12	8	37	GCUS-10
35	6.5	8	10	15	2	12	5	12	8	37	GCUS-11
35	8.2	8	10	15	2	12	5	12	8	37	GCUS-12
50	6.5	9.2	11.2	16	2	16	8	12	9	45	GCUS-13
50	8.2	9.2	11.2	16	2	16	8	12	9	45	GCUS-14
50	10.2	9.2	11.2	16	2	16	8	12	9	45	GCUS-15
70	8.2	11.5	13.8	20	2.3	18	10	15	13	56	GCUS-16
70	10.2	11.5	13.8	20	2.3	18	10	15	13	56	GCUS-17
70	12.7	11.5	13.8	20	2.3	18	10	15	13	56	GCUS-18
95	10.2	12.8	15.6	23	2.8	20	10	15	13	58	GCUS-19
95	12.7	12.8	15.6	23	2.8	20	10	15	13	58	GCUS-20
120	10.2	14.8	17.8	26	3	22	10	16	14	62	GCUS-21
120	12.7	14.8	17.8	26	3	22	10	16	14	62	GCUS-22
120	16.2	14.8	17.8	26	3	22	10	16	14	62	GCUS-23
150	10.2	16	19.6	28	3.6	26	11	18	15	70	GCUS-24
150	12.7	16	19.6	28	3.6	26	11	18	15	70	GCUS-25
150	16.2	16	19.6	28	3.6	26	11	18	15	70	GCUS-26
185	12.7	18	22	32	4	30	11	21	21	83	GCUS-27
185	16.2	18	22	32	4	30	11	21	21	83	GCUS-28
225	16.2	20	24	35	4	32	15	24	24	95	GCUS-231
240	16.2	22	26	38	4	34	15	24	24	97	GCUS-29
240	20.3	22	26	38	4	34	15	24	24	97	GCUS-30
300	16.2	24	28.7	42	4.7	36	16	25	25	103	GCUS-31
300	20.3	24	28.7	42	4.7	36	16	25	25	103	GCUS-32
400	20.3	28	33.2	49	5.2	44	18	27	27	116	GCUS-33
500	20.3	30	36	53	6	48	18	27	27	120	GCUS-34
630	20.3	35	41.5	61	6.5	53	20	33	31	137	GCUS-35
800	---	39	46.3	67	7.3	68	25	38	37	165	GCUS-62
1000	---	43	53.8	76	10.8	90	30	45	45	210	GCUS-76

*All dimensions are in mm

COPPER TUBULAR TERMINAL ENDS MEDIUM DUTY

MATERIAL : COPPER BS 1977:1976 & IS 1897

SURFACE: TIN PLATED




SIZE	E	A	C	D	F	B	G	H	J	CAT NO.
2.5	5.2	2	3.7	9	1	10.5	5	5	23.5	GCEB-05
4	6.4	3.1	4.8	11	1	10.5	6	6	25.5	GCEB-06
6	6.4	3.8	5.5	11	1	13.5	6	6	28.5	GCEB-07
10	6.4	4.4	6.2	11	1.3	13.5	6	6	28.5	GCEB-08
16	6.4	5.3	7.1	11	1.6	18	6	8	36	GCEB-09
25	6.4	7	9	13	2	18	8	12	43	GCEB-10
35	6.4	8	10	15	2	18	8	12	43	GCEB-11
35	8.2	8	10	15	2	18	8	12	43	GCEB-12
50	6.4	9.2	11.2	16	2	24	10	11	53	GCEB-13
50	8.2	9.2	11.2	16	2	24	10	11	53	GCEB-14
50	10.2	9.2	11.2	16	2	24	10	11	53	GCEB-15
70	8.2	11.6	13.8	20	2.2	27	13	15	65	GCEB-16
70	10.2	11.6	13.8	20	2.2	27	13	15	65	GCEB-17
70	12.7	11.6	13.8	20	2.2	27	13	15	65	GCEB-18
95	10.2	12.8	15.6	23	2.8	30	13	15	68	GCEB-19
95	12.7	12.8	15.6	23	2.8	30	13	15	68	GCEB-20
120	10.2	14.8	17.8	26	3	33	14	16	73	GCEB-21
120	12.7	14.8	17.8	26	3	33	14	16	73	GCEB-22
120	16.4	14.8	17.8	26	3	33	14	16	73	GCEB-23
150	10.2	16	19.6	28	3.6	39	15	18	83	GCEB-24
150	12.7	16	19.6	28	3.6	39	15	18	83	GCEB-25
150	16.4	16	19.6	28	3.6	39	15	18	83	GCEB-26
185	12.7	18	22	32	4	45	21	21	98	GCEB-27
185	16.4	18	22	32	4	45	21	21	98	GCEB-28
225	16.4	20	24	35	4	51	24	24	112	GCEB-231
240	16.4	22	26	38	4	54	24	24	115	GCEB-29
240	20.3	22	26	38	4	54	24	24	115	GCEB-30
300	16.4	24	28.7	42	4.7	58	25	26	122	GCEB-31
300	20.3	24	28.7	42	4.7	58	25	26	122	GCEB-32
400	20.3	28	33.2	49	5.2	66	27	27	138	GCEB-33
500	20.3	30	36	53	6	72	27	27	144	GCEB-34
630	20.3	35	41.5	61	6.5	83	31	33	165	GCEB-35
800	-	39	46.3	67	7.3	98	37	38	198	GCEB-62
1000		43	53.8	76	10.8	135	45	45	255	GCEB-76

COPPER TUBULAR TERMINAL ENDS

HEAVY DUTY LONG BARREL

MATERIAL : COPPER BS 1977:1976 & IS 1897

SURFACE: TIN PLATED




Size mm ²	E	A	C	D	F	B	K	H	G	J	CAT NO.
25	8.2	7	9	13	2	16	5	12	8	41	GCUS-282
35	8.2	8	10.6	15	2.6	20	5	14	9	48	GCUS-283
50	8.2	9.2	12.2	17	3	26	7	16	10	59	GCUS-284
70	10.2	11.5	15	21	3.5	28	7	19	12	66	GCUS-285
95	12.7	12.8	17	24	4.2	32	10	20	12	74	GCUS-286
120	12.7	14.8	19.6	28	4.8	35	10	23	14	82	GCUS-287
150	12.7	16	21.2	30	5.2	38	10	24	14	86	GCUS-288
185	12.7	18	24	34	6	43	12	23	17	95	GCUS-289
240	16.2	22	28	40	6	50	12	30	20	112	GCUS-290
300	16.2	23.5	30	43	6.5	54	14	28	24	120	GCUS-291
400	20.3	28	36	50	8	62	18	36	24	140	GCUS-292
500	20.3	31	41	58	10	60				140	GCUS-293
630	20.3	35	45	64	10	69				154	GCUS-294
800	---	39	50.6	73	11.6	77				180	GCUS-295
1000	---	43	56.2	81	13.2	100				220	GCUS-296

*All dimensions are in mm

COPPER TUBULAR TERMINAL ENDS FOR XLPE CABLES

MATERIAL : COPPER BS 1977:1976 & IS 1897
SURFACE: TIN PLATED




Size mm ²	E	A	C	D	F	B	G	H	L-1	J	CAT NO.
1.5	5.2	1.8	3.7	8	1	5	4	5	12	16	GCUS-538
1.5	6.5	1.8	3.7	10	0.8	5	4	5	13	18	GCUS-539
2.5	4.2	2.4	4	8	1	7	4	5	14	18	GCUS-388
2.5	5.2	2.4	4	10	0.8	7	5	6	15	20	GCUS-540
2.5	6.5	2.4	4	10	0.8	7	5	6	15	20	GCUS-541
4	5.2	3.1	4.8	10	1	7	5	6	15	20	GCUS-389
4	6.5	3.1	4.8	10	1	7	5	6	15	20	GCUS-543
6	5.2	3.8	5.5	10	1.2	9	5	6	18	23	GCUS-390
6	6.5	3.8	5.5	12	1	9	6	9	21	27	GCUS-544
6	8.4	3.8	5.5	12	1	9	6	9	21	27	GCUS-545
10	6.5	4.5	6.2	12	1.2	9	6	7	19	25	GCUS-353
10	8.4	4.5	6.2	12	1.2	9	6	9	21	27	GCUS-547
16	6.5	5.4	7.1	12	1.4	12	7	7	23	30	GCUS-354
16	8.4	5.4	7.1	12	1.4	12	7	9	25	32	GCUS-549
25	6.5	6.8	8.8	13	2	12	7	7	23	30	GCUS-355
25	8.4	6.8	8.8	18	1.4	12	10	11	27	37	GCUS-551
25	10.5	6.8	8.8	18	1.4	12	10	11	27	37	GCUS-552
35	6.5	8.2	10.6	15	2.4	12	9	9	26	35	GCUS-542
35	8.4	8.2	10.6	15	2.4	12	9	9	26	35	GCUS-356
35	10.5	8.2	10.6	18	2	12	10	11	28	38	GCUS-554
50	8.4	9.5	12.4	18	2.9	16	10	11	33	43	GCUS-357
50	10.5	9.5	12.4	18	2.9	16	10	11	33	43	3GCUS-556
70	8.4	11.2	14.7	21	3.5	18	12	13	38	50	GCUS-557
70	10.5	11.2	14.7	21	3.5	18	12	13	38	50	GCUS-358
70	13	11.2	14.7	21	3.5	18	12	13	38	50	GCUS-559
95	10.5	13.5	17.4	25	3.9	20	13	13	42	55	GCUS-359
95	13	13.5	17.4	25	3.9	20	13	13	42	55	GCUS-561
120	13	15	19.4	28	4.4	22	14	14	46	60	GCUS-241
120	17	15	19.4	28	4.4	22	16	16	48	64	GCUS-546

*All dimensions are in mm

COPPER TUBULAR TERMINAL ENDS FOR XLPE CABLES

MATERIAL : COPPER BS 1977:1976 & IS 1897

SURFACE: TIN PLATED




Size mm ²	E	A	C	D	F	B	G	H	L-1	J	CAT NO.
150	13	16.5	21.2	30	4.7	26	16	16	53	69	GCUS-242
150	17	16.5	21.2	30	4.7	26	16	16	53	69	GCUS-564
185	17	18.5	23.5	34	5	32	17	17	61	78	GCUS-243
240	17	21	26.5	38	5.5	38	20	20	72	92	GCUS-244
240	21	21	26.5	38	5.5	38	20	20	72	92	GCUS-567
300	17	23.5	30	43	6.5	42	22	22	79	101	GCUS-245
300	21	23.5	30	43	6.5	42	22	22	79	101	GCUS-569
400	17	26.8	34.8	50	8	44	26	26	88	114	GCUS-246
400	21	26.8	34.8	50	8	44	26	26	88	114	GCUS-571
500	17	30	39	56	9	48	28	28	96	124	GCUS-247
630	21	35	45	65	10	56	33	33	111	144	GCUS-248
800	---	39	50.6	73	11.6	78	35	35	135	170	GCUS-599
1000	---	43	56.2	81	13.2	90	45	45	155	200	GCUS-590

*All dimensions are in mm

COPPER RING TYPE TERMINAL


MATERIAL : ETP Copper
IS : 1897:1983 SURFACE: TIN PLATED



1.5 sq. mm. Red
2.5 sq. mm. Blue
4-6 sq. mm. Yellow



COPPER RING TYPE INSULATED TERMINAL




C	E	A	C	D	F	B	H	L-1	J	CAT NO.	J-1	CAT NO.
1.5	3.2	1.6	3.2	6.8	0.8	5	3.6	9.6	13	GR-7153	10	GRI-7057
1.5	3.7	1.6	3.2	6.8	0.8	5	3.6	9.6	13	GR-7048	10	GRI-7058
1.5	4.2	1.6	3.2	6.8	0.8	5	3.6	9.6	13	GR-7049	10	GRI-7059
1.5	4.2	1.6	3.2	7	0.8	5	5	11	14.5	GR-7154	10	GRI-7063
1.5	2.2	1.6	3.2	6	0.8	5	4	11	14	GR-7103	10	GRI-7052
1.5	2.6	1.6	3.2	6	0.8	5	4	11	14	GR-7000	10	GRI-7053
1.5	3.2	1.6	3.2	6	0.8	5	4	11	14	GR-7001	10	GRI-7054
1.5	3.7	1.6	3.2	6	0.8	5	4	11	14	GR-7002	10	GRI-7055
1.5	4.2	1.6	3.2	6	0.8	5	4	11	14	GR-7003	10	GRI-7056
1.5	3.2	1.6	3.2	8	0.8	5	5	12	16	GR-7104	10	GRI-7060
1.5	4.2	1.6	3.2	8	0.8	5	5	12	16	GR-7004	10	GRI-7061
1.5	5.2	1.6	3.2	8	0.8	5	5	12	16	GR-7005	10	GRI-7062
1.5	4.2	1.6	3.2	10	0.8	5	6	13	18	GR-7105	10	GRI-7064
1.5	5.2	1.6	3.2	10	0.8	5	6	13	18	GR-7006	10	GRI-7065
1.5	6.4	1.6	3.2	10	0.8	5	6	13	18	GR-7007	10	GRI-7066
1.5	6.4	1.6	3.2	12	0.8	5	6	12	18	GR-7106	10	GRI-7067
2.5	3.2	2.3	3.9	6.5	0.8	5	3.5	9.5	12.7	GR-7107	10	GRI-7068
2.5	3.7	2.3	3.9	6.5	0.8	5	3.5	9.5	12.7	GR-7008	10	GRI-7069
2.5	3.7	2.3	3.9	8	0.8	5	5	12	16	GR-7108	10	GRI-7070
2.5	4.2	2.3	3.9	8	0.8	5	5	12	16	GR-7009	10	GRI-7071
2.5	5.2	2.3	3.9	8	0.8	5	5	12	16	GR-7010	10	GRI-7072
2.5	5.2	2.3	3.9	10	0.8	5	7	13	18	GR-7109	10	GRI-7073
2.5	6.4	2.3	3.9	10	0.8	5	7	13	18	GR-7011	10	GRI-7074
2.5	5.2	2.3	3.9	12	0.8	5	9	16	22	GR-7110	10	GRI-7075
2.5	6.4	2.3	3.9	12	0.8	5	9	16	22	GR-7012	10	GRI-7076

*All dimensions are in mm


COPPER RING TYPE TERMINAL

MATERIAL ETP COPPER
IS : 1897:1983 SURFACE: TIN PLATED

1.5 sq. mm. Red
2.5 sq. mm. Blue
4-6 sq. mm. Yellow



COPPER RING TYPE INSULATED TERMINAL




Size mm ²	E	A	C	D	F	B	H	L-1	J	CAT NO.	J-1	CAT NO.
2.5	8.2	2.3	3.9	12	0.8	5	9	16	22	GR-7013	10	GRI-7077
2.5	6.4	2.3	3.9	16	0.8	5	10	17	25	GR-7111	10	GRI-7078
2.5	8.2	2.3	3.9	16	0.8	5	10	17	25	GR-7014	10	GRI-7079
2.5	10.2	2.3	3.9	16	0.8	5	10	17	25	GR-7015	10	GRI-7080
2.5	10.2	2.3	3.9	18	0.8	5	14	20	29	GR-7151	10	GRI-7081
2.5	12.7	2.3	3.9	18	0.8	5	14	20	29	GR-7047	10	GRI-7082
4-6	5.2	3.5	5.5	8	1	6	5	13	17	GR-7050	14	GRI-7084
4-6	4.2	3.5	5.5	8	1	6	5	13	17	GR-7155	14	GRI-7083
4-6	4.2	3.5	5.5	10	1	6	5	14	19	GR-7112	14	GRI-7085
4-6	5.2	3.5	5.5	10	1	6	5	14	19	GR-7016	14	GRI-7086
4-6	5.2	3.5	5.5	12	1	6	6	14	20	GR-7113	14	GRI-7088
4-6	6.4	3.5	5.5	12	1	6	6	14	20	GR-7017	14	GRI-7089
4-6	8.2	3.5	5.5	12	1	6	6	14	20	GR-7018	14	GRI-7090
4-6	5.2	3.5	5.5	12	1	6	7	16	22	GR-7114	14	GRI-7091
4-6	6.4	3.5	5.5	12	1	6	7	16	22	GR-7019	14	GRI-7092
4-6	5.2	3.5	5.5	8	1	6	9.8	18.8	22.8	GR-7157	14	GRI-7087
4-6	6.4	3.5	5.5	14	1	6	10.5	18.5	25.5	GR-7115	14	GRI-7093
4-6	8.2	3.5	5.5	14	1	6	10.5	18.5	25.5	GR-7020	14	GRI-7094
4-6	9.7	3.5	5.5	14	1	6	10.5	18.5	25.5	GR-7021	14	GRI-7095
4-6	8.2	3.5	5.5	16	1	6	13	22	30	GR-7116	14	GRI-7096
4-6	10.2	3.5	5.5	16	1	6	13	22	30	GR-7022	14	GRI-7097
4-6	8.2	3.5	5.5	18	1	6	12	21	30	GR-7117	14	GRI-7098
4-6	10.2	3.5	5.5	18	1	6	12	21	30	GR-7023	14	GRI-7099
4-6	12.7	3.5	5.5	18	1	6	12	21	30	GR-7024	14	GRI-7100

*All dimensions are in mm

COPPER RING TYPE TERMINAL

MATERIAL ETP COPPER
IS : 1897:1983 SURFACE: TIN PLATED




Size mm ²	E	A	C	D	F	B	H	L-1	J	CAT NO.
10	4.2	4.3	6.3	10	1	8	4	15	20	GR-7119
10	5.2	4.3	6.3	10	1	8	4	15	20	GR-7026
10	4.2	4.3	6.3	10	1	8	7	17	22	GR-7118
10	5.2	4.3	6.3	10	1	8	7	17	22	GR-7025
10	6.4	4.3	6.3	12	1	8	7	17	23	GR-7120
10	8.2	4.3	6.3	16	1	8	7	19	27	GR-7121
10	8.2	4.3	6.3	18	1	8	9	21	30	GR-7122
10	10.2	4.3	6.3	18	1	8	9	21	30	GR-7027
10	12.7	4.3	6.3	22	1	8	10	23	34	GR-7028
10	10.2	4.3	6.3	22	1	8	10	23	34	GR-7123
16	5.2	5.6	8	10	1.2	10	6	19	24	GR-7124
16	5.2	5.6	8	12	1.2	10	6	20	26	GR-7125
16	6.4	5.6	8	12	1.2	10	6	20	26	GR-7029
16	6.4	5.6	8	16	1.2	10	8	22	30	GR-7126
16	8.2	5.6	8	16	1.2	10	8	22	30	GR-7030
16	9.7	5.6	8	16	1.2	10	8	22	30	GR-7031
16	8.2	5.6	8	18	1.2	10	10	24	33	GR-7127
16	10.2	5.6	8	18	1.2	10	10	24	33	GR-7032
16	10.2	5.6	8	22	1.2	10	8	24	35	GR-7128
16	12.7	5.6	8	22	1.2	10	8	24	35	GR-7033
25	6.4	7.5	11.1	16	1.8	11	6	22	30	GR-7129
25	8.2	7.5	11.1	16	1.8	11	6	22	30	GR-7034
25	10.2	7.5	11.1	16	1.8	11	6	22	30	GR-7035
25	6.4	7.5	11.1	12	1.8	11	10	25	31	GR-7156
25	8.2	7.5	11.1	12	1.8	11	10	25	31	GR-7051
25	6.4	7.5	11.1	16	1.8	11	10	25	33	GR-7130
25	8.2	7.5	11.1	16	1.8	11	10	25	33	GR-7036
25	10.2	7.5	11.1	18	1.8	11	9	25	34	GR-7131
25	10.2	7.5	11.1	22	1.8	11	14	31	42	GR-7132
25	12.7	7.5	11.1	22	1.8	11	14	31	42	GR-7037

*All dimensions are in mm

COPPER RING TYPE TERMINAL

MATERIAL ETP COPPER
IS : 1897:1983 SURFACE: TIN PLATED




Size mm ²	E	A	C	D	F	B	H	L-1	J	CAT NO.
35	6.4	9	12.6	16	1.8	12	6	23	31	GR-7133
35	8.2	9	12.6	16	1.8	12	6	23	31	GR-7038
35	8.2	9	12.6	18	1.8	12	10	27	36	GR-7134
35	10.2	9	12.6	18	1.8	12	10	27	36	GR-7039
35	10.2	9	12.6	22	1.8	12	15	31	42	GR-7135
35	12.7	9	12.6	22	1.8	12	15	31	42	GR-7040
50	8.2	10.5	14.1	18	1.8	16	12	34	43	GR-7136
50	10.2	10.5	14.1	18	1.8	16	12	34	43	GR-7041
50	10.2	10.5	14.1	22	1.8	16	9	32	43	GR-7137
50	10.2	10.5	14.1	24	1.8	16	14	36	48	GR-7138
50	12.7	10.5	14.1	24	1.8	16	14	36	48	GR-7042
50	16.2	10.5	14.1	32	1.8	16	15	38	54	GR-7139
70	10.2	12	16	22	2	18	11	36	47	GR-7140
70	12.7	12	16	22	2	18	11	36	47	GR-7043
70	12.7	12	16	24	2	18	10	36	48	GR-7141
70	16.2	12	16	28	2	18	16	40	54	GR-7142
95	10.2	13.5	18.1	22	2.3	20	10	35	46	GR-7143
95	10.2	13.5	18.1	24	2.3	20	12	38	50	GR-7144
95	12.7	13.5	18.1	24	2.3	20	12	38	50	GR-7044
95	16.2	13.5	18.1	28	2.3	20	17	44	58	GR-7145
120	10.2	15	20.2	26	2.6	22	7	39	52	GR-7146/A
120	12.7	15	20.2	26	2.6	22	7	39	52	GR-7146
120	16.2	15	20.2	32	2.6	22	19	48	64	GR-7147
120	20.3	15	20.2	40	2.6	22	20	52	72	GR-7148
150	12.7	16.5	23.7	34	3.6	24	16	49	66	GR-7149
150	16.2	16.5	23.7	34	3.6	24	16	49	66	GR-7045
150	16.2	16.5	23.7	40	3.6	24	20	54	74	GR-7150
150	20	16.5	23.7	40	3.6	24	20	54	74	GR-7046

*All dimensions are in mm

COPPER PIN PIN TYPE TERMINAL


MATERIAL ETP COPPER
IS : 1897:1983 SURFACE: TIN PLATED



COPPER PIN INSULATED TYPE TERMINAL

MATERIAL ETP COPPER
IS : 1897:1983 SURFACE: TIN PLATED

1.5 sq. mm. RED
2.5 sq. mm. BLUE
4-6 sq. mm. YELLOW




Size mm ²	A	C	D	E	F	B	G+H	J	CAT NO.	J-1	CAT NO.
1.5	1.6	3.2	1.9		0.8	5	10	17	GP-9	10	GPI-17
1.5	1.6	3.2	3.1		0.8	5	10	17	GP-35	10	GPI-40
2.5	2.3	3.9	1.9		0.8	5	10	17	GP-1	10	GPI-18
2.5	2.3	3.9	1.9		0.8	5	17	24	GP-27	10	GPI- 18/A
2.5	2.3	3.9	3.1		0.8	5	10	17	GP-2	10	GPI- 19/A
2.5	2.3	3.9	3.1		0.8	5	14.5	20	GP-2/A	10	GPI- 19/A
4	2.9	4.9	2.7		1	6	10	20	GP-3	14	GPI- 20
4	3.6	5.6	5.1		1	6	10	20	GP-4	14	GPI-21
6	3.6	5.6	2.7		1	6	10	20	GP-5	14	GPI-22
6	4	6	2.7		1	6	10	20	GP-6	14	GPI-23
10	4.5	6.7	4.3	2.4	1.1	8	12	22	GP-7	14	GPI-24
16	5.8	8.2	5.5	2.6	1.2	10	13	26	GP-8	16	GPI-25
25	7.6	11.2	7.2	3.8	1.8	11	15	32	GP-25		
35	9	12.7	8.2	3.8	1.8	12	15	32	GP-135		
50	10.5	14.3	9	3.8	1.8	16	17	43	GP-50		
70	12	16	10	4.2	2	16	25	47	GP-70		



*All dimensions are in mm

COPPER FORK TYPE TERMINAL

MATERIAL ETP COPPER IS : 1897:1983
SURFACE: TIN PLATED



1.5 sq. mm. RED
2.5 sq. mm. BLUE
4-6 sq. mm. YELLOW




Size mm ²	E	A	C	D	F	B	H	J	CAT NO.	J-1	CAT NO.
1.5	3.5	1.6	3.2	6.8	0.8	5	4.8	15	GF-7249	10	GFI-7926
1.5	3	1.8	3.4	6.4	0.8	5	3.1	13	GF-7250	10	GFI-7927
2.5	3.5	2.3	3.9	6.5	0.8	5	4.3	15	GF-7251	10	GFI-7928
2.5	5	2.6	4.6	10.6	1	6.2	6.2	21	GF-7280	10	GFI-7929
4-6	3.1	3.5	5.5	6	1	6	5.5	15	GF-7252	14	GFI-7930
4-6	3.5	3.5	5.5	6	1	6	5	15	GF-7253	14	GFI-7931
10	6.5	4.5	6.9	16	1.2	8	11	27	GF-7254	16	GFI-7932
10	8.2	4.5	6.9	16	1.2	8	11	27	GF-7255	16	GFI-7933

*All dimensions are in mm

COPPER OPEN-CLOSE TYPE SOLDERING

MATERIAL ETP COPPER IS : 1897:1983
SURFACE: TIN PLATED




Size mm ²	E	A	C	D	F	B	L-1	J	CAT NO.
1.5	4.2	1.6	3.2	7	0.8	5	11.5	15	GOC-371
2.5	5.2	2.3	3.9	9	0.8	6	13.5	18	GOC-372
4	5.2	2.8	4.8	9	1	6	15.5	20	GOC-373
6	6.5	3.6	5.6	12	1	7	18	24	GOC-374
10	6.5	4.4	6.4	12	1	9	21	27	GOC-375
16	8.2	5.4	7.8	15	1.2	11	24.5	32	GOC-376
25	8.2	7	10.2	15	1.6	14	28.5	36	GOC-377
35	8.2	8	11.2	18	1.6	15	32	41	GOC-378
50	10.2	9.5	13.1	24	1.8	18	38	50	GOC-379
70	10.2	11.8	15.8	28	2	23	44	58	GOC-380
95	12.7	13.5	18.7	32	2.6	25	50	66	GOC-381
120	12.7	15.5	21.1	34	2.8	29	56	73	GOC-382
150	12.7	16.5	22.9	38	3.2	30	60	79	GOC-383
185	16.2	18.5	25.7	42	3.6	35	66	87	GOC-384
225	16.2	21	28.2	44	3.6	40	70	92	GOC-385
240	16.2	22.5	30.5	48	4	42	76	100	GOC-386
300	20.3	25	34	54	4.5	45	83	110	GOC-387
400	20.3	29.5	39.5	62	5	54	94	125	GOC-388
500	20.3	32	42.8	62	5.4	58	106	137	GOC-389
625	20.3	36	46.8	70	5.4	65	113	148	GOC-390

*All dimensions are in mm

COPPER TUBULAR IN-LINE CONNECTOR

MATERIAL : COPPER BS 1977:1976 & IS 1897

SURFACE: TIN PLATED




Size mm ²	A	C	J	CAT NO.
1.5	1.8	3.7	12	GCB-41
2.5	2.4	4	15	GCB-23
4	3.1	4.8	15	GCB-3
6	3.8	5.5	15	GCB-4
10	4.5	6.2	20	GEH-460
16	5.3	7.1	20	GCB-6
25	6.8	8.8	32	GCB-7
35	8.2	10.6	36	GCB-8
50	9.5	12.4	40	GCB-9
70	11.2	14.7	40	GCB-10
95	13.5	17.4	45	GCB-11
120	15	19.4	45	GCB-12
150	16.5	21.2	55	GCB-13
185	18.5	23.5	65	GCB-14
240	21	26.5	80	GCB-15
300	23.5	30	85	GCB-16
400	26.8	34.8	90	GCB-17
500	30	39	100	GCB-18
630	35	45	110	GCB-19
800	39	50.6	150	GCB-21
1000	43	56.2	170	GCB-22

*All dimensions are in mm

COPPER REDUCER TYPE TERMINAL ENDS

Material Electrolytic Copper

SURFACE: TIN PLATED




Size mm ²	A	C	D	D-1	B	K	G+H	J	CAT NO.
2.5	2.5	4.7	3.8	3.3	6	4	10	20	GWPC-7
4	2.8	4.7	3.8	3.3	6	4	10	20	GWPC-16
6	3.1	4.7	3.8	3.3	6	4	10	20	GWPC-18
10	3.8	5.5	3.8	3.3	9	4	10	23	GWPC-20
10	4.4	6.2	3.8	3.3	9	4	10	23	GWPC-22
16	5.3	7.1	3.8	3.3	12	5	13	30	GWPC-2
25	7	9	6	5.5	12	5	15	32	GWPC-25
35	8	10	7.5	6.5	12	5	20	37	GWPC-4
50	9.2	11.2	7.5	6.5	16	5	20	41	GWPC-26
70	11.5	13.8	7.5	6.5	18	5	20	43	GWPC-27
95	12.8	15.6	11.5	10.5	20	6	25	51	GWPC-29
120	14.8	17.8	11.5	10.5	22	6	32	60	GWPC-35
150	16	19.6	11.5	10.5	26	6	32	64	GWPC-37
185	18	22	11.5	10.5	32	6	32	70	GWPC-38
225	20	26	15.6	14	38	8	32	78	GWPC-39
240	22	26	15.6	14	38	8	32	78	GWPC-43
300	24	28.7	16	15	42	8	42	92	GWPC-45

*All dimensions are in mm

ALUMINUM TUBULAR TERMINAL ENDS

AS PER IS 8309 : 1993

Material Aluminium IS :5082




Size mm ²	E	A	C	D	F	B	K	H	G	J	CAT NO.
2.5	3.7	2.6	5.5	7	2.9	7	3	4	4	18	GALS-309
4	4.2	2.9	5.5	7.2	2.6	7	3	4	4	18	GALS-155
4	5.2	2.9	5.5	12	1.2	7	4	7	6	23	GALS-317
6	5.2	3.5	5.5	7.5	2	7	4	7	6	24	GALS-158
6	6.5	3.5	5.5	12	1.1	7	4	7	6	24	GALS-313
10	4.2	3.8	6.2	8.4	2.4	7	4	9	8	28	GALS-159
10	6.4	4.4	7.2	9.7	2.8	9	4	9	8	30	GALS-214
10	8.2	4.4	7.2	15	1.8	9	4	9	8	30	GALS-215
16	6.4	5.4	8.3	11.4	2.9	13	4	11	9	37	GALS-252
16	8.2	5.4	8.3	11.4	2.9	13	4	11	9	37	GALS-216
16	10.2	5.4	8.3	18	1.8	13	4	11	9	37	GALS-217
25	6.4	7	9.7	13.7	2.7	16	7	11	10	44	GALS-253
25	8.2	7	9.7	13.7	2.7	16	7	11	10	44	GALS-218
25	10.2	7	9.7	20	1.7	16	7	11	10	44	GALS-219
25	12.7	7	9.7	20	1.7	16	7	11	10	44	GALS-220
35	6.4	8	10.8	15.4	2.8	18	7	11	11	47	GALS-254
35	8.2	8	10.8	15.4	2.8	18	7	11	11	47	GALS-221
35	10.2	8	10.8	20	2.1	18	7	11	11	47	GALS-222
50	8.2	9.3	13	18.3	3.7	22	8	13	11	54	GALS-255
50	10.2	9.3	13	23	2.8	22	8	13	11	54	GALS-312
50	12.7	9.3	13	23	2.8	22	8	13	11	54	GALS-224
70	8.2	11.4	15.6	22.3	4.4	26	8	13	13	60	GALS-256
70	10.2	11.4	15.6	22.3	4.4	26	8	13	13	60	GALS-225
70	12.7	11.4	15.6	22.3	4.4	26	8	13	13	60	GALS-226
95	10.2	13	17.4	24.6	4.2	28	8	14	14	64	GALS-227
95	12.7	13	17.4	24.6	4.2	28	8	14	14	64	GALS-228
95	16.2	13	17.4	24.6	4.2	28	8	14	14	64	GALS-229
120	10.2	14.7	19.6	28.2	4.6	32	11	15	15	73	GALS-257

*All dimensions are in mm

ALUMINUM TUBULAR TERMINAL ENDS

AS PER IS 8309 : 1993

Material Aluminium IS :5082



Size mm ²	E	A	C	D	F	B	K	H	G	J	CAT NO.
120	12.7	14.7	19.6	28.2	4.6	32	11	15	15	73	GALS-230
120	16.2	14.7	19.6	28.2	4.6	32	11	15	15	73	GALS-231
150	10.2	16.5	21.5	30.9	5	34	11	17	17	79	GALS-258
150	12.7	16.5	21.5	30.9	5	34	11	17	17	79	GALS-232
150	16.2	16.5	21.5	30.9	5	34	11	17	17	79	GALS-233
185	10.2	18.5	24	34.6	5.5	36	12	18	18	84	GALS-311
185	12.7	18.5	24	34.6	5.5	36	12	18	18	84	GALS-234
185	16.2	18.5	24	34.6	5.5	36	12	18	18	84	GALS-235
225	12.7	21	27	39	6	40	14	20	20	94	GALS-320
240	12.7	21.3	28.2	40.6	6.6	44	14	22	22	102	GALS-236
240	16.2	21.3	28.2	40.6	6.6	44	14	22	22	102	GALS-237
300	16.2	24.1	31.2	44.2	8.5	47	14	27	27	115	GALS-300
300	20.3	24.1	31.2	44.2	7	47	14	27	27	115	GALS-259
400	20.3	27.1	35.7	51.5	8.5	56	13	31	30	130	GALS-260
500	20.3	30.2	41	58.7	10	60	15	33	32	140	GALS-296
625	20.3	35.2	46	66	10	69	16	35	34	154	GALS-261
800	---	39	51	73	12	77	25	39	39	180	GALS-318
1000	---	43.5	57	81.9	13.5	100	30	45	45	220	GALS-319

*All dimensions are in mm


ALUMINUM LONG BARREL

TUBULAR TERMINAL ENDS

FOR XLPE

Material : Aluminum IS : 5082

Finish : Natural




Size mm ²	Stud Hole	A	C	D	F	B	K	H	G	J	CAT NO.
25	8.2	7.2	9.6	14	2.4	41	7	12	9	69	GAXT-17
35	8.2	8.3	11.1	16	2.8	50	7	11	11	79	GAXT-18
50	10.2	10.1	13.5	19.5	3.4	49	8	13	11	81	GAXT-19
70	10.2	10.2	14.5	20.5	4.3	62	8	13	13	96	GAXT-20
95	12.7	12	16.9	23.5	4.9	73	8	14	14	109	GAXT-21
120	12.7	13.7	19	26.5	5.3	73	11	15	15	114	GAXT-22
150	12.7	15.1	21.1	29.5	6.1	83	11	17	17	128	GAXT-23
185	12.7	16.6	23.9	33	7.3	83	12	18	18	131	GAXT-24
225	12.7	18.6	26.1	36	7.5	86	14	20	20	140	GAXT-25
240	12.7	19.3	27.2	37.5	7.9	86	14	22	22	144	GAXT-26
300	20.3	21.8	30.2	42	8.4	89	14	27	27	157	GAXT-27
400	20.3	25	34.8	48	9.8	113	13	30	30	187	GAXT-28
500	20.3	28.2	39.1	54	10.9	125	15	32	32	205	GAXT-29
630	20.3	31.7	44.4	61	12.7	140	16	34	34	225	GAXT-30
800	20.3	35.7	49.5	68	13.8	147	25	39	39	250	GAXT-31
1000	20.3	41	56	77.5	15	160	30	45	45	280	GAXT-32

*All dimensions are in mm

ALUMINUM IN LINE CONNECTOR

Material Aluminium IS :5082




Size mm ²	A	C	J	CAT NO.
2.5	2.6	5.5	16	GALS-6
4	2.9	5.5	16	GALS-5
6	3.5	5.5	16	GALS-13
10	4.4	7.4	20	GALS-14
16	5.4	8.3	26	GALS-4
25	7	9.7	35	GALS-3
35	8	10.8	40	GALS-2
50	9.3	13	45	GALS-12
70	11.6	16	55	GALS-1
95	12.9	17.1	60	GALS-15
120	15	19.6	65	GALS-9
150	16.5	21.2	70	GALS-10
185	18.5	24	75	GALS-11
225	21	27	85	GALS-147
240	22	28.6	90	GALS-16
300	25	32	100	GALS-17
400	29	37.5	115	GALS-18
500	31	41	125	GALS-19
630	36	46	140	GALS-20
800	39	51	160	GALS-148
1000	43.5	57	210	GALS-149

*All dimensions are in mm

ALUMINUM LONG BARREL FERRULE FOR XLPE

MATERIAL : IS 5082




Size mm ²	A	C	J	CAT NO.
25	7.2	9.6	82	GAXL-1
35	8.3	11.1	90	GAXL-2
50	10.1	13.5	100	GAXL-3
70	10.2	14.5	104	GAXL-4
95	12	16.9	108	GAXL-5
120	13.7	19	112	GAXL-6
150	15.1	21.2	116	GAXL-7
185	16.6	23.9	128	GAXL-8
225	18.6	26.1	136	GAXL-9
240	19.3	27.2	140	GAXL-10
300	21.8	30.2	150	GAXL-11
400	25	34.8	150	GAXL-12
500	28.2	39.1	175	GAXL-13
630	31.7	44.4	200	GAXL-14
800	35.7	49.5	225	GAXL-15
1000	41	56	250	GAXL-16

*All dimensions are in mm

ALUMINUM REDUCER TYPE TERMINAL ENDS

Material Aluminium IS :5082



Size mm ²	A	C	D	D-1	B	K	G+H	J	CAT NO.
2.5	2.6	5.5	3.8	3.3	7	4	10	21	GAWP-7
4	2.9	5.5	3.8	3.3	7	4	10	21	GAWP-16
6	3.5	5.5	3.8	3.3	7	4	10	21	GAWP-18
10	4.4	7.4	3.8	3.3	9	4	10	23	GAWP-22
16	5.4	8.3	3.8	3.3	13	5	13	31	GAWP-2
25	7	10	6	5.5	16	5	15	36	GAWP-25
35	8	10.8	7.5	6.5	18	5	20	43	GAWP-4
50	9.3	13	7.5	6.5	22	5	20	47	GAWP-26
70	11.6	16	7.5	6.5	26	5	20	51	GAWP-27
95	12.9	17.1	11.5	10.5	28	6	25	59	GAWP-29
120	15	19.6	11.5	10.5	32	6	32	70	GAWP-35
150	16.5	21.5	11.5	10.5	34	6	32	72	GAWP-37
185	18.5	24	11.5	10.5	36	6	32	74	GAWP-38
225	21	27	15.6	14	40	8	32	80	GAWP-39
240	22	28	15.6	14	44	8	32	84	GAWP-43
300	24	31	16	15	47	8	42	97	GAWP-45


*All dimensions are in mm

SOLDERRING TYPE COPPER TUBULAR SOCKETS SUITABLE FOR ALUMINIUM CONDUCTORS

MATERIAL : COPPER BS 1977:1976

& IS 1897

SURFACE: TIN PLATED




Amps	Size mm ²	E	A	C	D	B	J	CAT NO.
15	7/1.06	3.2	3.9	4.8	7	7	19	GEW-201
30	7/1.4	5.1	5.2	6.3	9	9	21	GEW-202
60	7/2.24	6.4	8.1	9.5	14	14	36	GEW-203
100	19/1.8	9.5	10.9	12.7	19	19	49	GEW-204
150	19/2.24	9.5	13.9	15.9	24	23	57	GEW-205
200	19/2.5	12.7	16.6	19	28	27	66	GEW-206
300	37/2.24	12.7	19	22.2	3	28	80	GEW-207
400	37/2.5	15.9	22.2	25.4	38	32	89	GEW-208
500	61/2.24	19	25.4	28.6	43	38	105	GEW-209
600	61/2.5	19	27.8	31.8	47	44	115	GEW-210
800	61/3	23.8	31.7	38.1	56	47	121	GEW-211
1000	91/3	23.8	38.1	44.5	66	56	152	GEW-212
1000	91/3.75		50	57.3	85	62	164	GEW-295

*All dimensions are in mm

COPPER TUBULAR TERMINAL AS PER DIN 46235

MATERIAL : COPPER DIN EN 13600-2002

STANDARD: DIN 46235 SURFACE: TIN PLATED




Size mm ²	d2	d1	d3	a	I	C1	C2	b	Total Length	CAT NO.
6	5.3	3.8	5.5	10	24	9	6	8.5	33	GDT-6-5
6	6.4	3.8	5.5	10	24	10.5	8	8.5	34.5	GDT-6-6
10	5.3	4.5	6	10	27	9	6	9	36	GDT-10-5
10	6.4	4.5	6	10	27	10.5	8	9	37.5	GDT-10-6
16	6.4	5.5	8.5	20	36	10.5	8	13	46.5	GDT-16-6
16	8.4	5.5	8.5	20	36	13	10	13	49	GDT-16-8
16	10.5	5.5	8.5	20	36	15	12	17	51	GDT-16-10
25	6.4	7	10	20	38	10.5	8	14	48.5	GDT-25-6
25	8.4	7	10	20	38	13	10	16	51	GDT-25-8
25	10.5	7	10	20	38	15	12	17	53	GDT-25-10
25	13	7	10	20	38	16	13	19	54	GDT-25-13
35	8.4	8.2	12.5	20	42	13	10	17	55	GDT-35-8
35	10.5	8.2	12.5	20	42	15	12	19	57	GDT-35-10
35	13	8.2	12.5	20	42	16	13	21	58	GDT-35-13
50	8.4	10	14.5	28	52	13	10	20	65	GDT-50-8
50	10.5	10	14.5	28	52	15	12	22	67	GDT-50-10
50	13	10	14.5	28	52	16	13	24	68	GDT-50-13
50	17	10	14.5	28	52	19	16	28	71	GDT-50-17
70	8.4	11.5	16.5	28	55	13	10	24	68	GDT-70-8
70	10.5	11.5	16.5	28	55	15	12	24	70	GDT-70-10
70	13	11.5	16.5	28	55	16	13	24	71	GDT-70-13
70	17	11.5	16.5	28	55	19	16	30	74	GDT-70-17
95	10.5	13.5	19	35	65	15	12	28	80	GDT-95-10
95	13	13.5	19	35	65	16	13	28	81	GDT-95-13
95	17	13.5	19	35	65	19	16	32	84	GDT-95-17
120	10.5	15.5	21	35	70	15	12	32	85	GDT-120-10
120	13	15.5	21	35	70	16	13	32	86	GDT-120-13
120	17	15.5	21	35	70	19	16	32	89	GDT-120-17
120	21	15.5	21	35	70	22	20	38	92	GDT-120-21

COPPER TUBULAR TERMINAL AS PER DIN 46235

MATERIAL : COPPER DIN EN 13600-2002

STANDARD: DIN 46235 SURFACE: TIN PLATED




Size mm ²	d2	d1	d3	a	l	C1	C2	b	Total Length	CAT NO.
150	10.5	17	23.5	35	78	15	12	34	93	GDT-150-10
150	13	17	23.5	35	78	16	13	34	94	GDT-150-13
150	17	17	23.5	35	78	19	16	34	97	GDT-150-17
150	21	17	23.5	35	78	22	20	40	100	GDT-150-21
185	10.5	19	25.5	40	82	15	12	40	97	GDT-185-10
185	13	19	25.5	40	82	16	13	40	98	GDT-185-13
185	17	19	25.5	40	82	19	16	40	101	GDT-185-17
185	21	19	25.5	40	82	22	20	40	104	GDT-185-21
240	13	21.5	29	40	92	16	13	42	108	GDT-240-13
240	17	21.5	29	40	92	19	16	42	111	GDT-240-17
240	21	21.5	29	40	92	22	20	45	114	GDT-240-21
300	17	24.5	32	50	100	19	16	48	119	GDT-300-17
300	21	24.5	32	50	100	22	20	48	122	GDT-300-21
400	17	27.5	38.5	70	115	25	16	55	140	GDT-400-17
400	21	27.5	38.5	70	115	25	20	55	140	GDT-400-21
500	21	31	42	70	125	25	20	60	150	GDT-500-21
625	21	34.5	44	80	135	25	20	60	160	GDT-625-21
800	21	40	52	100	165	25	20	75	190	GDT-800-21
1000	21	44	58	100	165	25	20	85	190	GDT-1000-21

*All dimensions are in mm

COPPER RING TYPE TERMINAL LUG AS PER DIN-46234

MATERIAL : COPPER DIN EN 13600-2002
STANDARD: DIN 46234
SURFACE: TIN PLATED




Size mm ²	d2	d1	C	S	a	I	D3	CAT NO.
0.5	3.7	1	2	0.5	4	12	6	GDR 0.5-3
0.5	4.3	1	2	0.5	4	12	6.5	GDR 0.5-4
0.5	5.3	1	2	0.5	4	12	8	GDR 0.5-5
1	2.7	1.6	4	0.8	5	11	6	GDR 1-2
1	3.2	1.6	4	0.8	5	11	6	GDR 1-3
1	3.7	1.6	4	0.8	5	11	6	GDR 1-3
1	4.3	1.6	4	0.8	5	12	8	GDR 1-4
1	5.3	1.6	4	0.8	5	13	10	GDR 1-5
2.5	3.2	2.3	4.5	0.8	5	11	6	GDR 2.5-3
2.5	3.7	2.3	4.5	0.8	5	11	6	GDR 2.5-3
2.5	4.3	2.3	4.5	0.8	5	12	8	GDR 2.5-4
2.5	5.3	2.3	4.5	0.8	5	14	10	GDR 2.5-5
2.5	6.5	2.3	4.5	0.8	5	16	11	GDR 2.5-6
2.5	8.4	2.3	4.5	0.8	5	17	14	GDR 2.5-8
6	4.3	3.6	6	1	6	14	8	GDR 6-4
6	5.3	3.6	6	1	6	15	10	GDR 6-5
6	6.5	3.6	6	1	6	16	11	GDR 6-6
6	8.4	3.6	6	1	6	19	14	GDR 6-8
6	10.5	3.6	6	1	6	21	18	GDR 6-10
10	5.3	4.5	8	1.1	8	16	10	GDR 10-5
10	6.5	4.5	8	1.1	8	17	11	GDR 10-6
10	8.4	4.5	8	1.1	8	20	14	GDR 10-8
10	10.5	4.5	8	1.1	8	21	18	GDR 10-10
10	13	4.5	8	1.1	8	23	22	GDR 10-13
16	5.3	5.8	10.5	1.2	10	20	11	GDR 16-5
16	6.5	5.8	10.5	1.2	10	20	11	GDR 16-6
16	8.4	5.8	10.5	1.2	10	22	14	GDR 16-8
16	10.5	5.8	10.5	1.2	10	24	18	GDR 16-10
16	13	5.8	10.5	1.2	10	26	22	GDR 16-13

*All dimensions are in mm

COPPER RING TYPE TERMINAL LUG AS PER DIN-46234

MATERIAL : COPPER DIN EN 13600-2002 STANDARD: DIN 46234

SURFACE: TIN PLATED



Size mm ²	d2	d1	C	S	a	I	d3	CAT NO.
25	6.5	7.5	12	1.5	11	25	12	GDR 25-6
25	8.4	7.5	12	1.5	11	25	16	GDR 25-8
25	10.5	7.5	12	1.5	11	26	18	GDR 25-10
25	17	7.5	12	1.5	11	35	28	GDR 25-17
35	6.4	9	15	1.6	12	26	16	GDR 35-6
35	8.4	9	15	1.6	12	26	16	GDR 35-9
35	10.5	9	15	1.6	12	27	18	GDR 35-10
35	13	9	15	1.6	12	31	22	GDR 35-13
50	8.4	11	17	1.8	16	34	18	GDR 50-8
50	10.5	11	17	1.8	16	34	18	GDR 50-10
50	13	11	17	1.8	16	36	22	GDR 50-13
70	8.4	13	21	2	18	38	22	GDR 70-8.4
70	10.5	13	21	2	18	38	22	GDR 70-10
70	13	13	21	2	18	38	22	GDR 70-13
95	10.5	15	23	2.5	20	42	24	GDR 95-10
95	13	15	23	2.5	20	42	24	GDR 95-13
95	17	15	23	2.5	20	44	28	GDR 95-17
120	10.5	16.5	24	3	22	44	24	GDR 120-10
120	13	16.5	24	3	22	44	24	GDR 120-13
120	17	16.5	24	3	22	48	28	GDR 120-17
150	10.5	19	28	3.2	24	50	30	GDR 150-10
150	13	19	28	3.2	24	50	30	GDR 150-13
150	17	19	28	3.2	24	50	30	GDR 150-17
185	10.5	21	33	3.5	28	50	36	GDR 185-10
185	13	21	33	3.5	28	50	36	GDR 185-13
185	17	21	33	3.5	28	50	36	GDR 185-17
240	10.5	23.5	36	4	32	56	38	GDR 240-10
240	13	23.5	36	4	32	56	38	GDR 240-13
240	17	23.5	36	4	32	56	38	GDR 240-17

*All dimensions are in mm

QAA QAA QAA QAA QAA QAA
Quality Assurance Advisory

сертификат

شهادة

证书

證明書

Zertifikat

Certificate

سُرْتِفِكَت

QAA QAA QAA QAA QAA QAA



Certificate Of Compliance

Certificate Number: QMS-2024-0514Y50661

This is to Certify that the Management System of the

GOBIND CABLE TERMINALS

0, NEAR KUNDAN COAL DEPOT, GAUTAM NAGAR, REWARI,
HARYANA - 123401

has been independently assessed and confirmed to be in accordance with the
requirements of the standard mentioned below

ISO 9001:2015

This Certificate is Valid for the following scope

"MANUFACTURING OF COPPER AND ALUMINIUM LUGS, THIMBLES, RING, PIN FORK
TYPE CABLE TERMINALS, CONNECTORS AND REDUCERS"

Certificate Issue Date: 14-MAY-2024

Initial Registration Date: 14-MAY-2024

Valid & Until: 13-MAY-2027



1st Surveillance on or before: MAY-2025

2nd Surveillance on or before: MAY-2026

12691471



Auth. Sig.



*Validity Of the Certificate is Subject Successful Completion of surveillance audits on or before of due date. (in case surveillance is not allowed to be conducted, this certificate shall be suspended/cancelled). Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the organisation. This Certificate remains property of Quality Assurance & Advisory and must be returned on request. QAA is an independent system product and personal assessment body. In case of compliant, clarification & surveillance details please write qaaIndia@gmail.com. Verify Certificate - <http://verify.qaicbuk.com> <http://www.qaairdia.com> <http://www.qaicb.uk>. (All Logo's & Design are Intellectual property of QAA. Use without permission is a legal offence) Quality Assurance & Advisory is accredited by Quality Assure Advisory Certification Board, United Kingdom 2 Frederick Street Kings Cross, London WC1X 0ND, UK. Mail US: info@qaicb.uk . Call Us : +1 475-237-7077

QAA QAA QAA QAA QAA QAA



GOBIND CABLE TERMINALS

ISO 9001:2015 CERTIFIED COMPANY



- 📍 NEAR KUNDAN COAL DEPOT, GAUTAM NAGAR,
STREET NO. 1, REWARI-123401 (HARYANA)
- ✉️ salesgobindlugs@gmail.com
- 🌐 www.gobindterminals.com
- 📞 9729372668, 9253272668