

# Laravel Authorization

- composer require laravel/ui
- php artisan ui:auth
- <https://youtu.be/GjBZOQZsfx8>
- <https://youtu.be/qhbvnmiKRrM>

## new larvel project download

- composer install.  
then update vendor file

## Laravel Role and Permission

- composer require spatie/laravel-permission
- php artisan vendor:publish --  
provider="Spatie\Permission\PermissionServiceProvider"  
>>
- php artisan config:cache
- php artisan migrate
- [Using artisan commands | laravel-permission | Spatie](#)
- <https://youtu.be/ONy7dcjf0X8>
- php artisan permission:create-role admin
- use this class in user model

```
use Illuminate\Foundation\Auth\User as Authenticatable;
use Spatie\Permission\Traits\HasRoles;

class User extends Authenticatable
{
    use HasRoles;

    // ...
}
```

# Fancy box cdn

- `<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/fancybox/3.5.7/jquery.fancybox.css" integrity="sha512-nNIU0WK2QfKsuEmdcTwkeh+lhGs6uyOxuUs+n+0oXSYDok5qy0EI0lt01ZynHq6+p/tbgpZ7P+yUb+r71wqdXg==" crossorigin="anonymous" referrerpolicy="no-referrer" />`
- `<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/fancybox/3.5.7/jquery.fancybox.min.css" integrity="sha512-H9jrZiiopUdsLpg94A333EfumgUBp09MdbxStdelTo+KEIMaNfHNvwyjjDJb+ERPaRS6DpyRIKbvPUasNltRyw==" crossorigin="anonymous" referrerpolicy="no-referrer" />`
- `<script src="https://cdnjs.cloudflare.com/ajax/libs/fancybox/3.5.7/jquery.fancybox.min.js" integrity="sha512-uURI+ZXMBRf4AwGaWmEetzrd+J5/8NRkWAvgJx5sbPSSuOb0bZLqf+tOzniObO00BjHa/dD7gub9oCGMLPQHtQA==" crossorigin="anonymous" referrerpolicy="no-referrer"></script>`
- `<script src="https://cdnjs.cloudflare.com/ajax/libs/fancybox/3.5.7/jquery.fancybox.js" integrity="sha512-j7/1CJweOskkQisS5RD9W8zhEG9D9vpgByNGxPlqkO5KrXrwyDAroM9aQ9w8J7oRqwxGyz429hPVk/zR6lOMtSA==" crossorigin="anonymous" referrerpolicy="no-referrer"></script>`

## ● Example:

```
<a data-fancybox="gallery" href="dist/img/investments_proof/<?php echo $pk_proof; ?>">
    </td>
</a>
```

# Sweet Alert

- `composer require realrashid/sweet-alert`
- `php artisan sweetalert:publish`
- `@include('sweetalert::alert')`
- `alert()->success('Success', 'Booking Request is Submitted Successfully')->timerProgressBar();`
- `alert()->html('<i>HTML</i> <u>example</u>', " You can use <b>bold text</b>, <a href='//github.com'>links</a> and other HTML tags ", 'success');`
- <https://youtu.be/GzZF10UG8ZM>

# Confirmation Box

- `<script src="https://unpkg.com/sweetalert/dist/sweetalert.min.js"></script>`
- Example

```
<script>
```

```
$(document).ready(function(){
```

```
$('#d1').on('click', function(e){
```

```
    //debugger;
```

```
    e.preventDefault();
```

```
    const href = $(this).attr('href')
```

```
    swal({
```

```
        title: "Are you sure?",
```

```
        text: "You want to Delete this booking request!",
```

```
        icon: "warning",
```

```
        buttons: true,
```

```
        dangerMode: true,
```

```
    })
```

```
    .then((willDelete) => {
```

```
        if (willDelete) {
```

```
            document.location.href = href;
```

```
        }
```

```
    } else {
```

```
        swal("Poof! Booking request is not Deleted!");
```

```
    }
```

```
});
```

```
});
```

```
});
```

```
</script>
```

## how to get last insert

- `DB::getPdo()->lastInsertId();`

## Import excel file

- <https://www.itsolutionstuff.com/post/laravel-6-file-upload-tutorial-exampleexample.html>
- <https://youtu.be/wTskaxJkWSc>

## notify in laravel

- <https://youtu.be/bbcjz7nE2Jw>

## print validate errors

```
<pre>
  <?php
  print_r($errors->all());
  ?>
</pre>
```

## print validation error

```
@error('course')
  <p class="text-danger text-xs italic" style="margin-left:110px">{{ $message }}</p>
@enderror
```

# Firebase Configuration

- <https://www.thedataops.org/laravel-8-firebase-mobile-number-otp-authentication-tutorial/>
- <https://console.firebase.google.com/u/0/?pli=1>
- [Laravel 8 Firebase Phone Number OTP Auth Example | HostName match not found](#)
- [https://youtu.be/aCjJIN1bf\\_Q](https://youtu.be/aCjJIN1bf_Q)

## create env file in project

Composer should automatically create .env file. In the "post-create-project-cmd" section of the composer.json you can find:

- `"post-create-project-cmd": [ "php -r \"copy('.env.example', '.env');\",  
"php artisan key:generate" ]`

Run on terminal

- `cp .env.example .`
- `php artisan key:generate`

## Ternary Operator in radio button

`<option value="{{ $course->id }}" {{ ($course->id === $enrollment->course_id) ? 'selected' : '' }}>`

## Upload file via URL

```
$url = "http://www.google.co.in/intl/en_com/images/srpr/logo1w.png";  
$contents = file_get_contents($url);  
$name = substr($url, strrpos($url, '/') + 1);  
Storage::put($name, $contents);
```

<https://laracasts.com/discuss/channels/laravel/storing-image-file-retrieved-from-external-url?page=1>

```
$url = $request['url'];  
$ch = curl_init ($url);  
curl_setopt($ch, CURLOPT_HEADER, 0);  
curl_setopt($ch, CURLOPT_RETURNTRANSFER, 1);  
curl_setopt($ch, CURLOPT_BINARYTRANSFER, 1);  
$contents=curl_exec($ch);  
$name = time()."ws.".substr($url, strrpos($url, '/') + 8);  
Storage::put('/public/guests/'.$name, $contents);
```

## User and Admin different Auth

- <https://youtu.be/UWniysfpTmM>

<https://ordinarycoders.com/blog/article/bootstrap-pricing-table-example>

## Api Tutorials

[Laravel 8 tutorial - Make First Simplest API](#)

## Api login sanctum

<https://github.com/anil-sidhu/laravel-Sanctum#details-api>

## React Login

<https://youtu.be/sRzbFa8gYFI>

## React Tutorials

<https://vimeo.com/user129258226/review/747635465/f2fd6b1444>

```
<option value="{{ $course->id }}" {{ ($course->id === $enrollment->course_id) ? 'selected' : '' }}>
```

## dehash password Match

```
if(password_verify($newpassword,$oldpassword))
```

```
{ }
```

# Auth function

```
public function login($id)
{
    $user = User::findOrFail($id);
    print_r($user);
    Auth::login($user);
    return redirect('/dashboard');

}
```