Status	Finished
Started	Tuesday, 20 October 2026, 12:22 PM
Completed	Tuesday, 20 October 2026, 12:25 PM
Duration	3 mins
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. \n ✓

b. \t

c. ,

d. space

The correct answer is:
\n

Question **2**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

a. locate()

b. current()

c. position()

d. tell() ✓

The correct answer is: tell()

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

- a. It reads the entire file and returns it as a list of lines ✓
- b. It reads the file and returns it as a dictionary
- c. It reads the entire file and returns it as a string
- d. It reads a single line from the file

The correct answer is: It reads the entire file and returns it as a list of lines

Question **4**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

- a. The buffer size for the file operations ✓
- b. The access mode of the file
- c. The file's read/write position
- d. The encoding of the file

The correct answer is: The buffer size for the file operations

Question **5**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

- a. 1
- b. 2
- c. garbage
- d. null
- e. 0 ✓

The correct answer is:
0

Question **6**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open("c:\\scores.txt", "rw")

b. outfile = open(file = "c:\scores.txt", "w")

c. outfile = open("c:\\scores.txt", "a") ✓

d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "a")

Question **7**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It raises an error

b. It clears the old data and starts fresh ✓

c. It does nothing

d. It appends data to the file

The correct answer is: It clears the old data and starts fresh

Question **8**

Correct

Mark 1.00 out of 1.00

What is the use of tell() method in python?

a. tells you the end position within the file

b. tells you the current position within the file ✓

c. none of the mentioned

d. tells you the file is opened or not

The correct answer is:
tells you the current position within the file

Question **9**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

a. The name of the file
b. The size of the file
c. The current position of the file cursor
d. The access mode in which the file was opened ✓

The correct answer is: The access mode in which the file was opened

Question **10**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The buffer size
b. The size of the file
c. The encoding format of the file ✓
d. The mode of the file

The correct answer is: The encoding format of the file

Question **11**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readlines()
b. readline()
c. read(size) ✓
d. readchar()

The correct answer is: read(size)

Question **12**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

- a. writelines(list) ✓
- b. None of the mentioned
- c. writelist(list)
- d. write(list)

The correct answer is: writelines(list)

Question **13**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

- a. A new file is created
- b. The operation is ignored
- c. An error is raised ✓
- d. An empty file object is returned

The correct answer is: An error is raised

Question **14**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

- a. open() ✓
- b. file()
- c. open_file()
- d. openfile()

The correct answer is: open()

Question **15**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints the entire content of the file ✓

b. Prints the first 10 characters of the file

c. Prints an error message

d. Prints each line of the file

The correct answer is: Prints the entire content of the file