

Ideation Phase

Empathize & Discover

Date	30 September 2026
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	3 Marks

Empathy Map Canvas:

An empathy map is used to understand the users of the Script-Controlled ACL solution, their behaviours, expectations, challenges, and concerns when accessing protected ServiceNow records.**Primary User : ServiceNow User / Administrator**

SAYS • I should only see records I am authorized to access. • I need clear permissions for viewing, creating, editing, and deleting. • Unauthorized users should not access protected records.		THINKS • Does my role allow this operation? • Why is access allowed or denied? • Will the ACL consistently protect the records? • Can the administrator verify the permissions?
DOES • Logs into ServiceNow. • Opens Institution Details records. • Attempts to view, create, edit, or delete according to assigned roles. • Uses testing/impersonation to verify permissions.	Script-Controlled ACL – Restrict Record Access Based on Field Value	FEELS • Wants confidence that records are protected. • May be confused when an operation is denied. • Feels secure when access follows roles and business rules.
PAINS / CHALLENGES • Incorrect ACL configuration may expose records. • Different READ, CREATE, WRITE, DELETE permissions can be complex. • Incorrect roles may cause unwanted access or denial. • Every access scenario must be tested.		NEEDS / GOALS • Role-based record access. • Branch-based access restriction. • Separate READ, CREATE, WRITE, DELETE controls. • Full access for authorized administrators. • Easy verification through lists, forms, and impersonation.

Solution / User Context

The Script-Controlled ACL solution controls access to the Institution Details table using ServiceNow roles, the Branch value, and separate ACLs for READ, CREATE, WRITE, and DELETE. The user experience should be predictable: authorized operations are allowed and unauthorized operations are denied.

Key User Insight

Users expect access to ServiceNow records to match their assigned permissions. Administrators need a clear way to configure and verify access, while normal users need protected records to remain inaccessible when they do not satisfy the configured ACL requirements.