

# Rajalakshmi Engineering College

Name: Ishwariya R  
Email: 241801097@rajalakshmi.edu.in  
Roll no: 241801097  
Phone: 9884883678  
Branch: REC  
Department: AI & DS - Section 5  
Batch: 2028  
Degree: B.E - AI & DS

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 3\_Q4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Sesha is developing a weather monitoring system for a region with multiple weather stations. Each weather station collects temperature data hourly and stores it in a 2D array.

Write a program that can add the temperature data from two different weather stations to create a combined temperature record for the region.

##### ***Input Format***

The first line of input consists of two space-separated integers N and M, representing the number of rows and columns of the matrices, respectively.

The next N lines consist of M space-separated integers, representing the values of the first matrix.

The following N lines consist of M space-separated integers, representing the values of the second matrix.

### **Output Format**

The output prints the addition of the two matrices in N rows and M columns, representing the combined temperature record.

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 3 3

1 2 3

4 5 6

7 8 9

1 1 1

2 2 2

3 3 3

Output: 2 3 4

6 7 8

10 11 12

### **Answer**

// You are using Java

import java.util.Scanner;

```
class WeatherDataCombiner {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);
```

```
        int N = sc.nextInt();
```

```
        int M = sc.nextInt();
```

```
        int[][] station1 = new int[N][M];
```

```
        int[][] station2 = new int[N][M];
```

```
        int[][] combined = new int[N][M];
```

```
        for (int i = 0; i < N; i++) {  
            for (int j = 0; j < M; j++) {  
                station1[i][j] = sc.nextInt();
```

```

    }
}

for (int i = 0; i < N; i++) {
    for (int j = 0; j < M; j++) {
        station2[i][j] = sc.nextInt();
    }
}

for (int i = 0; i < N; i++) {
    for (int j = 0; j < M; j++) {
        combined[i][j] = station1[i][j] + station2[i][j];
    }
}

for (int i = 0; i < N; i++) {
    for (int j = 0; j < M; j++) {
        System.out.print(combined[i][j] + " ");
    }
    System.out.println();
}
}
}

```

**Status :** Correct

**Marks :** 10/10