### CO<sub>2</sub> Emission

# 1 INTRODUCTION

#### 1.1 Overview

Carbon dioxide (CO2) emissions are a significant contributor to global climate change, which is one of the biggest environmental challenges facing the world today. CO2 is a greenhouse gas that traps heat in the Earth's atmosphere, leading to global warming, rising sea levels, and more frequent and intense extreme weather events.

CO2 emissions come from a wide range of sources, including the burning of fossil fuels such as coal, oil, and gas for energy, industrial processes, transportation, and deforestation. These emissions are primarily caused by human activities, particularly the burning of fossil fuels for energy production.

The global community has recognized the urgent need to address the issue of CO2 emissions, and various initiatives and policies have been implemented to reduce emissions and transition towards more sustainable energy sources. These efforts include renewable energy development, energy efficiency measures, carbon pricing, and international agreements such as the Paris Agreement, which aims to limit global warming to well below 2°C above pre-industrial levels.

# 1.2 Purpose

Tableau is a data visualization tool that can be used to create various types of graphs and visualizations to help better understand and analyze CO2 emissions data. Here are a few types of graphs and visualizations that can be used to visualize CO2 emissions data and their purposes:


- 1. Line Graphs These graphs are useful for visualizing trends and changes in CO2 emissions over time. They can show how emissions have increased or decreased over a specific period, and can help identify patterns and fluctuations in the data.
- 2. Bar Charts These charts are effective in comparing CO2 emissions between different countries, regions, or sectors. They can also be used to compare emissions from different sources such as transportation, industry, or electricity generation.
- 3. Heat Maps These visualizations use color to represent CO2 emissions data on a geographic map. They can help identify areas with high or low emissions and can be used to compare emissions between different regions.

- 4. Scatter Plots These graphs are useful for identifying relationships between CO2 emissions and other variables such as GDP, population, or energy consumption. They can help identify correlations and patterns in the data.
- 5. Tree Maps These visualizations use nested rectangles to show CO2 emissions data for different categories and sub-categories. They are useful for showing the proportion of emissions from different sources or sectors.

Overall, the purpose of using these types of graphs and visualizations is to provide a clear and informative representation of CO2 emissions data, making it easier to understand and analyze the trends and patterns in the data. This can help inform decision-making and policy development aimed at reducing CO2 emissions and mitigating the impacts of climate change.

# 2. Problem Definition & Design Thinking

# 2.1 Empathy Map




# 2.1 Ideation & Brainstorming Map




# 3 Result


#### 3.1 Dashboard




### 3.2 Story





#### 3.3 Dashboard Web




#### CO2 Emission Analysis








### 3.4 Story Web



# CO2 Emission Analysis



# 4 ADVANTAGES & DISADVANTAGES

#### **Advantages of CO2 Emissions:**

- 1. Vital for Plant Growth: CO2 emissions play a critical role in plant growth. Plants use CO2 during photosynthesis to produce oxygen, which is essential for all living beings.
- 2. Economic Benefits: CO2 emissions are a byproduct of industrial processes, and they are necessary for various industries, such as the production of cement, steel, and chemicals. These industries provide jobs and contribute to the economy.
- Energy Production: CO2 emissions are a result of burning fossil fuels for energy production.
   Fossil fuels are a reliable and cost-effective source of energy, and they are essential for meeting the world's energy demands.

#### **Disadvantages of CO2 Emissions:**

- 1. Climate Change: The primary disadvantage of CO2 emissions is their contribution to climate change. The increased concentration of CO2 in the atmosphere has led to global warming, causing rising sea levels, extreme weather events, and other environmental issues.
- 2. Air Pollution: CO2 emissions are often accompanied by other pollutants such as sulfur dioxide, nitrogen oxides, and particulate matter. These pollutants can cause respiratory problems and other health issues.
- 3. Ocean Acidification: CO2 emissions are absorbed by the ocean, leading to increased acidity levels. This can have adverse effects on marine ecosystems, such as coral reefs and shellfish.
- 4. Human Health Risks: CO2 emissions can lead to the production of ground-level ozone, which can cause respiratory problems, especially for vulnerable populations such as children, the elderly, and people with asthma.

# **5 APPLICATIONS**

CO2 emission analysis can be applied in several fields and industries to help better understand the impact of CO2 emissions on the environment and identify opportunities to reduce emissions. Here are a few applications of CO2 emission analysis:

- Climate Change Mitigation: CO2 emission analysis can help identify areas where emissions
  can be reduced, such as transitioning to renewable energy sources, improving energy
  efficiency, and implementing carbon capture and storage technologies.
- Environmental Policy Development: CO2 emission analysis can inform the development of environmental policies aimed at reducing emissions and mitigating the impacts of climate change.
- 3. Corporate Sustainability: CO2 emission analysis can help companies identify areas where they can reduce emissions and improve their sustainability performance, such as optimizing their supply chain and reducing energy consumption.
- 4. Transportation Planning: CO2 emission analysis can help cities and transportation agencies identify ways to reduce emissions from transportation, such as promoting the use of electric vehicles, improving public transportation, and encouraging active transportation modes like cycling and walking.
- 5. Academic Research: CO2 emission analysis can be used in academic research to understand the impact of CO2 emissions on the environment and to develop new technologies and strategies to reduce emissions.

Overall, CO2 emission analysis is essential in helping to identify opportunities to reduce emissions and mitigate the impacts of climate change. It can be applied across various fields and industries to improve sustainability and promote a more environmentally friendly future.

### 6 CONCLUSION

In conclusion, analyzing CO2 emissions data using Excel and MySQL can provide valuable insights into the sources and trends of CO2 emissions. By importing the data into MySQL and connecting it to Tableau Server, we can create a range of graphs and visualizations that help us better understand the data and identify opportunities for reducing emissions.

Some of the types of graphs and visualizations we can create include line graphs, bar charts, heat maps, scatter plots, and tree maps. Each of these visualization types has its advantages and can provide valuable insights into the data.

Using CO2 emission analysis, we can identify areas where emissions can be reduced, such as transitioning to renewable energy sources, improving energy efficiency, and optimizing transportation. This information can be used to inform policy development and corporate sustainability strategies, as well as to promote a more environmentally friendly future.

In summary, the combination of Excel, MySQL, and Tableau Server provides a powerful toolkit for analyzing and visualizing CO2 emissions data, allowing us to better understand the impact of emissions on the environment and take action to mitigate their effects.

# 7 FUTURE SCOPE

The future scope of CO2 emission analysis is significant as the world continues to face the challenges of climate change and the need to transition to a low-carbon economy. Here are some potential areas where CO2 emission analysis could have an impact:

- Improved Data Collection: As technology improves, we may be able to collect more
  precise and comprehensive data on CO2 emissions. This could include data from
  satellite monitoring, more extensive monitoring networks, and advanced modeling
  techniques.
- 2. Advancements in Carbon Capture and Storage (CCS) Technology: CCS technology has the potential to capture and store CO2 emissions from industrial processes, power generation, and other sources. As the technology improves, it could become a more significant tool for reducing CO2 emissions.
- 3. Development of Sustainable Energy Sources: The development of sustainable energy sources, such as wind, solar, and hydroelectric power, could significantly reduce CO2 emissions from energy generation. CO2 emission analysis could help identify the most effective strategies for transitioning to sustainable energy sources.
- 4. Policy Development: CO2 emission analysis could continue to inform the development of policies aimed at reducing emissions and mitigating the impacts of climate change. This could include carbon pricing, emissions standards, and other regulatory measures.

 Corporate Sustainability: As businesses face increasing pressure to reduce their carbon footprint, CO2 emission analysis could continue to be an essential tool for identifying areas where emissions can be reduced and sustainability can be improved.

#### 8 APPENDIX

In appendix we are attached,

Home, Dashboard, Sheets, Story pages HTML & CSS Source Code

#### Home page HTML

```
<!DOCTYPE html>
<html lang="zxx">
<head>
 <meta charset="utf-8">
 <title>Home</title>
 <!-- mobile responsive meta -->
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <meta name="viewport" content="width=device-width, initial-scale=1, maximum-</pre>
scale=1">
 <!-- ** Plugins Needed for the Project ** -->
 <!-- Bootstrap -->
 <link rel="stylesheet" href="plugins/bootstrap/bootstrap.min.css">
 <!-- themefy-icon -->
 <link rel="stylesheet" href="plugins/themify-icons/themify-icons.css">
 <!-- slick slider -->
 <link rel="stylesheet" href="plugins/slick/slick.css">
 <!-- venobox popup -->
 <link rel="stylesheet" href="plugins/Venobox/venobox.css">
 <link rel="stylesheet" href="plugins/aos/aos.css">
 <!-- Main Stylesheet -->
 <link href="css/style.css" rel="stylesheet">
 <!--Favicon-->
```

```
<link rel="shortcut icon" href="images/favicon.ico" type="image/x-icon">
 <link rel="icon" href="images/favicon.ico" type="image/x-icon">
</head>
<body style="overflow: hidden;">
<!-- navigation -->
<section class="fixed-top navigation">
 <div class="container">
   <nav class="navbar navbar-expand-lg navbar-light">
     <h4>Data Analysis</h4>
     <button class="navbar-toggler border-0" type="button" data-</pre>
toggle="collapse" data-target="#navbar" aria-controls="navbar"
       aria-expanded="false" aria-label="Toggle navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
     <!-- navbar -->
     <div class="collapse navbar-collapse text-center" id="navbar">
       <a class="nav-link" href="dashboard.html">Dashboard</a>
         <a class="nav-link" href="sheets.html">Sheets</a>
         class="nav-item">
           <a class="nav-link" href="story.html">Story</a>
         <a href="index.html" class="btn btn-primary ml-lg-3 primary-</pre>
shadow">Home</a>
     </div>
   </nav>
 </div>
</section>
<!-- /navigation -->
<!-- hero area -->
<section class="hero-section hero" data-background="" style="background-image:</pre>
url(images/hero-area/banner-bg.png);">
 <div class="container">
   <div class="row">
     <div class="col-lg-12 text-center zindex-1">
```

```
<h1 class="mb-3">CO2<br>
         Emission</h1>
        To reduce CO2 for your healthy life
        <a href="dashboard.html" class="btn btn-secondary btn-lg">explore us</a>
      </div>
    </div>
  </div>
  <!-- background shapes -->
  <div id="scene">
    <img class="img-fluid hero-bg-1 up-down-animation" src="images/background-</pre>
shape/feature-bg-2.png" alt="">
    <img class="img-fluid hero-bg-2 left-right-animation" src="images/background-</pre>
shape/seo-ball-1.png" alt="">
    <img class="img-fluid hero-bg-3 left-right-animation" src="images/background-</pre>
shape/seo-half-cycle.png" alt="">
    <img class="img-fluid hero-bg-4 up-down-animation" src="images/background-</pre>
shape/green-dot.png" alt="">
    <img class="img-fluid hero-bg-5 left-right-animation" src="images/background-</pre>
shape/blue-half-cycle.png" alt="">
    <img class="img-fluid hero-bg-6 up-down-animation" src="images/background-</pre>
shape/seo-ball-1.png" alt="">
    <img class="img-fluid hero-bg-7 left-right-animation" src="images/background-</pre>
shape/yellow-triangle.png" alt="">
    <img class="img-fluid hero-bg-8 up-down-animation" src="images/background-</pre>
shape/service-half-cycle.png" alt="">
    <img class="img-fluid hero-bg-9 up-down-animation" src="images/background-</pre>
shape/team-bg-triangle.png" alt="">
  </div>
</section>
<!-- jQuery -->
<script src="plugins/jQuery/jquery.min.js"></script>
<!-- Bootstrap JS -->
<script src="plugins/bootstrap/bootstrap.min.js"></script>
<!-- slick slider -->
<script src="plugins/slick/slick.min.js"></script>
<script src="plugins/Venobox/venobox.min.js"></script>
<script src="plugins/aos/aos.js"></script>
<!-- Main Script -->
<script src="js/script.js"></script>
```

```
</body>
</html>
```

# **Dashboard page HTML**

```
<!DOCTYPE html>
<html lang="zxx">
<head>
 <meta charset="utf-8">
 <title>Dashboard</title>
 <!-- mobile responsive meta -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
 <meta name="viewport" content="width=device-width, initial-scale=1, maximum-</pre>
scale=1">
  <!-- ** Plugins Needed for the Project ** -->
  <!-- Bootstrap -->
  <link rel="stylesheet" href="plugins/bootstrap/bootstrap.min.css">
  <!-- themefy-icon -->
  <link rel="stylesheet" href="plugins/themify-icons/themify-icons.css">
  <!-- slick slider -->
  <link rel="stylesheet" href="plugins/slick/slick.css">
  <!-- venobox popup -->
  <link rel="stylesheet" href="plugins/Venobox/venobox.css">
  <link rel="stylesheet" href="plugins/aos/aos.css">
  <!-- Main Stylesheet -->
  <link href="css/style.css" rel="stylesheet">
  <!--Favicon-->
  <link rel="shortcut icon" href="images/favicon.ico" type="image/x-icon">
  <link rel="icon" href="images/favicon.ico" type="image/x-icon">
</head>
<body>
<!-- navigation -->
<section class="fixed-top navigation">
 <div class="container">
```

```
<nav class="navbar navbar-expand-lg navbar-light">
     <h4>Data Analysis</h4>
     <button class="navbar-toggler border-0" type="button" data-</pre>
toggle="collapse" data-target="#navbar" aria-controls="navbar"
       aria-expanded="false" aria-label="Toggle navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
     <!-- navbar -->
     <div class="collapse navbar-collapse text-center" id="navbar">
       <a class="nav-link" href="index.html">Home</a>
         <a class="nav-link" href="sheets.html">Sheets</a>
         class="nav-item">
           <a class="nav-link" href="story.html">Story</a>
       <a href="dashboard.html" class="btn btn-primary ml-lg-3 primary-</pre>
shadow">Dashboard</a>
     </div>
    </nav>
  </div>
</section>
<!-- /navigation -->
<section class="hero-section hero" data-background="" style="background-image:</pre>
url(images/hero-area/banner-bg.png);">
  <div class="container">
    <div class="row">
     <div class="col-lg-12 text-center zindex-1">
       <hl class="mb-3">Graph Types and Visualizations<br>Dashboard</hl>
       This Dashboard may utilize a variety of graph types and
visualizations, including but not limited to bar charts, line<br/>br>charts, scatter
plots, heat maps, tree maps, bullet graphs, and geographical maps. These graphs
and visualizations help<br/>br>to present data in a meaningful and easily
understandable way, allowing users to gain insights and make
informed<br/>br>decisions based on the information presented
       <!-- banner image -->
     </div>
    </div>
```

```
</div>
  <!-- background shapes -->
  <div id="scene">
    <img class="img-fluid hero-bg-1 up-down-animation" src="images/background-</pre>
shape/feature-bg-2.png" alt="">
    <img class="img-fluid hero-bg-2 left-right-animation" src="images/background-</pre>
shape/seo-ball-1.png" alt="">
    <img class="img-fluid hero-bg-3 left-right-animation" src="images/background-</pre>
shape/seo-half-cycle.png" alt="">
    <img class="img-fluid hero-bg-4 up-down-animation" src="images/background-</pre>
shape/green-dot.png" alt="">
    <img class="img-fluid hero-bg-5 left-right-animation" src="images/background-</pre>
shape/blue-half-cycle.png" alt="">
    <img class="img-fluid hero-bg-6 up-down-animation" src="images/background-</pre>
shape/seo-ball-1.png" alt="">
    <img class="img-fluid hero-bg-7 left-right-animation" src="images/background-</pre>
shape/yellow-triangle.png" alt="">
    <img class="img-fluid hero-bg-8 up-down-animation" src="images/background-</pre>
shape/service-half-cycle.png" alt="">
    <img class="img-fluid hero-bg-9 up-down-animation" src="images/background-</pre>
shape/team-bg-triangle.png" alt="">
  </div>
</section>
<div class="row">
  <div class="col-lg-12 text-center zindex-1">
   <h3 class="mb-3">CO2 Emission<br>
     Analysis</h3>
   </div>
</div>
<!-- dashboard -->
<div class='tableauPlaceholder' id='viz1681811580567' style='position:</pre>
relative'><noscript><a href='#'><img alt='Dashboard 1 '
src='https://public.tableau.com/static/images/Da/Dashboar
d1_16818101214170/Dashboard1/1_rss.png' style='border: none'
/></a></noscript><object class='tableauViz' style='display:none;'><param
name='host url' value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param</pre>
name='embed code version' value='3' /> <param name='site root' value='' /><param</pre>
name='name' value='Dashboard1 16818101214170/Dashboard1' /><param name='tabs'</pre>
value='no' /><param name='toolbar' value='yes' /><param name='static image'
value='https://public.tableau.com/static/images/Da/Dashbo
```

```
value='yes' /><param name='display_static_image' value='yes' /><param</pre>
name='display_spinner' value='yes' /><param name='display_overlay' value='yes'</pre>
/><param name='display_count' value='yes' /><param name='language' value='en-US'
/></object></div>
                                <script
type='text/javascript'>
                                          var divElement =
document.getElementById('viz1681811580567');
                                                               var vizElement =
divElement.getElementsByTagName('object')[0];
                                                                if (
divElement.offsetWidth > 800 ) {
vizElement.style.width='1000px';vizElement.style.height='827px';} else if (
divElement.offsetWidth > 500 ) {
vizElement.style.width='1000px';vizElement.style.height='827px';} else {
vizElement.style.width='100%';vizElement.style.height='1277px';}
    var scriptElement =
document.createElement('script');
                                                    scriptElement.src =
'https://public.tableau.com/javascripts/api/viz_v1.js';
                                                                          vizEle
ment.parentNode.insertBefore(scriptElement, vizElement);
                                                                       </script>
<div class='tableauPlaceholder' id='viz1681811692477' style='position:</pre>
relative'><noscript><a href='#'><img alt='Dashboard 2 '
src='https://public.tableau.com/static/images/Da/Da&hboar
d2 16818101906840/Dashboard2/1_rss.png' style='border: none'
/></a></noscript><object class='tableauViz' style='display:none;'><param
name='host url' value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param</pre>
name='embed code version' value='3' /> <param name='site root' value='' /><param</pre>
name='name' value='Dashboard2_16818101906840/Dashboard2' /><param name='tabs'</pre>
value='no' /><param name='toolbar' value='yes' /><param name='static image'
value='https://public.tableau.com/static/images/Da/Dashbo
ard2_16818101906840/Dashboard2/1.png' /> <param name='animate_transition'
value='yes' /><param name='display static image' value='yes' /><param</pre>
name='display spinner' value='yes' /><param name='display overlay' value='yes'</pre>
/><param name='display_count' value='yes' /><param name='language' value='en-US'
/></object></div>
                                <script
type='text/javascript'>
                                          var divElement =
document.getElementById('viz1681811692477');
                                                               var vizElement =
divElement.getElementsByTagName('object')[0];
                                                                if (
divElement.offsetWidth > 800 ) {
vizElement.style.width='1000px';vizElement.style.height='827px';} else if (
divElement.offsetWidth > 500 ) {
vizElement.style.width='1000px';vizElement.style.height='827px';} else {
vizElement.style.width='100%';vizElement.style.height='1277px';}
    var scriptElement =
document.createElement('script');
                                                    scriptElement.src =
'https://public.tableau.com/javascripts/api/viz v1.js';
                                                                          vizEle
ment.parentNode.insertBefore(scriptElement, vizElement);
                                                                       </script>
```

```
<!-- /dashboard -->
<!-- footer -->
<footer class="footer-section footer" style="background-image:</pre>
url(images/backgrounds/footer-bg.png);">
 <div class="container">
   <div class="row">
    <div class="col-lg-4 text-center text-lg-left mb-4 mb-lg-0">
      <h3>Data Analysis</h3>
    </div>
    <!-- footer menu -->
    <nav class="col-lg-8 align-self-center mb-5">
      <a href="index.html">Home</a>
       <a</pre>
href="dashboard.html">Dashboard</a>
       <a href="sheets.html">Sheets</a>
       <a href="story.html">Story</a>
    </nav>
    <!-- footer social icon -->
    <nav class="col-12">
     <a class="linkedin" href="#"><i class="ti-linkedin"></i></a>
       <a class="black" href="#"><i class="ti-github"></i></a>
       </nav>
   </div>
 </div>
</footer>
<!-- /footer -->
<!-- jQuery -->
<script src="plugins/jQuery/jquery.min.js"></script>
<!-- Bootstrap JS -->
<script src="plugins/bootstrap/bootstrap.min.js"></script>
<!-- slick slider -->
<script src="plugins/slick/slick.min.js"></script>
<!-- venobox -->
<script src="plugins/Venobox/venobox.min.js"></script>
```

```
<!-- aos -->
<script src="plugins/aos/aos.js"></script>
<!-- Main Script -->
<script src="js/script.js"></script>

</body>
</html>
```

# **Sheet page HTML**

```
<!DOCTYPE html>
<html lang="zxx">
<head>
 <meta charset="utf-8">
  <title>Sheets</title>
 <!-- mobile responsive meta -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
 <meta name="viewport" content="width=device-width, initial-scale=1, maximum-</pre>
scale=1">
  <!-- ** Plugins Needed for the Project ** -->
  <!-- Bootstrap -->
  <link rel="stylesheet" href="plugins/bootstrap/bootstrap.min.css">
  <!-- themefy-icon -->
  <link rel="stylesheet" href="plugins/themify-icons/themify-icons.css">
  <!-- slick slider -->
  <link rel="stylesheet" href="plugins/slick/slick.css">
  <!-- venobox popup -->
  <link rel="stylesheet" href="plugins/Venobox/venobox.css">
  <link rel="stylesheet" href="plugins/aos/aos.css">
  <!-- Main Stylesheet -->
  <link href="css/style.css" rel="stylesheet">
  <!--Favicon-->
  <link rel="shortcut icon" href="images/favicon.ico" type="image/x-icon">
  <link rel="icon" href="images/favicon.ico" type="image/x-icon">
</head>
<body>
```

```
<!-- navigation -->
<section class="fixed-top navigation">
 <div class="container">
   <nav class="navbar navbar-expand-lg navbar-light">
     <h4>Data Analysis</h4>
     <button class="navbar-toggler border-0" type="button" data-</pre>
toggle="collapse" data-target="#navbar" aria-controls="navbar"
       aria-expanded="false" aria-label="Toggle navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
     <!-- navbar -->
     <div class="collapse navbar-collapse text-center" id="navbar">
       <a class="nav-link" href="index.html">Home</a>
         <a class="nav-link" href="dashboard.html">Dashboard</a>
         <a class="nav-link" href="story.html">Story</a>
         <a href="sheets.html" class="btn btn-primary ml-lg-3 primary-</pre>
shadow">Sheets</a>
     </div>
   </nav>
 </div>
</section>
<!-- /navigation -->
<section class="hero-section hero" data-background="" style="background-image:</pre>
url(images/hero-area/banner-bg.png);">
 <div class="container">
   <div class="row">
     <div class="col-lg-12 text-center zindex-1">
       <h1 class="mb-3">Graph Types and Visualizations<br>Sheets</h1>
       graph types and visualizations can be used to display
different types of data, <br>including time series data, categorical data,
geographic data, and hierarchical data. By selecting the brappropriate graph
```

```
type or visualization, you can effectively communicate insights and <pr>patterns
in your data to your audience
      </div>
    </div>
  </div>
  <!-- background shapes -->
  <div id="scene">
    <img class="img-fluid hero-bg-1 up-down-animation" src="images/background-</pre>
shape/feature-bg-2.png" alt="">
    <img class="img-fluid hero-bg-2 left-right-animation" src="images/background-</pre>
shape/seo-ball-1.png" alt="">
    <img class="img-fluid hero-bg-3 left-right-animation" src="images/background-</pre>
shape/seo-half-cycle.png" alt="">
    <img class="img-fluid hero-bg-4 up-down-animation" src="images/background-</pre>
shape/green-dot.png" alt="">
    <img class="img-fluid hero-bg-5 left-right-animation" src="images/background-</pre>
shape/blue-half-cycle.png" alt="">
    <img class="img-fluid hero-bg-6 up-down-animation" src="images/background-</pre>
shape/seo-ball-1.png" alt="">
    <img class="img-fluid hero-bg-7 left-right-animation" src="images/background-</pre>
shape/yellow-triangle.png" alt="">
    <img class="img-fluid hero-bg-8 up-down-animation" src="images/background-</pre>
shape/service-half-cycle.png" alt="">
    <img class="img-fluid hero-bg-9 up-down-animation" src="images/background-</pre>
shape/team-bg-triangle.png" alt="">
  </div>
</section>
<div class="row">
  <div class="col-lg-12 text-center zindex-1">
    <h3 class="mb-3">Total World Emission</h3>
    </div>
</div>
<div class='tableauPlaceholder' id='viz1681810559949' style='position:</pre>
relative'><noscript><a href='#'><img alt='Total World Emission '
src='https://public.tableau.com/static/images/To/TotalWor
ldEmission 16818094550300/ Sheet1/ 1 rss.png' style='border: none'
/></a></noscript><object class='tableauViz' style='display:none;'><param
name='host_url' value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param</pre>
name='embed_code_version' value='3' /> <param name='site_root' value='' /><param
name='name' value='TotalWorldEmission_16818094550300/Sheet1' /><param</pre>
name='tabs' value='no' /><param name='toolbar' value='yes' /><param</pre>
```

```
name='static image'
value='https://public.tableau.com/static/images/To/TotalW
orldEmission 16818094550300/Sheet1/1.png' /> <param
name='animate transition' value='yes' /><param name='display static image'</pre>
value='yes' /><param name='display_spinner' value='yes' /><param</pre>
name='display_overlay' value='yes' /><param name='display_count' value='yes'</pre>
/><param name='language' value='en-US' /></object></div>
                                                                      <script
type='text/javascript'>
                                         var divElement =
document.getElementById('viz1681810559949');
                                                              var vizElement =
divElement.getElementsByTagName('object')[0];
                                                               vizElement.style
.width='100%';vizElement.style.height=(divElement.offsetWidth*0.75)+'px';
           var scriptElement =
document.createElement('script');
                                                    scriptElement.src =
'https://public.tableau.com/javascripts/api/viz v1.js';
                                                                         vizEle
ment.parentNode.insertBefore(scriptElement, vizElement);
                                                                      </script>
<div class="row">
  <div class="col-lg-12 text-center zindex-1">
    <h3 class="mb-3">Top Emitting Countries</h3>
    </div>
</div>
<div class='tableauPlaceholder' id='viz1681810755866' style='position:</pre>
relative'><noscript><a href='#'><img alt='Top Emitting Countries '
src='https://public.tableau.com/static/images/To/TopEmitt
ingCountries/Sheet2/1 rss.png' style='border: none'
/></a></noscript><object class='tableauViz' style='display:none;'><param
name='host url' value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param</pre>
name='embed code version' value='3' /> <param name='site root' value='' /><param</pre>
name='name' value='TopEmittingCountries/Sheet2' /><param name='tabs'</pre>
value='no' /><param name='toolbar' value='yes' /><param name='static image'</pre>
value='https://public.tableau.com/static/images/To/TopEmi
ttingCountries/Sheet2/1.png' /> <param name='animate_transition'
value='yes' /><param name='display static image' value='yes' /><param</pre>
name='display_spinner' value='yes' /><param name='display_overlay' value='yes'</pre>
/><param name='display_count' value='yes' /><param name='language' value='en-US'</pre>
/></object></div>
                                <script
type='text/javascript'>
                                          var divElement =
document.getElementById('viz1681810755866');
                                                              var vizElement =
divElement.getElementsByTagName('object')[0];
                                                               vizElement.style
.width='100%';vizElement.style.height=(divElement.offsetWidth*0.75)+'px';
           var scriptElement =
document.createElement('script');
                                                    scriptElement.src =
'https://public.tableau.com/javascripts/api/viz_v1.js';
                                                                         vizEle
ment.parentNode.insertBefore(scriptElement, vizElement);
                                                                     </script>
```

```
<div class="row">
  <div class="col-lg-12 text-center zindex-1">
   <h3 class="mb-3">Total CO2 Emission Over Time</h3>
    </div>
</div>
<div class='tableauPlaceholder' id='viz1681810855128' style='position:</pre>
relative'><noscript><a href='#'><img alt='Total CO2 Emission Over Time '
src='https://public.tableau.com/static/images/To/TotalCO2
EmissionOverTime/ Sheet3/ 1 rss.png' style='border: none'
/></a></noscript><object class='tableauViz' style='display:none;'><param
name='host_url' value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param</pre>
name='embed code version' value='3' /> <param name='site root' value='' /><param</pre>
name='name' value='TotalCO2EmissionOverTime/Sheet3' /><param name='tabs'</pre>
value='no' /><param name='toolbar' value='yes' /><param name='static image'
value='https://public.tableau.com/static/images/To/TotalC
O2EmissionOverTime/Sheet3/1.png' /> <param name='animate_transition'</pre>
value='yes' /><param name='display static image' value='yes' /><param
name='display_spinner' value='yes' /><param name='display_overlay' value='yes'</pre>
/><param name='display_count' value='yes' /><param name='language' value='en-US'
/></object></div>
                               <script
type='text/javascript'>
                                         var divElement =
document.getElementById('viz1681810855128');
                                                             var vizElement =
divElement.getElementsByTagName('object')[0];
                                                              vizElement.style
.width='100%';vizElement.style.height=(divElement.offsetWidth*0.75)+'px';
           var scriptElement =
document.createElement('script');
                                                   scriptElement.src =
'https://public.tableau.com/javascripts/api/viz v1.js';
                                                                        vizEle
ment.parentNode.insertBefore(scriptElement, vizElement);
                                                                     </script>
<div class="row">
  <div class="col-lg-12 text-center zindex-1">
   <h3 class="mb-3">CO2 Emission India vs United states</h3>
    </div>
</div>
<div class='tableauPlaceholder' id='viz1681810914995' style='position:</pre>
relative'><noscript><a href='#'><img alt='CO2 Emission India vs United states '</pre>
src='https://public.tableau.com/static/images/C0/C02Emiss
ionIndiavsUnitedstates/Sheet4/1_rss.png' style='border: none'
/></a></noscript><object class='tableauViz' style='display:none;'><param
name='host url' value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param</pre>
name='embed_code_version' value='3' /> <param name='site_root' value='' /><param</pre>
name='name' value='CO2EmissionIndiavsUnitedstates/Sheet4' /><param</pre>
```

```
name='tabs' value='no' /><param name='toolbar' value='yes' /><param
name='static image'
value='https://public.tableau.com/static/images/CO/CO2Emi
ssionIndiavsUnitedstates/Sheet4/1.png' /> <param</pre>
name='animate_transition' value='yes' /><param name='display_static_image'</pre>
value='yes' /><param name='display spinner' value='yes' /><param</pre>
name='display overlay' value='yes' /><param name='display count' value='yes'</pre>
/><param name='language' value='en-US' /></object></div>
                                                                      <script
                                          var divElement =
type='text/javascript'>
document.getElementById('viz1681810914995');
                                                              var vizElement =
divElement.getElementsByTagName('object')[0];
                                                               vizElement.style
.width='100%';vizElement.style.height=(divElement.offsetWidth*0.75)+'px';
           var scriptElement =
document.createElement('script');
                                                    scriptElement.src =
'https://public.tableau.com/javascripts/api/viz v1.js';
                                                                         vizEle
ment.parentNode.insertBefore(scriptElement, vizElement);
                                                                     </script>
<div class="row">
  <div class="col-lg-12 text-center zindex-1">
    <h3 class="mb-3">Total Emission by Continents</h3>
    </div>
</div>
<div class='tableauPlaceholder' id='viz1681810999089' style='position:</pre>
relative'><noscript><a href='#'><img alt='Total Emission by Continents '
src='https://public.tableau.com/static/images/To/TotalEmi
ssionbyContinents/Sheet5/1_rss.png' style='border: none'
/></a></noscript><object class='tableauViz' style='display:none;'><param
name='host url' value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param</pre>
name='embed code version' value='3' /> <param name='site root' value='' /><param
name='name' value='TotalEmissionbyContinents/Sheet5' /><param name='tabs'</pre>
value='no' /><param name='toolbar' value='yes' /><param name='static_image'</pre>
value='https://public.tableau.com/static/images/To/TotalE
missionbyContinents/Sheet5/1.png' /> <param name='animate transition'</pre>
value='yes' /><param name='display_static_image' value='yes' /><param</pre>
name='display_spinner' value='yes' /><param name='display_overlay' value='yes'</pre>
/><param name='display_count' value='yes' /><param name='language' value='en-US'</pre>
/></object></div>
                                <script
type='text/javascript'>
                                          var divElement =
document.getElementById('viz1681810999089');
                                                              var vizElement =
divElement.getElementsByTagName('object')[0];
                                                               vizElement.style
.width='100%';vizElement.style.height=(divElement.offsetWidth*0.75)+'px';
           var scriptElement =
document.createElement('script');
                                             scriptElement.src =
```

```
'https://public.tableau.com/javascripts/api/viz v1.js';
                                                                       vizEle
ment.parentNode.insertBefore(scriptElement, vizElement);
                                                                    </script>
<div class="row">
 <div class="col-lg-12 text-center zindex-1">
   <h3 class="mb-3">Co2 Emission Per Capita</h3>
   </div>
</div>
<div class='tableauPlaceholder' id='viz1681811058380' style='position:</pre>
relative'><noscript><a href='#'><img alt='Co2 Emission Per Capita '
src='https://public.tableau.com/static/images/Co/Co2Emiss
ionPerCapita_16818099059600/Sheet6/1_rss.png' style='border: none'
/></a></noscript><object class='tableauViz' style='display:none;'><param,
name='host_url' value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param</pre>
name='embed code version' value='3' /> <param name='site root' value='' /><param
name='name' value='Co2EmissionPerCapita 16818099059600/Sheet6' /><param</pre>
name='tabs' value='no' /><param name='toolbar' value='yes' /><param</pre>
name='static image'
value='https://public.tableau.com/static/images/Co/Co2Emi
ssionPerCapita 16818099059600/Sheet6/1.png' /> <param
name='animate_transition' value='yes' /><param name='display_static_image'</pre>
value='yes' /><param name='display_spinner' value='yes' /><param</pre>
name='display overlay' value='yes' /><param name='display count' value='yes'</pre>
/><param name='language' value='en-US' /></object></div>
                                                                     <script
                                         var divElement =
type='text/javascript'>
document.getElementById('viz1681811058380');
                                                            var vizElement =
divElement.getElementsByTagName('object')[0];
                                                             vizElement.style
.width='100%';vizElement.style.height=(divElement.offsetWidth*0.75)+'px';
           var scriptElement =
document.createElement('script');
                                                  scriptElement.src =
'https://public.tableau.com/javascripts/api/viz v1.js';
                                                                       vizEle
ment.parentNode.insertBefore(scriptElement, vizElement);
                                                                    </script>
<div class="row">
 <div class="col-lg-12 text-center zindex-1">
   <h3 class="mb-3">Emission Rate by Internal Factors</h3>
   </div>
</div>
<div class='tableauPlaceholder' id='viz1681811179961' style='position:</pre>
relative'><noscript><a href='#'><img alt='Emission Rate by Internal Factors '
src='https://public.tableau.com/static/images/Em/Emission
RatebyInternalFactors/Sheet7/1_rss.png' style='border: none'
/></a></noscript><object class='tableauViz' style='display:none;'><param
```

```
name='host url' value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param</pre>
name='embed_code_version' value='3' /> <param name='site_root' value='' /><param</pre>
name='name' value='EmissionRatebyInternalFactors/Sheet7' /><param name='tabs'</pre>
value='no' /><param name='toolbar' value='yes' /><param name='static image'</pre>
value='https://public.tableau.com/static/images/Em/Emissi
onRatebyInternalFactors/Sheet7/1.png' /> <param name='animate transition'
value='yes' /><param name='display static image' value='yes' /><param
name='display_spinner' value='yes' /><param name='display_overlay' value='yes'</pre>
/><param name='display_count' value='yes' /><param name='language' value='en-US'</pre>
/></object></div>
                                <script
type='text/javascript'>
                                          var divElement =
document.getElementById('viz1681811179961');
                                                               var vizElement =
divElement.getElementsByTagName('object')[0];
                                                               vizElement.style
.width='100%';vizElement.style.height=(divElement.offsetWidth*0.75)+'px';
            var scriptElement =
document.createElement('script');
                                                    scriptElement.src =
'https://public.tableau.com/javascripts/api/viz_v1.js';
                                                                         vizEle
ment.parentNode.insertBefore(scriptElement, vizElement);
                                                                      </script>
<div class="row">
  <div class="col-lg-12 text-center zindex-1">
    <h3 class="mb-3">CO2 Emission by Other factors</h3>
    </div>
</div>
<div class='tableauPlaceholder' id='viz1681811279253' style='position:</pre>
relative'><noscript><a href='#'><img alt='CO2 Emission by Other factors '
src='https://public.tableau.com/static/images/C0/C02Emiss
ionbyOtherfactors/Sheet8/1_rss.png' style='border: none'
/></a></noscript><object class='tableauViz' style='display:none;'><param
name='host_url' value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param</pre>
name='embed_code_version' value='3' /> <param name='site_root' value='' /><param
name='name' value='CO2EmissionbyOtherfactors/Sheet8' /><param name='tabs'</pre>
value='no' /><param name='toolbar' value='yes' /><param name='static_image'</pre>
value='https://public.tableau.com/static/images/CO/CO2Emi
ssionbyOtherfactors/Sheet8/1.png' /> <param name='animate transition'
value='yes' /><param name='display_static_image' value='yes' /><param</pre>
name='display_spinner' value='yes' /><param name='display_overlay' value='yes'</pre>
/><param name='display_count' value='yes' /><param name='language' value='en-US'
/></object></div>
                                <script
type='text/javascript'>
                                          var divElement =
document.getElementById('viz1681811279253');
                                                               var vizElement =
divElement.getElementsByTagName('object')[0];
                                                               vizElement.style
.width='100%';vizElement.style.height=(divElement.offsetWidth*0.75)+'px';
```

```
var scriptElement =
document.createElement('script');
                                        scriptElement.src =
'https://public.tableau.com/javascripts/api/viz_v1.js';
                                                        vizEle
ment.parentNode.insertBefore(scriptElement, vizElement);
                                                     </script>
<!-- footer -->
<footer class="footer-section footer" style="background-image:</pre>
url(images/backgrounds/footer-bg.png);">
 <div class="container">
   <div class="row">
    <div class="col-lg-4 text-center text-lg-left mb-4 mb-lg-0">
      <h3>Data Analysis</h3>
    </div>
    <!-- footer menu -->
    <nav class="col-lg-8 align-self-center mb-5">
      <a href="index.html">Home</a>
       <a</pre>
href="dashboard.html">Dashboard</a>
       <a href="sheets.html">Sheets</a>
       <a href="story.html">Story</a>
      </nav>
    <!-- footer social icon -->
    <nav class="col-12">
      <a class="linkedin" href="#"><i class="ti-linkedin"></i></a>
       <a class="black" href="#"><i class="ti-github"></i></a>
       </nav>
   </div>
 </div>
</footer>
<!-- /footer -->
<!-- jQuery -->
<script src="plugins/jQuery/jquery.min.js"></script>
<script src="plugins/bootstrap/bootstrap.min.js"></script>
```

```
<!-- slick slider -->
<script src="plugins/slick/slick.min.js"></script>
<!-- venobox -->
<script src="plugins/Venobox/venobox.min.js"></script>
<!-- aos -->
<script src="plugins/aos/aos.js"></script>
<!-- Main Script -->
<script src="js/script.js"></script>
</body>
</html>
```

# Story page HTML

```
<!DOCTYPE html>
<html lang="zxx">
 <meta charset="utf-8">
 <title>Story</title>
 <!-- mobile responsive meta -->
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <meta name="viewport" content="width=device-width, initial-scale=1, maximum-</pre>
scale=1">
 <!-- ** Plugins Needed for the Project ** -->
 <!-- Bootstrap -->
 <link rel="stylesheet" href="plugins/bootstrap/bootstrap.min.css">
 <!-- themefy-icon -->
 <link rel="stylesheet" href="plugins/themify-icons/themify-icons.css">
 <!-- slick slider -->
 <link rel="stylesheet" href="plugins/slick/slick.css">
 <!-- venobox popup -->
 <link rel="stylesheet" href="plugins/Venobox/venobox.css">
 <link rel="stylesheet" href="plugins/aos/aos.css">
 <!-- Main Stylesheet -->
 <link href="css/style.css" rel="stylesheet">
 <!--Favicon-->
 <link rel="shortcut icon" href="images/favicon.ico" type="image/x-icon">
 <link rel="icon" href="images/favicon.ico" type="image/x-icon">
```

```
</head>
<body>
<!-- navigation -->
<section class="fixed-top navigation">
 <div class="container">
   <nav class="navbar navbar-expand-lg navbar-light">
     <h4>Data Analysis</h4>
     <button class="navbar-toggler border-0" type="button" data-</pre>
toggle="collapse" data-target="#navbar" aria-controls="navbar"
       aria-expanded="false" aria-label="Toggle navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
     <!-- navbar -->
     <div class="collapse navbar-collapse text-center" id="navbar">
       <a class="nav-link" href="index.html">Home</a>
         <a class="nav-link" href="dashboard.html">Dashboard</a>
         <a class="nav-link" href="sheets.html">Sheets</a>
         <a href="story.html" class="btn btn-primary ml-lg-3 primary-</pre>
shadow">Story</a>
     </div>
   </nav>
 </div>
</section>
<!-- /navigation -->
<section class="hero-section hero" data-background="" style="background-image:</pre>
url(images/hero-area/banner-bg.png);">
 <div class="container">
   <div class="row">
     <div class="col-lg-12 text-center zindex-1">
       <h1 class="mb-3">Graph Types and Visualizations<br>Story</h1>
```

```
This Story may utilize a variety of graph types and
visualizations, including but not limited to line charts,<br>scatter plots, bar
charts, heat maps, and geographical maps. These graphs and visualizations help to
present data in a<br/>br>narrative format, allowing users to explore and analyze data
in a structured and meaningful way. Additionally, a This<br/>Story may include
text, images, and other interactive elements to further enhance the <br/>br>narrative
and provide context to the data presented
      </div>
    </div>
  </div>
  <!-- background shapes -->
  <div id="scene">
    <img class="img-fluid hero-bg-1 up-down-animation" src="images/background-</pre>
shape/feature-bg-2.png" alt="">
    <img class="img-fluid hero-bg-2 left-right-animation" src="images/background-</pre>
shape/seo-ball-1.png" alt="">
    <img class="img-fluid hero-bg-3 left-right-animation" src="images/background-</pre>
shape/seo-half-cycle.png" alt="">
    <img class="img-fluid hero-bg-4 up-down-animation" src="images/background-</pre>
shape/green-dot.png" alt="">
    <img class="img-fluid hero-bg-5 left-right-animation" src="images/background-</pre>
shape/blue-half-cycle.png" alt="">
    <img class="img-fluid hero-bg-6 up-down-animation" src="images/background-</pre>
shape/seo-ball-1.png" alt="">
    <img class="img-fluid hero-bg-7 left-right-animation" src="images/background-</pre>
shape/yellow-triangle.png" alt="">
    <img class="img-fluid hero-bg-8 up-down-animation" src="images/background-</pre>
shape/service-half-cycle.png" alt="">
    <img class="img-fluid hero-bg-9 up-down-animation" src="images/background-</pre>
shape/team-bg-triangle.png" alt="">
  </div>
</section>
<div class="row">
  <div class="col-lg-12 text-center zindex-1">
    <h3 class="mb-3">CO2 Emission<br>Analysis</h3>
    </div>
</div>
<!-- story -->
```

```
<div class='tableauPlaceholder' id='viz1681811364150' style='position:</pre>
relative'><noscript><a href='#'><img alt='Co2 Emission Story '
src='https://public.tableau.com/static/images/st/story 16
818102428170/Co2EmissionStory/1 rss.png' style='border: none'
/></a></noscript><object class='tableauViz' style='display:none;'><param
name='host url' value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param</pre>
name='embed code version' value='3' /> <param name='site root' value='' /><param</pre>
name='name' value='story_16818102428170/Co2EmissionStory' /><param</pre>
name='tabs' value='no' /><param name='toolbar' value='yes' /><param</pre>
name='static image'
value='https://public.tableau.com/static/images/st/story
16818102428170/Co2EmissionStory/1.png' /> <param
name='animate transition' value='yes' /><param name='display static image'</pre>
value='yes' /><param name='display spinner' value='yes' /><param</pre>
name='display_overlay' value='yes' /><param name='display_count' value='yes'</pre>
/><param name='language' value='en-US' /></object></div>
                                                                 <script
type='text/javascript'>
                                      var divElement =
document.getElementById('viz1681811364150');
                                                         var vizElement =
divElement.getElementsByTagName('object')[0];
                                                          vizElement.style
.width='1016px';vizElement.style.height='991px';
scriptElement =
document.createElement('script');
                                                scriptElement.src =
'https://public.tableau.com/javascripts/api/viz v1.js';
                                                                   vizEle
ment.parentNode.insertBefore(scriptElement, vizElement);
                                                                </script>
<!-- /story -->
<!-- footer -->
<footer class="footer-section footer" style="background-image:</pre>
url(images/backgrounds/footer-bg.png);">
 <div class="container">
   <div class="row">
     <div class="col-lg-4 text-center text-lg-left mb-4 mb-lg-0">
       <h3>Data Analysis</h3>
     </div>
     <!-- footer menu -->
     <nav class="col-lg-8 align-self-center mb-5">
       <a href="index.html">Home</a>
         <a</pre>
href="dashboard.html">Dashboard</a>
         <a href="sheets.html">Sheets</a>
         <a href="story.html">Story</a>
       </nav>
```

```
<!-- footer social icon -->
    <nav class="col-12">
      <a class="linkedin" href="#"><i class="ti-linkedin"></i></a>
        <a class="black" href="#"><i class="ti-github"></i></a>
        </nav>
   </div>
 </div>
</footer>
<!-- /footer -->
<!-- jQuery -->
<script src="plugins/jQuery/jquery.min.js"></script>
<!-- Bootstrap JS -->
<script src="plugins/bootstrap/bootstrap.min.js"></script>
<!-- slick slider -->
<script src="plugins/slick/slick.min.js"></script>
<!-- venobox -->
<script src="plugins/Venobox/venobox.min.js"></script>
<script src="plugins/aos/aos.js"></script>
<!-- Main Script -->
<script src="js/script.js"></script>
</body>
</html>
```

#### **CSS Code**

```
/*!-----
[MAIN STYLESHEET]

PROJECT: Project Name
VERSION: Versoin Number
----*/
/*-----*/
[TABLE OF CONTENTS]
```

```
/* 1.1 typography */
@import
url("https://fonts.googleapis.com/css?family=Poppins:300,400,500,600,700");
 line-height: 31px;
 font-family: "Poppins", sans-serif;
  font-weight: 300;
  -webkit-font-smoothing: antialiased;
  font-size: 17px;
.abc {
 display: flex;
 justify-content: center;
 align-items: center;
 text-align: center;
p, .paragraph {
  font-weight: 300;
 color: #4d546f;
 font-size: 17px;
 line-height: 31px;
  font-family: "Poppins", sans-serif;
h1, h2, h3, h4, h5, h6, .h1, .h2, .h3, .h4, .h5, .h6 {
 color: #091337;
 font-family: "Poppins", sans-serif;
 font-weight: 600;
  line-height: 1.5;
h1, .h1 {
 font-size: 56px;
h2, .h2 {
  font-size: 43px;
h3, .h3 {
  font-size: 37px;
```

```
h4, .h4 {
 font-size: 22px;
h5, .h5 {
 font-size: 16px;
h6, .h6 {
 font-size: 13px;
.btn {
 font-size: 18px;
 font-family: "Poppins", sans-serif;
 text-transform: capitalize;
  padding: 15px 60px;
 font-weight: 400;
 border: 0;
 border-radius: 5px;
  position: relative;
 z-index: 1;
  transition: .2s ease;
.btn:focus {
 outline: 0;
 box-shadow: none !important;
.btn:active {
 box-shadow: none;
.btn-primary {
 background-image: linear-gradient(25deg, #17ffd3 0%, #d3fc71 95%);
 color: #091337;
 transition: background 1s ease-out;
.btn-primary:active {
 background: linear-gradient(25deg, #17ffd3 0%, #d3fc71 95%) !important;
```

```
.btn-primary:hover {
  background: linear-gradient(205deg, #17ffd3 0%, #d3fc71 95%);
  color: #091337;
.btn-secondary {
 background-image: linear-gradient(6deg, #17ffd3 0%, #23e3ee 100%);
 background-color: transparent;
  color: #091337;
.btn-secondary:active {
 background: linear-gradient(6deg, #17ffd3 0%, #23e3ee 100%) !important;
.btn-secondary:hover {
 background: linear-gradient(186deg, #17ffd3 0%, #23e3ee 100%);
  color: #091337;
.btn-lg {
 padding: 15px 85px;
body {
 background-color: #fff;
 overflow-x: hidden;
::-moz-selection {
 background: #20a5ff;
  color: #fff;
::selection {
 background: #20a5ff;
  color: #fff;
/* preloader */
.preloader {
  position: fixed;
 top: 0;
 left: 0;
 right: 0;
```

```
bottom: 0;
  background-color: #fff;
  z-index: 999;
  display: flex;
  align-items: center;
  justify-content: center;
ol,
ul {
 list-style-type: none;
 margin: 0px;
img {
 vertical-align: middle;
  border: 0;
а,
a:hover,
a:focus {
 text-decoration: none;
a,
button,
select {
 cursor: pointer;
 transition: .2s ease;
a:focus,
button:focus,
select:focus {
  outline: 0;
a:hover {
  color: #008dec;
.slick-slide {
 outline: 0;
```

```
.section {
  padding-top: 130px;
  padding-bottom: 130px;
.section-sm {
  padding-top: 40px;
  padding-bottom: 40px;
.section-lg {
  padding-top: 200px;
  padding-bottom: 200px;
@media (max-width: 575px) {
  .section-lg {
    padding-top: 150px;
    padding-bottom: 150px;
.section-title {
  margin-bottom: 30px;
.bg-cover {
  background-size: cover;
  background-position: center center;
  background-repeat: no-repeat;
/* overlay */
.overlay {
  position: relative;
.overlay::before {
  position: absolute;
  content: '';
  height: 100%;
  width: 100%;
  top: 0;
  left: 0;
```

```
background: #000;
 opacity: .5;
.outline-0 {
 outline: 0 !important;
.d-unset {
 display: unset !important;
.page-title {
 background-position: center center;
 background-size: cover;
 background-repeat: no-repeat;
.bg-primary {
 background: #008dec !important;
.bg-gray {
 background: #f2f3f5;
.text-primary {
 color: #008dec !important;
.text-dark {
 color: #091337 !important;
.text-purple {
 color: #9491ff !important;
.text-color {
 color: #4d546f;
.primary-shadow {
 box-shadow: 0px 35px 46px 0px rgba(172, 189, 199, 0.28);
```

```
.border-blue {
 border-color: #dcebf4 !important;
.shadow-primary {
 box-shadow: 0px 35px 46px 0px rgba(172, 189, 199, 0.28);
.facebook {
 color: #334bff;
.twitter {
 color: #45d9f0;
.linkedin {
 color: #1b91ff;
.black {
 color: #000;
.mb-10 {
 margin-bottom: 10px !important;
.mb-20 {
 margin-bottom: 20px !important;
.mb-30 {
 margin-bottom: 30px !important;
.mb-40 {
 margin-bottom: 40px !important;
.mb-50 {
 margin-bottom: 50px !important;
```

```
.mb-60 {
  margin-bottom: 60px !important;
.mb-70 {
  margin-bottom: 70px !important;
.mb-80 {
  margin-bottom: 80px !important;
.mb-90 {
  margin-bottom: 90px !important;
.mb-100 {
  margin-bottom: 100px !important;
.pb-100 {
  padding-bottom: 100px !important;
.translate-y-150 {
  -webkit-transform: translateY(150px);
          transform: translateY(150px);
@media (max-width: 575px) {
  .translate-y-150 {
    -webkit-transform: translateY(0);
            transform: translateY(0);
.left-right-animation {
  animation: left_right 3s ease-in infinite alternate-reverse;
@-webkit-keyframes left_right {
  0% {
    -webkit-transform: translateX(0);
            transform: translateX(0);
```

```
100% {
    -webkit-transform: translateX(-20px);
            transform: translateX(-20px);
@keyframes left_right {
 0% {
    -webkit-transform: translateX(0);
            transform: translateX(0);
 100% {
    -webkit-transform: translateX(-20px);
            transform: translateX(-20px);
.up-down-animation {
  animation: up_down 3s ease-in infinite alternate-reverse;
@-webkit-keyframes up_down {
 0% {
   -webkit-transform: translateY(0);
            transform: translateY(0);
 100% {
    -webkit-transform: translateY(-20px);
           transform: translateY(-20px);
@keyframes up_down {
 0% {
    -webkit-transform: translateY(0);
           transform: translateY(0);
 100% {
    -webkit-transform: translateY(-20px);
            transform: translateY(-20px);
.zindex-1 {
 z-index: 1;
```

```
.navbar-light .navbar-nav .nav-link {
  color: #091337;
.navigation {
 transition: .3s ease;
.navbar {
  transition: .3s ease;
@media (max-width: 991px) {
  .navbar-collapse {
    padding-bottom: 20px;
.nav-bg {
 background-color: #fff;
 box-shadow: 0px 10px 20px 0px rgba(0, 141, 236, 0.1);
.nav-bg .navbar {
 padding: 10px 0;
.nav-item {
 padding: 20px 10px;
@media (max-width: 991px) {
  .nav-item {
    padding: 0;
.hero-section {
 padding-top: 250px;
  padding-bottom: 250px;
  background-repeat: no-repeat;
 background-size: cover;
  background-position: bottom center;
```

```
margin-bottom: 50px;
.banner-image {
  position: absolute;
  top: 110%;
 left: 50%;
  -webkit-transform: translateX(-50%);
          transform: translateX(-50%);
.hero-bg-1 {
 position: absolute;
 left: 30px;
  top: 200px;
@media (max-width: 767px) {
  .hero-bg-1 {
    display: none;
.hero-bg-2 {
 position: absolute;
 top: 50%;
 left: 20%;
@media (max-width: 767px) {
  .hero-bg-2 {
    display: none;
.hero-bg-3 {
 position: absolute;
  bottom: 0%;
  left: 10%;
@media (max-width: 767px) {
  .hero-bg-3 {
    display: none;
```

```
.hero-bg-4 {
 top: 210px;
  right: 40%;
  position: absolute;
@media (max-width: 767px) {
  .hero-bg-4 {
    display: none;
.hero-bg-5 {
  position: absolute;
  top: 250px;
  right: 17%;
@media (max-width: 767px) {
  .hero-bg-5 {
    display: none;
.hero-bg-6 {
 position: absolute;
  right: 10%;
  bottom: 20%;
@media (max-width: 767px) {
  .hero-bg-6 {
    display: none;
.hero-bg-7 {
 position: absolute;
  left: 20%;
 bottom: -17%;
  z-index: 1;
```

```
@media (max-width: 767px) {
  .hero-bg-7 {
   display: none;
.hero-bg-8 {
 position: absolute;
 bottom: -30%;
 right: 50%;
  z-index: 1;
@media (max-width: 767px) {
 .hero-bg-8 {
   display: none;
.hero-bg-9 {
 position: absolute;
  right: 20%;
 bottom: -10%;
  z-index: 1;
@media (max-width: 767px) {
  .hero-bg-9 {
   display: none;
.feature {
 position: relative;
.feature-item h4 {
  line-height: 1;
.feature-item p {
 line-height: 25px;
.feature-item:hover .feature-icon {
```

```
box-shadow: 0px 18px 43px 0px rgba(0, 141, 236, 0.21);
.feature-bg-1 {
 position: absolute;
 left: 0;
 top: 50%;
  z-index: -1;
@media (max-width: 767px) {
  .feature-bg-1 {
   display: none;
.feature-bg-2 {
 position: absolute;
  right: 0;
 bottom: 10%;
  z-index: -1;
@media (max-width: 767px) {
  .feature-bg-2 {
   display: none;
.feature-icon {
 display: inline-block;
 height: 90px;
 width: 90px;
  border-radius: 5px;
  color: #fff;
 font-size: 45px;
 line-height: 90px;
 background: #008dec;
 box-shadow: 0px 18px 25px 0px rgba(0, 141, 236, 0.1);
 text-align: center;
  transition: .2s ease;
.seo {
 position: relative;
```

```
overflow: visible;
.seo-bg {
  position: absolute;
 left: 0;
 top: 0;
  z-index: -1;
@media (max-width: 1200px) {
  .seo-bg {
    max-width: 500px;
@media (max-width: 991px) {
  .seo-bg {
    max-width: 400px;
.seo-bg-shape-1 {
 position: absolute;
  left: 25%;
 top: 0;
  z-index: -1;
@media (max-width: 767px) {
  .seo-bg-shape-1 {
    display: none;
.seo-bg-shape-2 {
 position: absolute;
  right: 2%;
 top: 40%;
  z-index: -1;
@media (max-width: 767px) {
  .seo-bg-shape-2 {
   display: none;
```

```
.seo-bg-shape-3 {
 position: absolute;
 left: 50%;
 bottom: 0;
 -webkit-transform: translateX(-50%);
          transform: translateX(-50%);
  z-index: -1;
@media (max-width: 767px) {
  .seo-bg-shape-3 {
   display: none;
}
.service {
 position: relative;
 overflow: visible;
.service-list li {
 margin-bottom: 30px;
  color: #4d546f;
.service-list li i {
 margin-right: 20px;
 color: #4d546f;
.service-bg {
 position: absolute;
  right: 0;
 top: -10%;
  z-index: -1;
@media (max-width: 1200px) {
  .service-bg {
   max-width: 500px;
```

```
@media (max-width: 991px) {
  .service-bg {
    max-width: 400px;
    top: 0;
.service-bg-shape-1 {
  position: absolute;
  left: 0;
  top: 150px;
  z-index: -1;
@media (max-width: 767px) {
  .service-bg-shape-1 {
    display: none;
}
.service-bg-shape-2 {
  position: absolute;
  left: 40%;
  bottom: 0;
  z-index: -1;
@media (max-width: 767px) {
  .service-bg-shape-2 {
    display: none;
.team {
  overflow: visible;
  position: relative;
.team-slider {
  overflow: hidden;
  padding-bottom: 100px;
.team-slider .slick-list {
```

```
overflow: visible;
.team-slider .slick-arrow {
 border: 0;
 background: transparent;
 color: #008dec;
  position: absolute;
 bottom: 0;
 z-index: 1;
  font-size: 25px;
.team-slider .slick-arrow.slick-disabled {
  color: #86ceff;
.team-slider .prevArrow {
 left: 10px;
.team-slider .nextArrow {
 left: 50px;
.team-member {
 padding: 30px 45px;
 background: #fff;
 box-shadow: 0px 23px 43px 0px rgba(172, 189, 199, 0.49);
 margin: 0 20px;
@media (max-width: 1200px) {
  .team-member {
    padding: 30px;
.team-bg {
 position: absolute;
 left: 0;
 bottom: 0;
  z-index: -1;
```

```
.team-bg-shape-1 {
  position: absolute;
  top: 100px;
 left: 20px;
  z-index: -1;
@media (max-width: 767px) {
  .team-bg-shape-1 {
    display: none;
.team-bg-shape-2 {
  position: absolute;
  top: 100px;
  right: -5px;
  z-index: -1;
@media (max-width: 767px) {
  .team-bg-shape-2 {
    display: none;
.team-bg-shape-3 {
  position: absolute;
  bottom: 20%;
  right: 40%;
  z-index: -1;
@media (max-width: 767px) {
  .team-bg-shape-3 {
    display: none;
.team-bg-shape-4 {
  position: absolute;
  bottom: 20%;
  right: 180px;
  z-index: -1;
```

```
@media (max-width: 767px) {
  .team-bg-shape-4 {
    display: none;
.pricing {
  position: relative;
  overflow: visible;
.pricing-table {
 padding: 50px 35px 30px;
  transition: .2s ease;
@media (max-width: 1200px) {
  .pricing-table {
    padding: 30px 20px;
.pricing-table h1 {
  font-size: 65px;
.pricing-table h1 span {
 font-size: 20px;
 vertical-align: top;
 line-height: 65px;
 margin-right: 5px;
.pricing-table:hover {
 box-shadow: 0px 59px 43px 0px rgba(216, 233, 243, 0.3);
.pricing-table.table-1 {
 background-image: linear-gradient(59deg, #d5fc71 0%, #64feab 95%);
.pricing-table.table-2 {
  background-image: linear-gradient(59deg, #06ffdf 0%, #42dbef 95%);
```

```
.pricing-table.table-3 {
  background-image: linear-gradient(59deg, #0bfce0 0%, #c5fd78 95%);
.pricing-btn {
  font-size: 25px;
  font-weight: 700;
  color: #091337;
@media (max-width: 1200px) {
  .pricing-btn {
    padding: 5px;
.pricing-btn:hover {
  color: #008dec;
.pricing-bg-shape-1 {
  position: absolute;
  left: 30%;
  top: 100px;
  z-index: -1;
@media (max-width: 767px) {
  .pricing-bg-shape-1 {
    display: none;
.pricing-bg-shape-2 {
  position: absolute;
  right: 10%;
  top: 110px;
  z-index: -1;
@media (max-width: 767px) {
  .pricing-bg-shape-2 {
    display: none;
```

```
.pricing-bg-shape-3 {
  position: absolute;
  bottom: 20%;
  left: 0;
  z-index: -1;
@media (max-width: 767px) {
  .pricing-bg-shape-3 {
    display: none;
}
.newsletter {
  position: relative;
.newsletter-form {
  height: 85px;
  width: 100%;
  padding: 0 40px;
  border: 0;
  background: #fff;
  box-shadow: 0px 35px 46px 0px rgba(172, 189, 199, 0.28);
  border-radius: 5px;
.newsletter-form:focus {
  outline: 0;
  box-shadow: 0;
.newsletter-btn {
  position: absolute;
  height: 100%;
  background: #8986ff;
  top: 0;
  right: 0;
  border-radius: 0 5px 5px 0;
  font-weight: 700;
  font-size: 18px;
  color: #fff;
  text-transform: uppercase;
```

```
@media (max-width: 575px) {
  .newsletter-btn {
    padding-left: 5px;
    padding-right: 5px;
.newsletter-bg-shape {
  position: absolute;
  top: 0;
  right: 10%;
  z-index: -1;
@media (max-width: 767px) {
  .newsletter-bg-shape {
    display: none;
.footer {
  background-size: cover;
  background-position: top center;
  background-repeat: no-repeat;
.footer-section {
  padding-top: 500px;
  padding-bottom: 100px;
.footer-menu a {
  color: #091337;
  display: block;
  padding: 15px;
  font-weight: 400;
.social-icon li {
  margin: 0 12px;
.social-icon li a {
```

```
height: 45px;
  width: 45px;
  background: #fff;
  border-radius: 5px;
  line-height: 45px;
 display: block;
 text-align: center;
.client-logo-slider img {
 transition: .2s ease;
.client-logo-slider a:hover img {
  -webkit-transform: scale(1.2);
          transform: scale(1.2);
/* service page */
.service-bg-image {
  background-size: containe;
 background-repeat: no-repeat;
 background-position: center 400px;
.service-bg-1 {
 position: absolute;
 left: 50px;
 top: 10%;
  z-index: -1;
@media (max-width: 767px) {
  .service-bg-1 {
   display: none;
.service-bg-2 {
 position: absolute;
  right: 50px;
 top: 10%;
  z-index: -1;
```

```
@media (max-width: 767px) {
  .service-bg-2 {
   display: none;
.service-bg-3 {
 position: absolute;
  right: 50px;
 top: 50%;
  z-index: -1;
@media (max-width: 767px) {
  .service-bg-3 {
   display: none;
.service-bg-4 {
 position: absolute;
 left: 50px;
 bottom: 30%;
  z-index: -1;
@media (max-width: 767px) {
  .service-bg-4 {
   display: none;
.service-bg-5 {
 position: absolute;
 left: 10%;
 bottom: 5%;
  z-index: -1;
@media (max-width: 767px) {
  .service-bg-5 {
   display: none;
```

```
.about {
  position: relative;
  overflow: visible;
.about-video {
 position: relative;
.about-video .play-btn {
 position: absolute;
 left: 50%;
 top: 50%;
 -webkit-transform: translate(-50%, -50%);
          transform: translate(-50%, -50%);
.about-bg-1 {
 position: absolute;
 left: 30%;
 top: 10%;
  z-index: -1;
@media (max-width: 767px) {
  .about-bg-1 {
   display: none;
.about-bg-2 {
 position: absolute;
 top: 30%;
 right: 40px;
  z-index: -1;
@media (max-width: 767px) {
  .about-bg-2 {
   display: none;
.about-bg-3 {
 position: absolute;
```

```
bottom: 20%;
  left: 30px;
  z-index: -1;
@media (max-width: 767px) {
  .about-bg-3 {
    display: none;
.about-bg-4 {
 position: absolute;
  top: 20%;
 left: 40px;
  z-index: -1;
@media (max-width: 767px) {
  .about-bg-4 {
    display: none;
}
.about-bg-5 {
  position: absolute;
 bottom: 10%;
  right: 40px;
  z-index: -1;
@media (max-width: 767px) {
  .about-bg-5 {
    display: none;
.about-bg-6 {
  position: absolute;
  top: 10%;
  right: 10%;
  z-index: -1;
@media (max-width: 767px) {
```

```
.about-bg-6 {
   display: none;
.play-btn {
 height: 70px;
 width: 70px;
 border-radius: 50%;
 color: #fff;
 line-height: 70px;
 font-size: 20px;
 text-align: center;
 background: #7aff91;
 display: inline-block;
 transition: .2s ease;
 box-shadow: 0px 23px 43px 0px rgba(94, 254, 198, 0.3);
.play-btn:hover {
 color: #fff;
 font-size: 30px;
.product {
 position: relative;
 overflow: visible;
 background-repeat: no-repeat;
 background-size: cover;
 background-position: center top;
.about-bg {
 position: absolute;
 left: 0;
 top: 0px;
 z-index: -1;
.form-control {
 height: 65px;
 width: 100%;
 background: #f7fafc;
```

```
.form-control:focus {
  border-color: #008dec;
 box-shadow: none;
textarea.form-control {
  height: 157px;
.contact-bg {
  background-color: #f3f7fb;
.round-icon {
 height: 50px;
 width: 50px;
 border-radius: 50%;
  font-size: 18px;
 line-height: 50px;
  display: inline-block;
 vertical-align: middle;
 text-align: center;
.round-icon.green {
 background: #e0fef4;
  color: #00f7a7;
.round-icon.blue {
 background: #e0f1ff;
  color: #008cff;
.round-icon.orange {
 background: #fff1e0;
  color: #ff8b00;
.contact {
 position: relative;
.contact-bg-1 {
 position: absolute;
```

```
left: 0;
  top: 10%;
  z-index: -1;
@media (max-width: 767px) {
  .contact-bg-1 {
    display: none;
.contact-bg-2 {
  position: absolute;
  top: 20%;
  right: 10%;
  z-index: -1;
@media (max-width: 767px) {
  .contact-bg-2 {
    display: none;
}
.contact-bg-3 {
  position: absolute;
 top: 10%;
 left: 40%;
  z-index: -1;
@media (max-width: 767px) {
  .contact-bg-3 {
    display: none;
.contact-bg-4 {
  position: absolute;
 bottom: 10%;
 left: 10%;
  z-index: -1;
@media (max-width: 767px) {
```

```
.contact-bg-4 {
    display: none;
}

.contact-bg-5 {
    position: absolute;
    bottom: 10%;
    right: 10%;
    z-index: -1;
}

@media (max-width: 767px) {
    .contact-bg-5 {
        display: none;
    }
}

/*# sourceMappingURL=maps/style.css.map */
```