



Generate a selenium code




Request :

```
none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify
1 {
2   "model": "openai/gpt-oss-120b",
3   "messages": [
4     {
5       "role": "user",
6       "content": "As an Automation Architect, use the instructions below.\n\nINSTRUCTIONS (USER PROMPT):\n- Generate ONLY Selenium Java code.\n- Use TestNG framework.\n- Add proper comments.\n- Do not provide explanations.\n- Use robust locators.\n- Avoid using dynamic IDs containing numbers."
7     },
8     {
9       "role": "system",
10      "content": "As an AI Assistant give me selenium java code with TestNG"
11    },
12    {
13      "role": "assistant",
14      "content": "Only Java Selenium code should be displayed along with comments"
15    }
16  ],
17  "temperature": 0.1,
18  "include_reasoning": true
19 }
```




Other model

Llama




Text from Image

Took an image from website and gave the https in the image url





Web search



Multilingual –

Tried with Chinese input

COLLECTIONS

GenAI-May-Home Work

POST S01 - DOM to Selenium Code-HW

POST S02 - TextFromImage-Uri-HW

POST S03-WebSearch-HW

POST S04- Multilingual-HW

My Collection

GET Get data

POST Post data

ENVIRONMENTS

SPECS

FLOWES

GenAI-May-Home Work > S04- Multilingual-HW

POSThttps://api.groq.com/openai/v1/chat/completions

Send

DocsParamsAuthorizationHeaders10BodyScriptsTestsSettingsCookies

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSONSchemaBeautify

```
1 {
2   "model": "llama-3.3-70b-versatile",
3   "messages": [
4     { "role": "system", "content": "You are an API Specialist. Always respond in the same language as the user." },
5     { "role": "user", "content": "非常感谢! 请告诉我如何使用这个 API." }
6   ]
7 }
```

BodyCookies1Headers20Test Results200 OK1.37 s1.76 KBSave Response

JSONPreviewVisualize

```
4   "created": 1778854149,
5   "model": "llama-3.3-70b-versatile",
6   "choices": [
7     {
8       "index": 0,
9       "message": {
10        "role": "assistant",
11        "content": "您好! \n\n要使用这个 API, 请遵循以下步骤: \n\n1. **获取 API 密钥**: 您需要从 API 提供者
          获取一个 API 密钥, 该密钥将用于验证您的身份。 \n2. **选择 API 端点**: 查看 API 文档以找到您需要的端点。端点通常以 URL 的形式呈现, 例如 'https://api.example.com/users'。 \n3. **发送请求**: 使用您的开发工具或编程语言, 向 API 端点发送一个 HTTP 请求。请求方法可能是 GET、POST、PUT、DELETE 等。 \n4. **处理响应**: API 将以 JSON 或其他格式返回响应数据。您需要解析和处理这些数据。 \n\n以下是一些常见的 API 请求方法: \n* **GET**: 获取数据, 例如 'https://api.example.com/users' \n* **POST**: 创建新数据, 例如 'https://api.example.com/users' \n* **PUT**: 更新现有数据, 例如 'https://api.example.com/users/1' \n* **DELETE**: 删除数据, 例如 'https://api.example.com/users/1' \n\n您可以使用以下工具来测试 API: \n* Postman: 一个流行的 API 测试工具 \n* cURL: 一个命令行工具用于发送 HTTP 请求 \n* 编程语言: Java, Python, JavaScript 等 \n\n如果您有任何问题或需要更多帮助, 请随时提问! "
```