

Home Assignments



1) With vibe coding implement the playwright/typescript or any other tool which you work say Selenium/Python

Sample prompt for playwright/typescript integration:


Ask mode :

Read my entire workspace and confirm me what are the files will be impacted if I want to add playwright typescript same like implemented for

Selenium Java



Agent mode





Prompt for agent mode :

Read the Entire workspace and understand how I implemented the selenium Java

I want to add the playwright typescript

1.Go to prompts.js and add new prompt templates for Playwright TypeScript

Take selenium Java as reference



Added the extension again and generated Playwright scripts

The screenshot shows a web browser with the Testleaf website on the left and an AI Browser Extension for Code Generation on the right. The Testleaf website has a blue header with the Testleaf logo and the tagline "Always Ahead". Below the header is a "LeafTaps Login" form with fields for "Username" and "Password", and a "Login" button. The AI Browser Extension is a dark-themed sidebar on the right. It has a title bar "AI Browser Extension for Code Generation" and a "Settings" button. The main content area is titled "Code Generator" and shows a "Feature File" and a "Page Class". The "Page Class" is a Cucumber page object for the "Reset Chat" feature. It includes a table of data for the "Reset Chat" feature and a Cucumber step definition for "I open the login page".

Browser tabs: leafTaps.com/opentaps/control/main, Gmail, YouTube, Maps, Analyse your perfor..., OneCognizant, Java Full Course in T..., Methods in Java - P..., Mock Test, Listening Vocab, DeathCertificate, https://www.crstr.or...

Testleaf
Always Ahead

LeafTaps Login

Username

Password

Login

AI Browser Extension for Code Generation

Code Generator Settings

Feature File Page Class

C Reset Chat

Scenario: Kumar	Scenario: Kumar
"sita.patel"	"Sita@5678"
"kumar.raj"	"Kumar@9012"

```

import { chromium, Browser, Page } from 'playwright';
import { Given, When, Then, After } from '@cucumber/cucumber';

let browser: Browser;
let page: Page;

Given('I open the login page', async function () {
  browser = await chromium.launch({ headless: true });
  page = await browser.newPage();
  await page.goto('https://leafTaps.com/opentaps/control/main', { waitUntil: 'domcontentloaded' });
});

When('I type {string} into the Username field', async function (username: string) {
  await page.fill('#username', username);
});

```