

# INSERT UPDATE AND DELETE FUNCTIONS OF PHP AND MYSQL

## Step: 1

### Create Database and Table:

The screenshot shows the phpMyAdmin interface for a MySQL database named 'myroledb'. The 'employees' table is selected, and its structure is displayed. The table has four columns: 'id' (int(11), primary key, auto-increment), 'name' (varchar(100)), 'address' (varchar(255)), and 'salary' (int(10)). The interface includes a sidebar with a database tree, a top navigation bar, and a main content area with tabs for Table structure, Relation view, SQL, Search, Insert, Export, Import, Privileges, Operations, and Triggers. Below the table structure, there are options to add new columns, indexes, and partitions.

## Step:2

### Create Connection String:

Filename: config.php

```
<?php
$host = "localhost";
$user = "root";
$password = "";
$dbname = "myroledb";
$link = new mysqli($host, $user, $password,$dbname);
if($link ->connect_error)
    die("connection failed:" . $link ->connect_error);
?>
```

### Step:3

**Filename:**    **index.php**

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Dashboard</title>
  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
  <script src="https://code.jquery.com/jquery-3.5.1.min.js"></script>
  <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></script>
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
  <style>
    .wrapper{
      width: 600px;
      margin: 0 auto;
    }
    table tr td:last-child{
      width: 120px;
    }
  </style>
  <script>
    $(document).ready(function(){
      $('[data-toggle="tooltip"]').tooltip();
    });
  </script>
</head>
<body>
  <div class="wrapper">
    <div class="container-fluid">
      <div class="row">
```

```
<div class="col-md-12">

    <div class="mt-5 mb-3 clearfix">

        <h2 class="pull-left">Employees Details</h2>

        <a href="create.php" class="btn btn-success pull-right"><i class="fa fa-plus"></i> Add New
Employee</a>

    </div>

<?php

require_once "config.php";

$sql = "SELECT * FROM employees";
if($result = mysqli_query($link, $sql)){
    if(mysqli_num_rows($result) > 0){
        echo '<table class="table table-bordered table-striped">';
        echo "<thead>";
        echo "<tr>";
        echo "<th>#</th>";
        echo "<th>Name</th>";
        echo "<th>Address</th>";
        echo "<th>Salary</th>";
        echo "<th>Action</th>";
        echo "</tr>";
        echo "</thead>";
        echo "<tbody>";
        while($row = mysqli_fetch_array($result)){
            echo "<tr>";
            echo "<td>" . $row['id'] . "</td>";
            echo "<td>" . $row['name'] . "</td>";
            echo "<td>" . $row['address'] . "</td>";
            echo "<td>" . $row['salary'] . "</td>";
            echo "<td>";
```

```
                echo '<a href="read.php?id='.$row['id'].'"' class="mr-3" title="View Record" data-
toggle="tooltip"><span class="fa fa-eye"></span></a>';

                echo '<a href="update.php?id='.$row['id'].'"' class="mr-3" title="Update Record"
data-toggle="tooltip"><span class="fa fa-pencil"></span></a>';

                echo '<a href="delete.php?id='.$row['id'].'"' title="Delete Record" data-
toggle="tooltip"><span class="fa fa-trash"></span></a>';

                echo "</td>";

                echo "</tr>";

            }

            echo "</tbody>";
            echo "</table>";

            mysqli_free_result($result);

        } else{

            echo '<div class="alert alert-danger"><em>No records were found.</em></div>';

        }

    } else{

        echo "Oops! Something went wrong. Please try again later.";

    }

    mysqli_close($link);

    ?>

</div>

</div>

</div>

</body>

</html>
```

## Step: 4

**Filename:**     **create.php**

```
<?php
require_once "config.php";

$name = $address = $salary = "";
$name_err = $address_err = $salary_err = "";

if($_SERVER["REQUEST_METHOD"] == "POST"){

    $input_name = trim($_POST["name"]);
    if(empty($input_name)){
        $name_err = "Please enter a name.";
    } elseif(!filter_var($input_name, FILTER_VALIDATE_REGEXP, array("options">=>array("regexp">="/^[a-zA-Z\s]+$/"")))){
        $name_err = "Please enter a valid name.";
    } else{
        $name = $input_name;
    }

    $input_address = trim($_POST["address"]);
    if(empty($input_address)){
        $address_err = "Please enter an address.";
    } else{
        $address = $input_address;
    }

    $input_salary = trim($_POST["salary"]);
    if(empty($input_salary)){
```

```
$salary_err = "Please enter the salary amount.";
} elseif(!ctype_digit($input_salary)){
    $salary_err = "Please enter a positive integer value.";
} else{
    $salary = $input_salary;
}

if(empty($name_err) && empty($address_err) && empty($salary_err)){

    $sql = "INSERT INTO employees (name, address, salary) VALUES (?, ?, ?)";

    if($stmt = mysqli_prepare($link, $sql)){

        mysqli_stmt_bind_param($stmt, "sss", $param_name, $param_address, $param_salary);

        $param_name = $name;
        $param_address = $address;
        $param_salary = $salary;

        if(mysqli_stmt_execute($stmt)){

            header("location: index.php");
            exit();
        } else{
            echo "Oops! Something went wrong. Please try again later.";
        }
    }
}
```

```
mysqli_stmt_close($stmt);  
}
```

```
mysqli_close($link);  
}  
?>
```

```
<html lang="en">  
<head>  
  <meta charset="UTF-8">  
  <title>Create Record</title>  
  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">  
  <style>  
    .wrapper{  
      width: 600px;  
      margin: 0 auto;  
    }  
  </style>  
</head>  
<body>  
  <div class="wrapper">  
    <div class="container-fluid">  
      <div class="row">  
        <div class="col-md-12">  
          <h2 class="mt-5">Create Record</h2>  
          <p>Please fill this form and submit to add employee record to the database.</p>  
          <form action="<?php echo htmlspecialchars($_SERVER["PHP_SELF"]); ?>" method="post">  
            <div class="form-group">
```

```
<label>Name</label>

<input type="text" name="name" class="form-control <?php echo (!empty($name_err)) ? 'is-
invalid' : ''; ?>" value="<?php echo $name; ?>">

<span class="invalid-feedback"><?php echo $name_err;?></span>

</div>

<div class="form-group">

<label>Address</label>

<textarea name="address" class="form-control <?php echo (!empty($address_err)) ? 'is-
invalid' : ''; ?>"><?php echo $address; ?></textarea>

<span class="invalid-feedback"><?php echo $address_err;?></span>

</div>

<div class="form-group">

<label>Salary</label>

<input type="text" name="salary" class="form-control <?php echo (!empty($salary_err)) ? 'is-
invalid' : ''; ?>" value="<?php echo $salary; ?>">

<span class="invalid-feedback"><?php echo $salary_err;?></span>

</div>

<input type="submit" class="btn btn-primary" value="Submit">

<a href="index.php" class="btn btn-secondary ml-2">Cancel</a>

</form>

</div>

</div>

</div>

</body>

</html>
```



**Step: 5:****Filename:**            **read.php**

```
<?php

if(isset($_GET["id"]) && !empty(trim($_GET["id"]))) {

    require_once "config.php";

    $sql = "SELECT * FROM employees WHERE id = ?";

    if($stmt = mysqli_prepare($link, $sql)){

        mysqli_stmt_bind_param($stmt, "i", $param_id);

        $param_id = trim($_GET["id"]);

        if(mysqli_stmt_execute($stmt)){

            $result = mysqli_stmt_get_result($stmt);

            if(mysqli_num_rows($result) == 1){

                $row = mysqli_fetch_array($result, MYSQLI_ASSOC);

                $name = $row["name"];
                $address = $row["address"];
                $salary = $row["salary"];
```

```
        } else{

            header("location: error.php");

            exit();

        }

    } else{

        echo " went wrong. Please try again later.";

    }

}

mysqli_stmt_close($stmt);

mysqli_close($link);
} else{

    header("location: error.php");

    exit();

}
?>

<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>View Record</title>
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <style>

        .wrapper{
```

```
        width: 600px;
        margin: 0 auto;
    }
</style>
</head>
<body>
    <div class="wrapper">
        <div class="container-fluid">
            <div class="row">
                <div class="col-md-12">
                    <h1 class="mt-5 mb-3">View Record</h1>
                    <div class="form-group">
                        <label>Name</label>
                        <p><b><?php echo $row["name"]; ?></b></p>
                    </div>
                    <div class="form-group">
                        <label>Address</label>
                        <p><b><?php echo $row["address"]; ?></b></p>
                    </div>
                    <div class="form-group">
                        <label>Salary</label>
                        <p><b><?php echo $row["salary"]; ?></b></p>
                    </div>
                    <p><a href="index.php" class="btn btn-primary">Back</a></p>
                </div>
            </div>
        </div>
    </div>
</body>
</html>
```

## Step: 6

**Filename**            **update.php**

```
<?php

require_once "config.php";


$name = $address = $salary = "";
$name_err = $address_err = $salary_err = "";


if(isset($_POST["id"]) && !empty($_POST["id"])){

    $id = $_POST["id"];


    $input_name = trim($_POST["name"]);
    if(empty($input_name)){
        $name_err = "Please enter a name.";
    } elseif(!filter_var($input_name, FILTER_VALIDATE_REGEXP, array("options">=>array("regexp">="/^[a-zA-Z\s]+$/""))){
        $name_err = "Please enter a valid name.";
    } else{
        $name = $input_name;
    }


    $input_address = trim($_POST["address"]);
    if(empty($input_address)){
        $address_err = "Please enter an address.";
```

```
} else{
    $address = $input_address;
}

$input_salary = trim($_POST["salary"]);
if(empty($input_salary)){
    $salary_err = "Please enter the salary amount.";
} elseif(!ctype_digit($input_salary)){
    $salary_err = "Please enter a positive integer value.";
} else{
    $salary = $input_salary;
}

if(empty($name_err) && empty($address_err) && empty($salary_err)){

    $sql = "UPDATE employees SET name=?, address=?, salary=? WHERE id=?";

    if($stmt = mysqli_prepare($link, $sql)){

        mysqli_stmt_bind_param($stmt, "sssi", $param_name, $param_address, $param_salary, $param_id);

        $param_name = $name;
        $param_address = $address;
        $param_salary = $salary;
        $param_id = $id;

        if(mysqli_stmt_execute($stmt)){
```

```
        header("location: index.php");
        exit();
    } else{
        echo "Oops! Something went wrong. Please try again later.";
    }
}
```

```
mysqli_stmt_close($stmt);
}
```

```
mysqli_close($link);
} else{
```

```
if(isset($_GET["id"]) && !empty(trim($_GET["id"]))) {
```

```
    $id = trim($_GET["id"]);
```

```
    $sql = "SELECT * FROM employees WHERE id = ?";
```

```
    if($stmt = mysqli_prepare($link, $sql)){
```

```
        mysqli_stmt_bind_param($stmt, "i", $param_id);
```

```
        $param_id = $id;
```

```
        if(mysqli_stmt_execute($stmt)){
```

```
$result = mysqli_stmt_get_result($stmt);
```

```
if(mysqli_num_rows($result) == 1){
```

```
    $row = mysqli_fetch_array($result, MYSQLI_ASSOC);
```

```
    $name = $row["name"];
```

```
    $address = $row["address"];
```

```
    $salary = $row["salary"];
```

```
    } else{
```

```
        header("location: error.php");
```

```
        exit();
```

```
    }
```

```
    } else{
```

```
        echo " went wrong. Please try again later.";
```

```
    }
```

```
}
```

```
mysqli_stmt_close($stmt);
```

```
mysqli_close($link);
```

```
} else{
```

```
    header("location: error.php");
```

```
    exit();
```

```
}
```

```
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Update Record</title>
  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
  <style>
    .wrapper{
      width: 600px;
      margin: 0 auto;
    }
  </style>
</head>
<body>
  <div class="wrapper">
    <div class="container-fluid">
      <div class="row">
        <div class="col-md-12">
          <h2 class="mt-5">Update Record</h2>
          <p>Please edit the input values and submit to update the employee record.</p>
          <form action="<?php echo htmlspecialchars(basename($_SERVER['REQUEST_URI'])); ?>"
method="post">
            <div class="form-group">
              <label>Name</label>
              <input type="text" name="name" class="form-control <?php echo (!empty($name_err)) ? 'is-
invalid' : ''; ?>" value="<?php echo $name; ?>">
              <span class="invalid-feedback"><?php echo $name_err;?></span>
            </div>
            <div class="form-group">
```



```
<label>Address</label>

<textarea name="address" class="form-control <?php echo (!empty($address_err)) ? 'is-
invalid' : ''; ?>"><?php echo $address; ?></textarea>

<span class="invalid-feedback"><?php echo $address_err;?></span>
</div>

<div class="form-group">

<label>Salary</label>

<input type="text" name="salary" class="form-control <?php echo (!empty($salary_err)) ? 'is-
invalid' : ''; ?>" value="<?php echo $salary; ?>">

<span class="invalid-feedback"><?php echo $salary_err;?></span>
</div>

<input type="hidden" name="id" value="<?php echo $id; ?>" />

<input type="submit" class="btn btn-primary" value="Submit">

<a href="index.php" class="btn btn-secondary ml-2">Cancel</a>

</form>

</div>

</div>

</div>

</div>

</body>

</html>
```

## Step:7

Filename:            **delete.php**

```
<?php

if(isset($_POST["id"]) && !empty($_POST["id"])){

    require_once "config.php";

    $sql = "DELETE FROM employees WHERE id = ?";

    if($stmt = mysqli_prepare($link, $sql)){

        mysqli_stmt_bind_param($stmt, "i", $param_id);

        $param_id = trim($_POST["id"]);

        if(mysqli_stmt_execute($stmt)){

            header("location: index.php");
            exit();
        } else{
            echo "Oops! Something went wrong. Please try again later.";
        }
    }

    mysqli_stmt_close($stmt);
```

```
mysqli_close($link);
} else{

    if(empty(trim($_GET["id"]))) {

        header("location: error.php");
        exit();
    }
}
?>
```

```
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Delete Record</title>
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <style>
        .wrapper{
            width: 600px;
            margin: 0 auto;
        }
    </style>
</head>
<body>
    <div class="wrapper">
        <div class="container-fluid">
            <div class="row">
                <div class="col-md-12">
```

```
<h2 class="mt-5 mb-3">Delete Record</h2>
<form action="<?php echo htmlspecialchars($_SERVER["PHP_SELF"]); ?>" method="post">
  <div class="alert alert-danger">
    <input type="hidden" name="id" value="<?php echo trim($_GET["id"]); ?>" />
    <p>Are you sure you want to delete this employee record?</p>
    <p>
      <input type="submit" value="Yes" class="btn btn-danger">
      <a href="index.php" class="btn btn-secondary">No</a>
    </p>
  </div>
</form>
</div>
</div>
</div>
</div>
</body>
</html>
```

\*\*\*\*\*END\*\*\*\*\*