Project Executable Files

Date	23 October 2026
Team ID	0827CY231029
Project Name	WanderWise AI Travel Itinerary Planner
Maximum Marks	3 Marks

Project Executable Files

WanderWise is delivered as web-application source and deployment configuration. Run commands from the current phase folders, rather than the old root-level backend/frontend paths.

Step 1: Submission Checklist

S.No	Item to Submit	Submitted (Yes / No / NA)	Evidence / Location
1	Complete source code	Yes	5. Project Development Phase/backend and frontend.
2	README / Setup Guide	Yes	README.md and 7. Project Documentation/SETUP.md.
3	Dependency files	Yes	backend/requirements.txt; frontend/package.json.
4	Database schemas / seed content	Yes	backend/database/*.sql; services/templates.py and destinations.py.
5	Environment configuration example	Yes	backend/.env.example and frontend/.env.example are present.
6	Deployed application URL	No	Public frontend/backend URLs are not recorded.
7	APK / executable binary	NA	Browser application; no native binary is supplied.
8	Dockerfile / containerization	NA	Render and Vercel configurations supplied; no Dockerfile.
9	Test files and results	Partial	Manual test cases in 6. Project Testing/README.md; no benchmark artifacts.
10	Demo video / walkthrough	Partial	Written walkthrough and preview image present; no video link.

Project Executable Files (continued)

Step 2: File / Folder Structure

```
5. Project Development Phase/
  backend/
    app/main.py, config.py, schemas.py, security.py
    app/routers/       auth, preferences, templates, trips
    app/services/      AI, prompts, destinations, templates, optimize
    app/services/llm/  provider interface and integrations
    database/          Postgres and SQLite schemas
    requirements.txt, Procfile, runtime.txt, .env.example
  frontend/
    src/pages/         discovery, auth, builder, trips, sharing
    src/components/    DayTimeline, TemplateCard
    src/api/           client, auth, tripsAPI
    package.json, vite.config.js, vercel.json
  render.yaml
7. Project Documentation/  SETUP, API, ARCHITECTURE, DEPLOYMENT
8. Project Demonstration/  README.md, preview.png
```

Step 3: Deployment / Access Details

Field	Details
Hosted / Deployed URL	Public URL not recorded. Local frontend: http://localhost:5173; local API: http://localhost:5000.
Login Credentials (Demo)	No stored demo credentials supplied. Register a temporary evaluator account using the application's Register page.
Platform / Hosting Provider	Configured deployment plan: Render API, Vercel frontend, Supabase Postgres.
Repository Link	https://github.com/2praveen6/travel-itinerary-skill-wallet
Demo Video Link	No recorded video link supplied; follow 8. Project Demonstration/README.md.

Project Executable Files (continued)

Step 4: Run Instructions

- Open a terminal in 5. Project Development Phase/backend. Use Python 3.11+ and a local virtual environment.

```
python -m venv .venv
.venv\Scripts\activate
pip install -r requirements.txt
copy .env.example .env
```

- Set a strong SECRET_KEY or JWT_SECRET in the local .env. Optional AI/Supabase settings can be omitted for SQLite plus rule-based operation.

```
uvicorn app.main:app --reload --port 5000
```

- In a second terminal, open 5. Project Development Phase/frontend.

```
npm install
npm run dev
```

- Visit http://localhost:5173. Check http://localhost:5000/api/health and /docs. Register, save a template or generate a custom trip, then share/export it.

Step 5: Known Issues / Limitations

S.No	Known Issue / Limitation	Workaround / Status
1	AI results and cost/transfer values may be approximate.	Review the plan and verify current local information; local rules offer baseline generation.
2	Per-day refinement may not preserve other days in every generation mode.	Inspect returned days after refinement; exact preservation needs dedicated validation.
3	Public URLs and performance benchmarks are absent.	Deploy using the supplied configurations and record real measurements before claiming results.

Project sources: Source tree; dependency/configuration files; 7. Project Documentation/SETUP.md and DEPLOYMENT.md.