


Runs (Summary) 25/11/2020

Project: UETrack 1.5  
By Syahid Wajdi, 25/11/2020 08:13






34%  
passed

0 / 68 untested (0%).

Test Runs


18 November 2020

 AFT-CLS_Master (Syifaa)	29%
 AFT-CLS_Master (Fazreen)	47%
 AFT-CLS_Master (Amirul)	24%


17 November 2020

 AFT-CLS_Master (Murugan)	35%
--	-----

Activity




23/11/2020 – 25/11/2020:



24 November 2020

<div>Failed</div>	Jl Schedule & Generation_Edit	Tested by Murugan N.
<div>Failed</div>	Jl Schedule & Generation_Edit	Tested by Murugan N.
<div>Passed</div>	Jl Schedule & Generation_Gridview	Tested by Murugan N.
<div>Passed</div>	Jl Schedule & Generation_Edit	Tested by Murugan N.
<div>Failed</div>	Jl Schedule & Generation_Add	Tested by Murugan N.
<div>Failed</div>	Week Calendar_Gridview	Tested by Murugan N.
<div>Passed</div>	Week Calendar_View	Tested by Murugan N.
<div>Passed</div>	Facilities, Equipment, Tools & Consumable_Gridview	Tested by Murugan N.
<div>Failed</div>	Facilities, Equipment, Tools & Consumable_Add	Tested by Murugan N.
<div>Failed</div>	Facilities, Equipment, Tools & Consumable_Edit	Tested by Murugan N.
<div>Failed</div>	Facilities, Equipment, Tools & Consumable_Add	Tested by Murugan N.
<div>Failed</div>	Chemical In Use_Edit	Tested by Murugan N.
<div>Passed</div>	Chemical In Use_Gridview	Tested by Murugan N.
<div>Passed</div>	Chemical In Use_Edit	Tested by Murugan N.
<div>Failed</div>	Facilities, Equipment, Tools & Consumable_Add	Tested by Murugan N.
<div>Failed</div>	Chemical In Use_Add	Tested by Murugan N.
<div>Passed</div>	Approved Chemical List_Gridview	Tested by Murugan N.
<div>Failed</div>	Approved Chemical List_Edit	Tested by Murugan N.
<div>Failed</div>	Approved Chemical List_Add	Tested by Murugan N.
<div>Passed</div>	Dept/Area Details_Edit	Tested by Murugan N.
<div>Failed</div>	Dept/Area Details_Gridview	Tested by Murugan N.
<div>Failed</div>	Dept/Area Details_Add	Tested by Murugan N.
<div>Failed</div>	Dept/Area Details_Add	Tested by Murugan N.
<div>Blocked</div>	Dept/Area Details_Add	Marked by Murugan N.
<div>Failed</div>	Dept/Area Details_Add	Tested by Murugan N.
<div>Failed</div>	Dept/Area Details_Add	Tested by Murugan N.
<div>Failed</div>	Dept/Area Details_Add	Tested by Murugan N.
<div>Failed</div>	Dept/Area Details_Add	Tested by Murugan N.
<div>Failed</div>	Dept/Area Details_Add	Tested by Murugan N.
<div>Failed</div>	Dept/Area Details_Add	Tested by Murugan N.
<div>Passed</div>	Dept/Area Details_Add	Tested by Murugan N.
<div>Failed</div>	Dept/Area Details_Add	Tested by Murugan N.

Progress



Forecasts & Estimates

Based on the current activity and forecasts, the projected completion date for the test run(s) is:

25/11/2020  
*High accuracy forecast*

The test run(s) were started **1 week ago** (17/11/2020).

Completed: 95% (65/68)  
Elapsed: 0h 0m  
Tests / day: 8  
Hours / day: 0

Metric	By Estimate	By Forecast
Completed	0h 0m	4h 0m
Todo	0h 0m	0h 11m
Total	0h 0m	4h 11m

Test Runs

AFT-CLS_Master (Syifaa)	Forecast for 25/11/2020
AFT-CLS_Master (Fazreen)	Forecast for 26/11/2020
AFT-CLS_Master (Amirul)	Forecast for 25/11/2020
AFT-CLS_Master (Murugan)	Forecast for 25/11/2020

Tests & Results

AFT-CLS\_Master (Syifaa)

1. CLS <sup>(0)</sup>

1.1. CLS\_Master <sup>(17)</sup>

ID	Title	Status
T3013	Dept/Area Details_Add	Failed
T3014	Dept/Area Details_Edit	Passed
T3015	Dept/Area Details_Gridview	Failed
T3016	Approved Chemical List_Add	Failed
T3017	Approved Chemical List_Edit	Failed
T3018	Approved Chemical List_Gridview	Failed
T3019	Chemical In Use_Add	Failed
T3020	Chemical In Use_Edit	Passed
T3021	Chemical In Use_Gridview	Failed
T3022	Facilities, Equipment, Tools & Consumable_Add	Failed
T3023	Facilities, Equipment, Tools & Consumable_Edit	Passed
T3024	Facilities, Equipment, Tools & Consumable_Gridview	Failed
T3025	Week Calendar_View	Passed
T3026	Week Calendar_Gridview	Failed
T3027	JI Schedule & Generation_Add	Failed
T3028	JI Schedule & Generation_Edit	Passed
T3029	JI Schedule & Generation_Gridview	Failed

AFT-CLS\_Master (Fazreen)

1. CLS <sup>(0)</sup>

1.1. CLS\_Master <sup>(17)</sup>

ID	Title	Status
T2996	Dept/Area Details_Add	Retest
T2997	Dept/Area Details_Edit	Passed
T2998	Dept/Area Details_Gridview	Failed
T2999	Approved Chemical List_Add	Failed
T3000	Approved Chemical List_Edit	Failed
T3001	Approved Chemical List_Gridview	Passed
T3002	Chemical In Use_Add	Passed
T3003	Chemical In Use_Edit	Failed
T3004	Chemical In Use_Gridview	Passed
T3005	Facilities, Equipment, Tools & Consumable_Add	Passed
T3006	Facilities, Equipment, Tools & Consumable_Edit	Passed
T3007	Facilities, Equipment, Tools & Consumable_Gridview	Passed
T3008	Week Calendar_View	Retest
T3009	Week Calendar_Gridview	Retest
T3010	JI Schedule & Generation_Add	Passed
T3011	JI Schedule & Generation_Edit	Failed

T3012	JI Schedule & Generation_Gridview	Failed
-------	-----------------------------------	--------

AFT-CLS\_Master (Amirul)

1. CLS (0)

1.1. CLS\_Master (17)

ID	Title	Status
T2979	Dept/Area Details_Add	Failed
T2980	Dept/Area Details_Edit	Passed
T2981	Dept/Area Details_Gridview	Failed
T2982	Approved Chemical List_Add	Failed
T2983	Approved Chemical List_Edit	Failed
T2984	Approved Chemical List_Gridview	Passed
T2985	Chemical In Use_Add	Failed
T2986	Chemical In Use_Edit	Failed
T2987	Chemical In Use_Gridview	Failed
T2988	Facilities, Equipment, Tools & Consumable_Add	Failed
T2989	Facilities, Equipment, Tools & Consumable_Edit	Passed
T2990	Facilities, Equipment, Tools & Consumable_Gridview	Failed
T2991	Week Calendar_View	Passed
T2992	Week Calendar_Gridview	Failed
T2993	JI Schedule & Generation_Add	Failed
T2994	JI Schedule & Generation_Edit	Failed
T2995	JI Schedule & Generation_Gridview	Failed

AFT-CLS\_Master (Murugan)

1. CLS (0)

1.1. CLS\_Master (17)

ID	Title	Status
T2962	Dept/Area Details_Add	Failed
T2963	Dept/Area Details_Edit	Passed
T2964	Dept/Area Details_Gridview	Failed
T2965	Approved Chemical List_Add	Failed
T2966	Approved Chemical List_Edit	Failed
T2967	Approved Chemical List_Gridview	Passed
T2968	Chemical In Use_Add	Failed
T2969	Chemical In Use_Edit	Failed
T2970	Chemical In Use_Gridview	Passed
T2971	Facilities, Equipment, Tools & Consumable_Add	Failed
T2972	Facilities, Equipment, Tools & Consumable_Edit	Failed
T2973	Facilities, Equipment, Tools & Consumable_Gridview	Passed
T2974	Week Calendar_View	Passed
T2975	Week Calendar_Gridview	Failed
T2976	JI Schedule & Generation_Add	Failed
T2977	JI Schedule & Generation_Edit	Failed
T2978	JI Schedule & Generation_Gridview	Passed