Web Application Development Lab 04 Report

Student Name: Vũ Quốc Khánh
Student ID: ITCSIU24039

Exercise 1

Task 1.2

Code

```
<%--
    Document   : list_students
    Created on : Apr 22, 2026, 2:16:39 PM
    Author     : islabre
--%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@ page import="java.sql.*" %>
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Student Info</title>

    <style>
        table, td {
            border: 1px solid;
            border-collapse: collapse;
        }

        td {
            padding: 0.25em;
        }
    </style>
</head>
<body>
    <h1>Student Info</h1>

    <% if (request.getParameter("message") != null) { %>
        <div class="message">
            <%= request.getParameter("message") %>
```

```
    </div>
<% } %>

<table>
    <thead>
        <td>ID</td>
        <td>Student Code</td>
        <td>Full Name</td>
        <td>Email</td>
        <td>Major</td>
        <td>Created At</td>
    </thead>
    <tbody>
    <%
        Connection conn = null;
        Statement stmt = null;
        ResultSet rs = null;

        try {
            // Connect to database
            Class.forName("com.mysql.cj.jdbc.Driver");

            conn = DriverManager.getConnection(
                "jdbc:mysql://localhost:3306/student_management",
                "root",
                "Q@jaP*96T8xY#2^7&3@7"
            );

            // Query for students
            stmt = conn.createStatement();
            String sql = "SELECT * FROM students";
            rs = stmt.executeQuery(sql);

            // Get info
            while (rs.next()) {
                int id = rs.getInt("id");
                String studentCode = rs.getString("student_code");
                String fullName = rs.getString("full_name");
                String email = rs.getString("email");
                String major = rs.getString("major");
                Timestamp createdAt = rs.getTimestamp("created_at");
    %>
                <tr>
                    <td><%= id %></td>
                    <td><%= studentCode %></td>
                    <td><%= fullName %></td>
                    <td><%= email != null ? email : "N/A" %></td>
                    <td><%= major != null ? major : "N/A" %></td>
```

```
                <td><%= createdAt %></td>
            </tr>
        <%
            }
        // Handle errors
        } catch (ClassNotFoundException e) {
            out.println("<tr><td colspan='7'>Error: JDBC Driver not found!</td></tr>");
            e.printStackTrace();
        } catch (SQLException e) {
            out.println("<tr><td colspan='7'>Database Error: " + e.getMessage() +
"</td></tr>");
            e.printStackTrace();
        // Close database connection
        } finally {
            try {
                if (rs != null) rs.close();
                if (stmt != null) stmt.close();
                if (conn != null) conn.close();
            } catch (SQLException e) {
                e.printStackTrace();
            }
        }
    %>
    </tbody>
  </table>
</body>
</html>
```

Result



ID	Student Code	Full Name	Email	Major	Created At
1	SV001	John Smith	john.smith@email.com	Computer Science	2026-04-22 07:18:54.0
2	SV002	Emily Johnson	emily.j@email.com	Information Technology	2026-04-22 07:18:54.0
3	SV003	Michael Brown	michael.b@email.com	Software Engineering	2026-04-22 07:18:54.0
4	SV004	Sarah Davis	sarah.d@email.com	Data Science	2026-04-22 07:18:54.0
5	SV005	David Wilson	david.w@email.com	Computer Science	2026-04-22 07:18:54.0

Exercise 2

Task 2.1

Code

```
<%--
   Document   : process_add
   Created on : Apr 22, 2026, 2:56:45 PM
   Author     : islabre
--%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
   <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
   <title>Add Student</title>
</head>
<body>
   <h1>Add Student</h1>

   <% if (request.getParameter("message") != null) { %>
      <div class="message">
         <%= request.getParameter("message") %>
      </div>
   <% } %>

   <form method="POST" action="process_add.jsp">
      <table>
         <tr>
            <td>Student Code</td>
            <td>
               <input type="text" name="student-code" id="student-code" required>
            </td>
         </tr>
         <tr>
            <td>Full Name</td>
            <td>
               <input type="text" name="full-name" id="full-name" required>
            </td>
         </tr>
         <tr>
            <td>Email</td>
            <td>
               <input type="email" name="email" id="email">
```

```
            </td>
        </tr>
        <tr>
            <td>Major</td>
            <td>
                <input type="text" name="major" id="major">
            </td>
        </tr>
        <tr>
            <td></td>
            <td>
                <input type="submit" value="Submit">
                <a href="list_students.jsp">
                    <button type="button">Cancel</button>
                </a>
            </td>
        </tr>
    </table>
  </form>
</body>
</html>
```

Result



Task 2.2

Code

```
<%--
```

```
    Document   : process_add
    Created on : Apr 22, 2026, 3:13:22 PM
    Author     : islabre
--%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@ page import="java.sql.*" %>
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Student Adding Process</title>
</head>
<body>
<%
    String studentCode = request.getParameter("student-code");
    String fullName = request.getParameter("full-name");
    String email = request.getParameter("email");
    String major = request.getParameter("major");

    if (studentCode == null || studentCode.trim().isEmpty() ||
        fullName == null || fullName.trim().isEmpty()) {
        response.sendRedirect("add_student.jsp?message=Error: Required fields are
missing.");
    }

    Connection conn = null;
    PreparedStatement pstmt = null;

    try {
        // Connect to database
        Class.forName("com.mysql.cj.jdbc.Driver");

        conn = DriverManager.getConnection(
            "jdbc:mysql://localhost:3306/student_management",
            "root",
            "Q@jaP*96T8xY#2^7&3@7"
        );

        // Insert info into database (prepare statement first to prevent SQL Injection Attack)
        String sql = "INSERT INTO students (student_code, full_name, email, major) VALUES
(?, ?, ?, ?)";

        pstmt = conn.prepareStatement(sql);
        pstmt.setString(1, studentCode);
        pstmt.setString(2, fullName);
        pstmt.setString(3, email);
        pstmt.setString(4, major);
```

```
        int rowsAffected = pstmt.executeUpdate();

        if (rowsAffected > 0) {
            response.sendRedirect("list_students.jsp?message=Student added successfully");
        } else {
            response.sendRedirect("add_student.jsp?message=Error: Failed to add student");
        }

        // Handle errors
        } catch (ClassNotFoundException e) {
            response.sendRedirect("add_student.jsp?message=Error: JDBC Driver not found.");
            e.printStackTrace();
        } catch (SQLException e) {
            String errorMsg = e.getMessage();
            if (errorMsg.contains("Duplicate entry")) {
                response.sendRedirect("add_student.jsp?message=Error: Student code already
exists");
            } else {
                response.sendRedirect("add_student.jsp?message=Error: Database error");
            }
            e.printStackTrace();

        // Close database connection
        } finally {
            try {
                if (pstmt != null) pstmt.close();
                if (conn != null) conn.close();
            } catch (SQLException e) {
                e.printStackTrace();
            }
        }
%>
</body>
</html>
```

Result

Adding a student via add_student.jsp:



After adding:



Student Info

Student added successfully

ID	Student Code	Full Name	Email	Major	Created At
1	SV001	John Smith	john.smith@email.com	Computer Science	2026-04-22 07:18:54.0
2	SV002	Emily Johnson	emily.j@email.com	Information Technology	2026-04-22 07:18:54.0
3	SV003	Michael Brown	michael.b@email.com	Software Engineering	2026-04-22 07:18:54.0
4	SV004	Sarah Davis	sarah.d@email.com	Data Science	2026-04-22 07:18:54.0
5	SV005	David Wilson	david.w@email.com	Computer Science	2026-04-22 07:18:54.0
7	SV006	John Doe	johndoe@gmail.com	Computer Science	2026-04-22 08:36:26.0

Try to add a student with empty Student Code (handled by the browser itself):



Try to add a student using existing Student Code:



Result:



Exercise 3

Task 3.1

Code

```
<%--
   Document   : edit_student
   Created on : Apr 27, 2026, 8:05:47 PM
   Author     : Islabre
--%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@ page import="java.sql.*" %>
<!DOCTYPE html>
<html>
<head>
   <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
   <title>Edit Student</title>
   <style>
      input[readonly] {
         cursor: not-allowed;
      }
   </style>
</head>
<body>
   <h1>Edit Student</h1>

   <% if (request.getParameter("message") != null) { %>
```

```
        <div class="message">
            <%= request.getParameter("message") %>
        </div>
    <% } %>

    <form method="POST" action="process_edit.jsp">
        <table>
    <%
        String id = request.getParameter("id");

        Connection conn = null;
        PreparedStatement pstmt = null;
        ResultSet rs = null;

        try {
            // Connect to the database
            Class.forName("com.mysql.cj.jdbc.Driver");

            conn = DriverManager.getConnection(
                "jdbc:mysql://localhost:3306/student_management",
                "root",
                "Q@jaP*96T8xY#2^7&3@7"
            );

            String sql = "SELECT * FROM students WHERE id = ?";

            pstmt = conn.prepareStatement(sql);
            pstmt.setString(1, id);

            rs = pstmt.executeQuery();

            while (rs.next()) {
                String studentCode = rs.getString("student_code");
                String fullName = rs.getString("full_name");
                String email = rs.getString("email");
                String major = rs.getString("major");
    %>
            <tr>
                <td>Student Code</td>
                <td>
                    <input type="text" name="student-code" id="student-code" required readonly
value="<%= studentCode %>">
                </td>
            </tr>
            <tr>
                <td>Full Name</td>
                <td>
```

```
                <input type="text" name="full-name" id="full-name" required value="<%=
fullName %>">
            </td>
        </tr>
        <tr>
            <td>Email</td>
            <td>
                <input type="email" name="email" id="email" value="<%= email %>">
            </td>
        </tr>
        <tr>
            <td>Major</td>
            <td>
                <input type="text" name="major" id="major" value="<%= major %>">
            </td>
        </tr>
        <input type="hidden" name="id" id="id" value="<%= id %>">
        <tr>
            <td></td>
            <td>
                <input type="submit" value="Submit">
                <a href="list_students.jsp">
                    <button type="button">Cancel</button>
                </a>
            </td>
        </tr>
    <%
        }
    // Handle errors
    } catch (ClassNotFoundException e) {
        response.sendRedirect("add_student.jsp?message=Error: JDBC Driver not found!");
    } catch (SQLException e) {
        response.sendRedirect("add_student.jsp?message=Error: Database Error: " +
e.getMessage());
    // Close database connection
    } finally {
        try {
            if (pstmt != null) pstmt.close();
            if (conn != null) conn.close();
        } catch (SQLException e) {
            e.printStackTrace();
        }
    }
    %>
    </table>
    </form>
</body>
</html>
```

Result



Task 3.2

Code

```
<%--
    Document   : process_edit
    Created on : Apr 27, 2026, 8:06:38 PM
    Author     : Islabre
--%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@ page import="java.sql.*" %>
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Student Editing Process</title>
</head>
<body>
<%
    String id = request.getParameter("id");
    String studentCode = request.getParameter("student-code");
    String fullName = request.getParameter("full-name");
    String email = request.getParameter("email");
    String major = request.getParameter("major");
```

```
    // Missing required fields
    if (studentCode == null || studentCode.trim().isEmpty() ||
        fullName == null || fullName.trim().isEmpty()) {
        response.sendRedirect("edit_student.jsp?message=Error: Required fields (Full Name,
Student Code) are missing.");
        return;
    }

    Connection conn = null;
    PreparedStatement pstmt = null;

    try {
        // Connect to database
        Class.forName("com.mysql.cj.jdbc.Driver");

        conn = DriverManager.getConnection(
            "jdbc:mysql://localhost:3306/student_management",
            "root",
            "Q@jaP*96T8xY#2^7&3@7"
        );

        // Insert info into database (prepare statement first to prevent SQL Injection Attack)
        String sql = "UPDATE students SET student_code = ?, full_name = ?, email = ?, major
= ? WHERE id = ?";

        pstmt = conn.prepareStatement(sql);
        pstmt.setString(1, studentCode);
        pstmt.setString(2, fullName);
        pstmt.setString(3, email);
        pstmt.setString(4, major);
        pstmt.setString(5, id);

        int rowsAffected = pstmt.executeUpdate();

        if (rowsAffected > 0) {
            response.sendRedirect("list_students.jsp?message=Student updated successfully");
        } else {
            response.sendRedirect("edit_student.jsp?message=Error: Failed to update student");
        }

        // Handle errors
        } catch (ClassNotFoundException e) {
            response.sendRedirect("edit_student.jsp?message=Error: JDBC Driver not found.");
            e.printStackTrace();
        } catch (SQLException e) {
            response.sendRedirect("edit_student.jsp?message=Error: Database error: " +
e.getMessage());
            e.printStackTrace();
```

```
        // Close database connection
        } finally {
            try {
                if (pstmt != null) pstmt.close();
                if (conn != null) conn.close();
            } catch (SQLException e) {
                e.printStackTrace();
            }
        }
%>
</body>
</html>
```

Result

Result of changing John Smith's Major to Information Technology:



ID	Student Code	Full Name	Email	Major	Created At	
1	SV001	John Smith	john.smith@email.com	Information Technology	2026-04-27 19:51:43.0	Edit
2	SV002	Emily Johnson	emily.j@email.com	Information Technology	2026-04-27 19:51:43.0	Edit
3	SV003	Michael Brown	michael.b@email.com	Software Engineering	2026-04-27 19:51:43.0	Edit
4	SV004	Sarah Davis	sarah.d@email.com	Data Science	2026-04-27 19:51:43.0	Edit
5	SV005	David Wilson	david.w@email.com	Computer Science	2026-04-27 19:51:43.0	Edit
6	SV007	John Doe	johndoe@gmail	Computer Science	2026-04-27 20:00:43.0	Edit

Exercise 5

Code

```
<%--
    Document   : list_students
    Created on : Apr 22, 2026, 2:16:39 PM
    Author     : islabre
--%>
```

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@ page import="java.sql.*" %>
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Student Info</title>

    <style>
        table, td {
            border: 1px solid;
            border-collapse: collapse;
        }

        td {
            padding: 0.25em;
        }
    </style>
</head>
<body>
    <h1>Student Info</h1>

    <% if (request.getParameter("message") != null) { %>
        <div class="message">
            <%= request.getParameter("message") %>
        </div>
    <% } %>

    <form method="GET" action="list_students.jsp">
        Search student: <input type="text" name="keyword" id="keyword" placeholder="Search
by name or code...">
        <button type="submit">Search</button>
        <a href="list_students.jsp">
            <button>Clear</button>
        </a>
    </form>

    <% if (request.getParameter("keyword") != null &&
!request.getParameter("keyword").isEmpty()) { %>
        <p>
            Search result for "<%= request.getParameter("keyword") %>":
        </p>
    <% } %>

    <table>
        <thead>
            <td>ID</td>
            <td>Student Code</td>
```

```
        <td>Full Name</td>
        <td>Email</td>
        <td>Major</td>
        <td>Created At</td>
    </thead>
    <tbody>
    <%
        Connection conn = null;
        PreparedStatement pstmt = null;
        ResultSet rs = null;
        String sql = "";

        try {
            // Connect to database
            Class.forName("com.mysql.cj.jdbc.Driver");

            conn = DriverManager.getConnection(
                "jdbc:mysql://localhost:3306/student_management",
                "root",
                "Q@jaP*96T8xY#2^7&3@7"
            );

            String keyword = request.getParameter("keyword");

            if (keyword != null && !keyword.isEmpty()) {
                // Retrieve students by keyword if exists
                sql = "SELECT * FROM students WHERE full_name LIKE ? OR student_code
LIKE ?";
                pstmt = conn.prepareStatement(sql);
                pstmt.setString(1, "%" + keyword + "%");
                pstmt.setString(2, "%" + keyword + "%");
            } else {
                // Retrieve all students
                sql = "SELECT * FROM students";
                pstmt = conn.prepareStatement(sql);
            }

            rs = pstmt.executeQuery();

            // Get info
            while (rs.next()) {
                int id = rs.getInt("id");
                String studentCode = rs.getString("student_code");
                String fullName = rs.getString("full_name");
                String email = rs.getString("email");
                String major = rs.getString("major");
                Timestamp createdAt = rs.getTimestamp("created_at");
    %>
```

```
                <tr>
                    <td><%= id %></td>
                    <td><%= studentCode %></td>
                    <td><%= fullName %></td>
                    <td><%= email != null ? email : "N/A" %></td>
                    <td><%= major != null ? major : "N/A" %></td>
                    <td><%= createdAt %></td>
                </tr>
        <%
                }
            // Handle errors
            } catch (ClassNotFoundException e) {
                out.println("<tr><td colspan='7'>Error: JDBC Driver not found!</td></tr>");
                e.printStackTrace();
            } catch (SQLException e) {
                out.println("<tr><td colspan='7'>Database Error: " + e.getMessage() +
"</td></tr>");
                e.printStackTrace();
            // Close database connection
            } finally {
                try {
                    if (rs != null) rs.close();
                    if (pstmt != null) pstmt.close();
                    if (conn != null) conn.close();
                } catch (SQLException e) {
                    e.printStackTrace();
                }
            }
        %>
        </tbody>
    </table>
</body>
</html>
```

Result

Before searching:

Student Info

Search student: john Search Clear

ID	Student Code	Full Name	Email	Major	Created At
1	SV001	John Smith	john.smith@email.com	Computer Science	2026-04-22 07:18:54.0
2	SV002	Emily Johnson	emily.j@email.com	Information Technology	2026-04-22 07:18:54.0
3	SV003	Michael Brown	michael.b@email.com	Software Engineering	2026-04-22 07:18:54.0
4	SV004	Sarah Davis	sarah.d@email.com	Data Science	2026-04-22 07:18:54.0
5	SV005	David Wilson	david.w@email.com	Computer Science	2026-04-22 07:18:54.0
7	SV006	John Doe	johndoe@gmail.com	Computer Science	2026-04-22 08:36:26.0

After:

Student Info

Search student: Search by name or code... Search Clear

Search result for "john":

ID	Student Code	Full Name	Email	Major	Created At
1	SV001	John Smith	john.smith@email.com	Computer Science	2026-04-22 07:18:54.0
2	SV002	Emily Johnson	emily.j@email.com	Information Technology	2026-04-22 07:18:54.0
7	SV006	John Doe	johndoe@gmail.com	Computer Science	2026-04-22 08:36:26.0

Exercise 6

Code

Process_add.jsp

```
<%--
    Document   : process_add
    Created on : Apr 22, 2026, 3:13:22 PM
    Author     : islabre
--%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@ page import="java.sql.*" %>
```

```
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Student Adding Process</title>
</head>
<body>
<%
    String studentCode = request.getParameter("student-code");
    String fullName = request.getParameter("full-name");
    String email = request.getParameter("email");
    String major = request.getParameter("major");

    // Missing required fields
    if (studentCode == null || studentCode.trim().isEmpty() ||
        fullName == null || fullName.trim().isEmpty()) {
        response.sendRedirect("add_student.jsp?message=Error: Required fields (Full Name,
Student Code) are missing.");
        return;
    }

    if (!studentCode.matches("[A-Z]{2}[0-9]{3,}")) {
        response.sendRedirect("add_student.jsp?message=Error: Invalid Student Code
format");
        return;
    }

    if (email != null && !email.isEmpty()) {
        if (!email.matches("^[A-Za-z0-9+_.-]+@(.+)$")) {
            // Invalid email format
            response.sendRedirect("add_student.jsp?message=Error: Invalid email format");
            return;
        }
    }

    Connection conn = null;
    PreparedStatement pstmt = null;

    try {
        // Connect to database
        Class.forName("com.mysql.cj.jdbc.Driver");

        conn = DriverManager.getConnection(
            "jdbc:mysql://localhost:3306/student_management",
            "root",
            "Q@jaP*96T8xY#2^7&3@7"
        );
```

```
        // Insert info into database (prepare statement first to prevent SQL Injection Attack)
        String sql = "INSERT INTO students (student_code, full_name, email, major) VALUES
(?, ?, ?, ?)";

        pstmt = conn.prepareStatement(sql);
        pstmt.setString(1, studentCode);
        pstmt.setString(2, fullName);
        pstmt.setString(3, email);
        pstmt.setString(4, major);

        int rowsAffected = pstmt.executeUpdate();

        if (rowsAffected > 0) {
            response.sendRedirect("list_students.jsp?message=Student added successfully");
        } else {
            response.sendRedirect("add_student.jsp?message=Error: Failed to add student");
        }

        // Handle errors
        } catch (ClassNotFoundException e) {
            response.sendRedirect("add_student.jsp?message=Error: JDBC Driver not found.");
            e.printStackTrace();
        } catch (SQLException e) {
            String errorMsg = e.getMessage();
            if (errorMsg.contains("Duplicate entry")) {
                response.sendRedirect("add_student.jsp?message=Error: Student code already
exists");
            } else {
                response.sendRedirect("add_student.jsp?message=Error: Database error");
            }
            e.printStackTrace();

        // Close database connection
        } finally {
            try {
                if (pstmt != null) pstmt.close();
                if (conn != null) conn.close();
            } catch (SQLException e) {
                e.printStackTrace();
            }
        }
%>
</body>
</html>
```

Process_edit.jsp

```
<%--
```

```
    Document   : process_edit
    Created on : Apr 27, 2026, 8:06:38 PM
    Author     : Islabre
--%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@ page import="java.sql.*" %>
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Student Editing Process</title>
</head>
<body>
<%
    String id = request.getParameter("id");
    String studentCode = request.getParameter("student-code");
    String fullName = request.getParameter("full-name");
    String email = request.getParameter("email");
    String major = request.getParameter("major");

    // Missing required fields
    if (studentCode == null || studentCode.trim().isEmpty() ||
        fullName == null || fullName.trim().isEmpty()) {
        response.sendRedirect("edit_student.jsp?message=Error: Required fields (Full Name,
Student Code) are missing.");
        return;
    }

    // Invalid Student Code
    if (!studentCode.matches("[A-Z]{2}[0-9]{3,}")) {
        response.sendRedirect("edit_student.jsp?message=Error: Invalid Student Code
format");
        return;
    }

    if (email != null && !email.isEmpty()) {
        if (!email.matches("^[A-Za-z0-9+_.-]+@(.+)$")) {
            // Invalid email format
            response.sendRedirect("edit_student.jsp?message=Error: Invalid email format");
            return;
        }
    }

    Connection conn = null;
    PreparedStatement pstmt = null;

    try {
```

```
        // Connect to database
        Class.forName("com.mysql.cj.jdbc.Driver");

        conn = DriverManager.getConnection(
            "jdbc:mysql://localhost:3306/student_management",
            "root",
            "Q@jaP*96T8xY#2^7&3@7"
        );

        // Insert info into database (prepare statement first to prevent SQL Injection Attack)
        String sql = "UPDATE students SET student_code = ?, full_name = ?, email = ?, major
= ? WHERE id = ?";

        pstmt = conn.prepareStatement(sql);
        pstmt.setString(1, studentCode);
        pstmt.setString(2, fullName);
        pstmt.setString(3, email);
        pstmt.setString(4, major);
        pstmt.setString(5, id);

        int rowsAffected = pstmt.executeUpdate();

        if (rowsAffected > 0) {
            response.sendRedirect("list_students.jsp?message=Student updated successfully");
        } else {
            response.sendRedirect("edit_student.jsp?message=Error: Failed to update student");
        }

        // Handle errors
        } catch (ClassNotFoundException e) {
            response.sendRedirect("edit_student.jsp?message=Error: JDBC Driver not found.");
            e.printStackTrace();
        } catch (SQLException e) {
            response.sendRedirect("edit_student.jsp?message=Error: Database error: " +
e.getMessage());
            e.printStackTrace();

        // Close database connection
        } finally {
            try {
                if (pstmt != null) pstmt.close();
                if (conn != null) conn.close();
            } catch (SQLException e) {
                e.printStackTrace();
            }
        }
%>
</body>
```

</html>

Result

Process_add.jsp