Portofolio Home Project Contact



Hi, I am John Doe

Frontend Developer

# **PROJECT**



A. P. J. Abdul Kalam 1931-2015

## Missile Man of India




### SECTION ONE




### Job Application (Web)

First Name	Last Name
Email	Job Role
	Select Job Role ~
Address	
City	Pincode
city	Pincode
City Start Date	Pincode Upload You Cv









#### Javascript Documentation Introduction

#### Introduction

Januburgit is a cross platform, object oriented sorieting language. It is a small and lightweight language, health ahout environment (for example, o web brown can be consected to the objects of its environment to previous programmatic control man them.

Jandicryst contains a standard filtery of objects, such as integ Date, and Math, and a core-set of language elements such an operators, control estuctures, Core Jandicelle can be estended for a variety of jusqueen by supplementing it with additional objects, for example

Clean side Jandinity exercit the core lenguage by supplying shipms to control stroward and its focus and things historic (ICAM). For example, clean side with an application to place elements on an in Titl. Then and respond to some events such as mouse clicks, form oppol, and page to expertis.

 Server side. Janualizaţii extendi the coor languagerlişi sugeţinişi standa te numing, Janualizaţii on a server. For mample, server-side extensione at ta communicate with a destinae, provide community of information from one invocation to another of the application, or perform file manipulations on a

#### What you should already know

This guide assumes you have the following book background:

- A general understanding of the Internet and the Block Work (Mrs.
- Goodworking Innovietge of Hoper Text Markup Language (HTML)
- $\cdot \ \, \text{Some programming experience. If you are new to programming, by one of the Substate british or the main page about Javable (as the programming and p$

#### JavaScript and Java

Janufarişi and Janu are similar in sume mayalasi fundamenisky differed in sume oliven. The Janufarişti language represides Janufariş fadam mal have Janufarişti engage represides Janufarişti fadam male Janufarişti male fine reppen alayılı in Janufarişti fadam male Janufarişti engaş fine reppen alayılı in Janufariya ve Januf

to confidentitis. Jestics compiler them specime of allower both by detrimentions. Jestificing is appoint a nonliner specime loade on a small scarled or of allowing more processing of the control of the first processing processing of the control o

Jacoficing) is a very free form language compane) to Jaco. You do not have to declare all variables, classes, and mathods. You do not have to be concerned methods are public, private, or protected, and you do not have to implement interfaces, variables, parameters, and function returningses are not explicitly type.

#### Hello worl

To get started with writing JaveScript, open the Scratchped and write your first "Helio world" JaveScript.cod


function greet/despositioned (site\*("helia" + pourhame) )

#### Variable

You use rankfiles as spribolic names for values in your application. The names of variables, called identifiers, conform to certain to

A Joerstropt therefore must dark with a letter, underscore (.), or dufar age (0), advangent characters can also be digits (24). The same Jenstropt to case or include the characters '24' from (12.7) and the char

You can use SD BSP-1 or Unicode fellow such as 8 and 8 in stendifiers. You can also use the briscode recope sequences as characters in stendifiers. Some names are Number, Mis. temp00. and \_name.



**Lets work Together** 

in linkedin Twitter Sends Mail

Github Mobile

