



WHAT'S NEW? -> How RFID Works and How To Make an Arduino based RFID Door Lock (http://howtomechatronics.com/tutorials/arduin



Q

(https://www.youtube.com/user/DejanNedelkovski)

G+(https://plus.google.com/+Howtomechatronics)



Follow me on: ()
922
Shares

420me (http://howtomechatronics.com)

: utorials (http://howtomechatronics.com/category/tutorials/) > Arduino Tutorials (http://howtomechatronics.com/category/tutorials/arduino/) 420

Utrasonic Sensor HC-SR04 and Arduino Tutorial

<u> ■ Dejan Nedelkovski (http://howtomechatronics.com/author/howtom12_wp/)</u> July 26, 2015 <u>Arduino Tutorials (http://howtomechatronics.com/category/tutorials/arduino/)</u>

Ç o (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comments)

In this Arduino Tutorial we will learn how the HC-SR04 Ultrasonic Sensor works and how to use it with the Arduino Board. You can watch the following video or read the written tutorial below.

Ultrasonic Sensor HC-SR04 and Arduino Tutorial		

Components needed for this tutorial


You can get these components from any of the sites below:

- Ultrasonic Sensor HC-SR04....... Amazon (http://howtomechatronics.com/recommends/ultrasonic-module-hc-sr04-amazon/)
 / Banggood (http://howtomechatronics.com/recommends/hc-sr04-ultrasonic-module-distance-measuring-transducer-sensor-bg/)
 / GearBest (http://howtomechatronics.com/recommends/ultrasonic-sensor-hc-sr04-gearbest/)
 / DealExtreme (http://howtomechatronics.com/recommends/ultrasonic-module-hc-sr04-dealextreme/)
 / ICStation (http://howtomechatronics.com/recommends/hc-sr04-ultrasonic-sensor/)
- Breadboard and Jump Wires...... <u>Amazon (http://howtomechatronics.com/recommends/breadboard-jumper-wires-kit-amazon/)</u> / <u>Banggood (http://howtomechatronics.com/recommends/solderless-pcb-breadboard-jump-wires-bg/)</u> / <u>GearBest (http://howtomechatronics.com/recommends/breadboard-jump-wires-gearbest/)</u> / <u>DealExtreme (http://howtomechatronics.com/recommends/breadboard-kit-dealextreme/)</u> / <u>ICStation (http://howtomechatronics.com/recommends/breadboard-jump-wires-ic/)</u>


922ase note: These are affiliate links. I may make a commission if you buy the components through these links. I would appreciate your support in this way!

Law It Works – Ultrasonic Sensor


It emits an ultrasound at 40 000 Hz which travels through the air and if there is an object or obstacle on its path It will bounce back to the ragedule. Considering the travel time and the speed of the sound you can calculate the distance.



The HC-SR04 Ultrasonic Module has 4 pins, Ground, VCC, Trig and Echo. The Ground and the VCC pins of the module needs to be connected to the Ground and the 5 volts pins on the Arduino Board respectively and the trig and echo pins to any Digital I/O pin on the Arduino Board.




 lg_{2} grder to generate the ultrasound you need to set the Trig on a High State for 10 μ s. That will send out an 8 cycle sonic burst which will travel at the speed sound and it will be received in the Echo pin. The Echo pin will output the time in microseconds the sound wave traveled.



(http://howtomechatronics.com/wp-

content/uploads/2015/07/Ultrasonic-Sensor-Diagram.png?x57244)

For example, if the object is 10 cm away from the sensor, and the speed of the sound is 340 m/s or 0.034 cm/µs the sound wave will need to travel about 294 u seconds. But what you will get from the Echo pin will be double that number because the sound wave needs to travel forward and bounce backward. So in order to get the distance in cm we need to multiply the received travel time value from the echo pin by 0.034 and divide it by 2.



(http://howtomechatronics.com/wp-

content/uploads/2015/07/Ultrasonic-Sensor-Equasions.png?x57244)

AdChoices

Arduino Code

Arduino Humidity Sensor

Source Codes

First you have to define the Trig and Echo pins. In this case they are the pins number 9 and 10 on the Arduino Board and they are named trigPin and echoPin. Then you need a Long variable, named "duration" for the travel time that you will get from the sensor and an integer variable for the distance.

In the setup you have to define the trigPin as an output and the echoPin as an Input and also start the serial communication for showing the results on the serial monitor.

Shares

In the loop first you have to make sure that the trigPin is clear so you have to set that pin on a LOW State for just 2 µs. Now for generating the Ultra sound wave we have to set the trigPin on HIGH State for 10 µs. Using the *pulseIn()* function you have to read the travel time and put that value into the variable "duration". This function has 2 parameters, the first one is the name of the echo pin and for the second one you can write either HIGH or LOW. In this case, HIGH means that the *pulsIn()* function will wait for the pin to go HIGH caused by the bounced sound wave and it will start timing, then it will wait for the pin to go LOW when the sound wave will end which will stop the timing. At the end the function will return the length of the pulse in microseconds. For getting the distance we will multiply the duration by 0.034 and divide it by 2 as we explained this equation previously. At the end we will print the value of the distance on the Serial Monitor.

```
2.
      * Ultrasonic Sensor HC-SR04 and Arduino Tutorial
3.
      * Crated by Dejan Nedelkovski,
      * www.HowToMechatronics.com
 5.
 6.
 7.
8.
      // defines pins numbers
9.
10.
      const int trigPin = 9;
11.
      const int echoPin = 10;
12
      // defines variables
13.
      long duration;
14.
15.
      int distance;
16.
17.
      void setup() {
      pinMode(trigPin, OUTPUT); // Sets the trigPin as an Output
18.
      pinMode(echoPin, INPUT); // Sets the echoPin as an Input
19.
      Serial.begin(9600); // Starts the serial communication
20.
21.
22.
23.
      void loop() {
24.
      // Clears the trigPin
      digitalWrite(trigPin, LOW);
25.
26.
      delayMicroseconds(2);
27.
28.
      // Sets the trigPin on HIGH state for 10 micro seconds
29.
      digitalWrite(trigPin, HIGH);
30.
      delayMicroseconds(10);
31.
      digitalWrite(trigPin, LOW);
32.
33
      // Reads the echoPin, returns the sound wave travel time in microseconds
34.
      duration = pulseIn(echoPin, HIGH);
35.
36.
      // Calculating the distance
37.
      distance= duration*0.034/2;
38.
39.
      // Prints the distance on the Serial Monitor
      Serial.print("Distance: ");
40.
41.
      Serial.println(distance);
42.
```

If you want to display the results from the HC-SR04 Ultrasonic Sensor on an LCD (http://howtomechatronics.com/tutorials/arduino/lcd-tutorial/) you can use the following source code:

```
1.
       * Ultrasonic Sensor HC-SR04 and Arduino Tutorial
  2.
  3.
       * Crated by Dejan Nedelkovski,
   4.
  5.
       * www.HowToMechatronics.com
   6.
   7.
   8.
        #include <LiquidCrystal.h> // includes the LiquidCrystal Library
  9.
 10.
 11.
       LiquidCrystal lcd(1, 2, 4, 5, 6, 7); // Creates an LCD object. Parameters: (rs, enable, d4, d5, d6, d7)
 12.
 13.
       const int trigPin = 9;
 14.
       const int echoPin = 10;
922
       long duration;
Shares
 17.
       int distanceCm, distanceInch;
 18.
4200.
       void setup() {
       lcd.begin(16,2); // Initializes the interface to the LCD screen, and specifies the dimensions (width and height) of the
 20.
       display
4201.
       pinMode(trigPin, OUTPUT);
 22.
 23.
       pinMode(echoPin, INPUT);
329
 25.
       void loop() {
 27.
       digitalWrite(trigPin, LOW);
 28.
       delayMicroseconds(2);
 ۷9.
 30.
       digitalWrite(trigPin, HIGH);
 31.
       delayMicroseconds(10);
 32.
       digitalWrite(trigPin, LOW);
 33.
       duration = pulseIn(echoPin, HIGH);
 34.
 35.
       distanceCm= duration*0.034/2;
 36.
       distanceInch = duration*0.0133/2;
 37.
       lcd.setCursor(0,0); // Sets the location at which subsequent text written to the LCD will be displayed
 38.
 39.
       lcd.print("Distance: "); // Prints string "Distance" on the LCD
       lcd.print(distanceCm); // Prints the distance value from the sensor
 40.
       lcd.print(" cm");
 41.
 42.
       delay(10);
 43.
       lcd.setCursor(0,1);
 44.
       lcd.print("Distance: ");
       lcd.print(distanceInch);
 45.
 46.
       lcd.print(" inch");
 47.
       delay(10);
 48.
```

EasyEDA: Ideas for Circuit Design, Innovation for Electronics Access (http://easyeda.com)

Free Circuit Design: Schematic - Simulation - PCB Layout - Gerber Viewer (https://easyeda.com/editor)

JLCPCB Prototype: Only \$2 for 10pcs 10×10cm, 24 hours Quick Turn, DHL Delivery in 3 days (https://www.jlcpcb.com)

Arduino (http://howtomechatronics.com/tag/arduino/)

Distance (http://howtomechatronics.com/tag/distance/)

HC-SR04 (http://howtomechatronics.com/tag/hc-sr04/)

<u>Ultrasonic Sensor (http://howtomechatronics.com/tag/ultrasonic-sensor/)</u>

 $\underline{\text{Tutorial (http://howtomechatronics.com/tag/tutorial/)}}$

SHARE ON:

(https://es.pinterest.com/pin/create/button/?guid=Q5 A5tBwqu0 -1&url=http%3A%2F%2Fhowtomechatronics.com%2Ftutorials%2Fard sensor-

hc-


sr04%2F&media=http%3A%2F%2Fhowtomechatronics.com%2Fwp-content%2Fuploads%2F2015%2F07%2FUltrasonic-

Sensor-


Tutorial-

0001119.jpg&description=Ultrasonic%2BSensor%2BHC-SR04%2Band%2BArduno%2BTutoria}).rr Share 420 Like 420

RELATED POSTS



(http://howtomechatronics.com/tutorials/arduino/control-any-electronics-with-a-tv-remote-arduino-ir-tutorial/)



(http://howtomechatronics.com/how-it-works/electrical-engineering/mems-accelerometer-gyrocope-magnetometer-arduino/)



(http://howtomechatronics.com/tutorials/arduino/arduino-and-hc-05-bluetooth-module-tutorial/)



8º RESPONSES

<u>S Looney (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/)</u> November 24, 2015 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-192)

Please note the error in your fritzing wiring diagram that shows GND to VCC and VCC to echo.

Thanks

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> <u>November 25, 2015 (http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/#comment-209)</u></u>

Thanks for the remark. I will change the that one.

REPLY

pradeep November 27, 2015 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-219)

Can you please email me the updated diagram of Ultrasonic Circuit sketch diagram?

Thank you in advance, Pradeep <u>Dejan Nedelkovski (http://howtomechatronics.com)</u> <u>November 27, 2015 (http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/#comment-220)</u></u>

It's already updated.

pictorobo (http://www.pictorobo.com) April 13, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1889)

connet vcc to +5 volt

REPLY

922 Shares

420

<u>i nujadidd (http://www.engr.com)</u> November 30, 2015 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-4<u>s</u>n04/#comment-235)

please give us the diagram of the ultra sonic with LCD 329

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com/</u> <u>November 30, 2015 (http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/#comment-238)</u>

Here you can find details how to connect and use the LCD:

http://howtomechatronics.com/tutorials/arduino/lcd-tutorial/ (http://howtomechatronics.com/tutorials/arduino/lcd-tutorial/)

REPLY

Siddharth shetty February 25, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-627)

Can we use a led to indicate the distance???? If yes than can u pls email me the codes.... Thanks

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> February 25, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/#comment-628)

Yes, you can, but I don't have such a code.

Tino December 29, 2015 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-359)

http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/ (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/) Hi,

Followed everything I guess.	
Still I see that the distance will no be bigger than 1 cm:	
0in, 0cm	
0in, 0cm	
Oin, 0cm	
0in, 0cm	
0in, 1cm	
0in, 0cm	
Oin, 0cm I am using a Arduino DUE, for the rest anything is connected directly to the board.	
Any ideas?	
Best regards	
922 Shares REPLY	
420	
 Dejan Nedelkovski (http://howtomechatronics.com) December 29, 2015 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-362) The problem might be that you are using Arduino DUE, which has 3.3V pins and the ultrasonic sensors is working with 5V. Try using an are using Arduino DUE, which has 3.3V pins and the ultrasonic sensors is working with 5V. 	an
resistor at the echo pin, as the 3.3V are fine for the Trig pin, but the Echo pin of the sensor will output 5V to your Arduino DUI which might damage it.	
REPLY	
Rhydo June 28, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1034) Make sure your trig and Echo pins are connected to digital pins 9 and 10 instead of 11 and 12.	
REPLY	
IAN December 30, 2015 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-364)	
Unfortunately I get the same 0, 0, response for the ultrasonic sensor on the monitor as well using Mega 2560 using just the sensor code by itself??? Any other suggestions? Cheers, Ian	
REPLY	

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> <u>December 30, 2015 (http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/#comment-368)</u></u>

Sorry to hear that but I have just tried this code as well and it's working perfectly with my HC-SR04. You got to be doing something wrong, or your sensor is not working properly.

<u>The Wisdom Wize (http://Howtomechatronics.com)</u> April 27, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1938)

Thanks for being so active on this.

what type of arduino should I use?

amirul January 1, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-376)

922 Shares REPLY

420

420

Dejan Nedelkovski (http://howtomechatronics.com) January 1, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor
hc-sr04/#comment-377)

Well you can do it with almost any model which operating voltage is 5V.

REPLY

extremeus January 11, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-443)

hi,you forgot to write liquidcrystal in the lcd code

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> January 11, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-445)

Yes thanks, it's fixed now.

REPLY

Haravey January 23, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-500)

Great video. Thanks. I'm trying to set this up to trigger a gate or relay at a predefined range to set off a light if something gets too close. Have you already developed a sketch for this scenario. I just can't seem to get it to work correctly myself. Thanks.

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> January 24, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/#comment-501)

Thanks! Well this is a tutorial that can help you understand the basic working principle of the sensor and the code to get it working with the Arduino, but I don't have a specific code as what you have described. Every project is a unique and needs a unique code, but I don't make custom codes. I hope watching some of my other tutorials as well, will get your code writing knowledge good enough so you can make your own code for your project. Cheers!

REPLY

Thor January 31, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-518)

Hey, I got everything working and your tutorials are great! My display works, but it is just a blue screen. It is just blue and no numbers or 922 sharpything on it, please help!

REPLY

420

Dejan Nedelkovski (http://howtomechatronics.com) January 31, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-519)

Well the problem is the contrast of the display. Use a potentiometer to adjust the contrast (as shown in my Arduino LCD Tutorial) or make a voltage divider with two resistors.

REPLY

Harvey February 6, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-538)

Can u email me or update the diagram of this project by adding the connections for the 16×2 lcd green screen ty in advance this website was a real help to me as my first arduino project and I use arduino uno is that OK or I have to change something in ue given project waiting for a quick response:)

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com/</u> February 7, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/#comment-544)

Well combine the circuit schematics from my Arduino LCD tutorial and this one.

REPLY

Sougata (http://www.techairy.tk) February 9, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-558)

Hey Can you please upload/ Mail me the code and the diagram for measuring X-Axis And Y-Axis distance at the same time... Thanks

Dejan Nedelkovski (http://howtomechatronics.com) February 9, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/#comment-563)

What do you mean, which example in this tutorial is that?

REPLY

922 Shares Sougata February 10, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-569)

Actually I wanna know that, if i wanna connect two ultrasonic at a same time and show output in the display,,,... then what will be the code??? thanks

420

420

sougata February 11, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-576) 329

Yea !!!!! I did it.... Anyway thanks.. 🙂

REPLY

terry schulz February 25, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-630)

hi i have been working on HC-SR04 Ultrasonic Module and was wondering if you could send me a schematic of the project with the lcd hook up thank you for your time

REPLY

Aiden June 12, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-998)

Hi Sougata, Brilliant that you managed it! Could you give me the code? Thanks.

REPLY

Judy Kathryn March 3, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-650)

Is the source code for the sensor and LCD is under one sketch?? Or i need to use two arduino boards?? And if so, how can i connect the two then? \odot

Dejan Nedelkovski (http://howtomechatronics.com) March 3, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-655)

It's one Arduino, one sketch. The ultrasonic sensor connection is as explained and for the LCD connection check my Arduino LCD Tutorial

REPLY

Gaurav Jagannath Alande March 3, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-651) can you send me the code of interfacing arduino with HCSR-04 sensor -SG-90 servo motor n lcd with buzzer interfaing send me code plz

922 REPLY

420

- 420 <u>Dejan Nedelkovski (http://howtomechatronics.com)</u> March 3, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensorhc-sr04/#comment-656)
- 329 Sorry, I don't have such a code.

REPLY

vignesh March 12, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-684) can i do the same with a pic controller? with an altered program

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> March 12, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-688)

Yes, sure you can.

REPLY

Anamul March 21, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-712)

Can i use this code for arduino UNO board

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> March 21, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-713)

Yes, you can.

REPLY

Ton April 1, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-761)

Dear Dejan, I am building a simple robot with this sensor. The problem is this: I want to avoid a collision at a distance of about 50 cm. How do I implement in code this value in the simple software I made. (the robot is programmed to drive an eight) with simple code as digitalWrite HIGH or LOW on two pins.

Regards, Ton.

922 Shares REPLY

420

- Dejan Nedelkovski (http://howtomechatronics.com) April 2, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-762)
- Well the sensor can detect objects at that distance so I guess using some "if" statements you could make a simple code for avoiding collisions.

REPLY

Pramod April 17, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-823)

Hi Dejan

Can I use HCSR 04 to send data to another HC SR04? I mean making one to act as transmitter and other as receiver? If yes how can I modify the code?

 ${\tt REPLY}$

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> April 18, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-828)

Well I haven't tried something like that so I cannot say anything. You should try, it might be possible.

REPLY

rakan April 18, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-830)

Dear.

I have an idea to measure the amount of water in a water tank.

It has been seen on your video experiment to Motion Sensor.

Question: Is it possible to transfer centimeter change in the screen to a percentage, for example 40%, 50%.

Thank.

Rakan

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com/</u> <u>April 19, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-832)</u>

Sure you just have to implement the math into the code.

REPLY

922 Shares

rakan April 21, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-837)

can I get your email,we want contract with you for this adea please.

420

420

329

r 'kan April 23, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-847)

can I get your email,we want contract with you for this idea.

thanks.

REPLY

William May 20, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-928)

Dear, it possible the ultrasonic can detect the water leakage on the water pipe? mean the ultrasonic can receive the frequency or other value to show that when the water pipe has leakage, the value will changing? thanks

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> May 20, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-935)

Well I'm not quite sure about this. I guess the ultrasonic wave could bounce when it would hit the water but I can't say whether it would work for your idea.

REPLY

William May 23, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-945)

Sir, because i need use ultrasonic sensor to detect the water pipe leakage which is receive the frequency / pulse from the water pipe, it possible the ultrasonic sensor can receive the frequency/ pulse ?? since this is ultrasonic project, would u can take time explain the concept of the ultrasonic sound use in detect water pipe leakage, i very confuse, thanks for reply me....

asda May 20, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-930)

MY HC SR04 is always gives maximum output 24 cm . what to do now $\!\!\!\!\!>$

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> May 20, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-937)

922 How come? Did you connect everything properly as presented in the tutorial, as well as, did you use the exactly same source code?

REPLY 420

420

³²⁹SAYAN SETH June 1, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-989)

hich Software have you used to Draw this circuit design

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> June 1, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-990)

Fritzing.

REPLY

yoangel August 13, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1130)

hello, if I want the measurement is not displayed in cm, if not in liters or ml as should be the formula? since I want to use this sensor to measure the water level of a tank

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> <u>August 14, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1145)</u>

If you know the dimensions of the tank you can use and transform the unit "cm" to measure the "liters" of the tank.

Anant September 23, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1202)

Hey Dejan, is it possible to add a sound in the output so that the distance can also be used by the blinds!!

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> <u>September 25, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/#comment-1205)</u>

Sure it's possible.

922 Shares REPLY

420

Hotso October 9, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1266)

: connected the sensor to pic 16f877a and i wanted to measure the volume of water in a tank but i m getting false results what might be 3ffe problem

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> <u>October 14, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/#comment-1286)</u>

Sorry but I haven't tested this module with the particular microcontroller.

REPLY

Malik October 11, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1273)

hi, i have checked this and many other codes but it is not giving accurate distance, only giving 2 inches. In addition I want to modify the range how I can do that?

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> October 14, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/#comment-1291)

The code is working 100%, so you either have a wrong connection or your sensor is faulty.

0/2017	Ultrasonic Sensor HC-SR04 and Arduino Tutorial
Nicky Puff October 20, 2016 (http://howtom	nechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1325)
Dude, your tutorials are fcking awesome !!! I never find like this tutorial easy to understand, easty to implement :	
Do you have private contact ? i have final p	oroject in my colege and need new idea from you Could you ? 😃
Thanks so much	
REPLY	
922 Dejan Nedelkovski (http://howtomechatro Sharessensor-hc-sr04/#comment-1336) Thanks! Sorry but I don't work on privat 420 REPLY	enics.com) October 22, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic- te projects.
	wtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1356) ast from the Ultrasonic Sensor on app inventor, could you help me with it? Thx and best
sensor-hc-sr04/#comment-1367) Hi there. Well sorry but all I can say is to your own.	onics.com) October 29, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-com/tutorials/arduino/ultrasonic-com/tutorial on app inventor and in combination with this tutorial, make the project on cicular sensor, module or a program, and your are that one that should use the knowledge specific project.
Agus salim October 31, 2016 (http://howtorhinice project1 i have a question,, what code arduino mega match with another.	mechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1377) her tipe of arduino?like a nano,unoetc

thank you

Dejan Nedelkovski (http://howtomechatronics.com)	November 9, 2016 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-
sensor-hc-sr04/#comment-1406)	

It's the same code.

REPLY

Harshit (http://howtomechatronics.com) April 19, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1908)

is it possible to stop dc motor with the help of PIR sensor??

922 REPLY

420

- 420 <u>Dejan Nedelkovski (http://howtomechatronics.com)</u> May 11, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-1988)
- 329 Sure, it's possible.

REPLY

brahim May 23, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2032)

I want to determine the coordinates(x,yz) of a point in space(room for exemple) by using ardouino, is that possible? and how to do it?

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> May 24, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2039)

You might be able to achieve that using this ultrasonic sensor. If you know the angle and the distance to the object you can determine it's coordinates.

REPLY

Gustavo May 31, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2061)

is there any way to reduce te maximun distance measured?? great tuto by the way

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> <u>June 1, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2069)</u></u>

Reduce the distance in what way? I didn't get it. The range of the sensor is from ~2cm up to 4m.

REPLY

brian burroughs June 1, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2063)

hi do you have a wiring schematic for the whole thing combined? the distance sensor and the lcd?

REPLY

922 Shares

420

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> <u>June 1, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-420 sr04/#comment-2070)</u>

Sorry I don't have it, but you can combine them easily if you check my Arduino LCD Tutorial.

329

REPLY

brian burroughs June 11, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2106)

have you got a wiring diagram for the distance sensor combined with the lcd?

REPLY

brian burroughs June 11, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2110)

Quick question Dejan, I want to hook the distance sensor up with a raspberry pi 3, all tutorials I see seem to use resistors, how come ya don't need them with the arduino but ya need them with the pi?

could i do it on the pi without resistors?

REPLY

carmine June 26, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2155)

hello i am carmine from rome,

it is possible to change the absolute reading to a relative reading with a potentiometer change to a relative distance on the display? Thank you

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> <u>June 28, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2163)</u></u>

You should be able to do that if you modify the code to compensate the initial reading, probably with a simple arithmetic operation.

REPLY

Chris June 26, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2156)

Can the ultrasonic sensor turn on 24/7? for everyday? Will it burn or get hot? Thanks

REPLY 922 Shares

420

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> <u>June 28, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2162)</u>

That's a good question. Well it's electronics, so it should be able to work, but I cannot tell how reliable these cheap sensors are.

REPLY

Matt June 27, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2158)

Super useful thanks for sharing!

REPLY

naja July 20, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2243)

hello its is true this sensor can detect from 2cm - 4meter? and if distance over than 4meter, what will show at lcd display?

REPLY

<u>Dejan Nedelkovski (http://howtomechatronics.com)</u> <u>July 23, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2251)</u></u>

That's true. If the measured distance is over 4 meters it won't give you correct values, just some random numbers.

REPLY

naja July 23, 2017 (http://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/#comment-2254)

isnt not have any solution if like that?

LEAVE A REPLY	
Your email address will not be published.	
Comment	
922 Shares	
Name*	Email*
420	
420	
₩ ebsite	

SUBMIT




(https://mydevices.com/cayenne/landing/jumpstart-projects-with-cayenne/?utm_source=howtomechatronics%7Cs&utm_medium=display&utm_campaign=howtomechatronics%20arduino%7Cs)

LATEST



POPULAR



(http://howtomechatronics.com/projects/arduino-radar-project/)

Arduino Radar Project (http://howtomechatronics.com/projects/arduinoradar-project/)

- Dejan Nedelkovski (http://howtomechatronics.com/author/howtom12 wp/)
- ① July 28, 2015
- 307 (http://howtomechatronics.com/projects/arduino-radar-project/#comments)



Ultrasonic Sensor HC-SR04 and Arduino Tutorial (http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/)

Dejan Nedelkovski


 $\underline{(http://howtomechatronics.com/author/howtom12\ wp/)}$

① July 26, 2015

 \bigcirc 86

(http://howtomechatronics.com/tutorials/arduino/ultrasonicsensor-hc-sr04/#comments)

(h tp://howtomechatronics.com/tutorials/arduino/ultrasonic-sensor-hc-sr04/)



How I2C
Communicati
Works and
How To Use
It with
Arduino
(http://howto
i2ccommunicati
works-andhow-to-useit-witharduino/)

<u>Dejan Ned</u> (http://howto
⊙ October
5, 2015

(http://howtomechatronics.com/tutorials/arduino/how-i2c-communication-works-and-how-to-use-it-with-arduino/)

Arduino TFT LCD Touch Screen Tutorial (http://howtomechatronics.com/tutorials/arduino/arduino-tft-lcd-touch-screen-tutorial/)

\$\textstyle \textstyle \textstyl

Q 140 (http://howtomechatronics.com/tutorials/arduino/arduino-tft-lcd-touch-screen-tutorial/#comments)



(http://howtomechatronics.com/tutorials/arduino/arduino-tft-lcd-touch-screen-tutorial/) 329

FOLLOW ME!

(https://www.factebook/plcong/httpack/browthalkoontidasecbatr/osecs/DejanNedelkovski)

Get Email Updates!

Signup now and receive an email once I publish new content.

I will never give away, trade or sell your email address. You can unsubscribe at any time.

Enter Your Name Enter Your Email Address

Sign Up

My Amazon Picks



Elegoo UNO R3 Project Complete Starter Kit with T... (http://aax-useast.amazon-adsystem.com/x/c/Qmj-

QaLqXUty03m07Cl4ntkAAAFeUbryFAEAAAFKAQ3Qev0/https://www.amaz...

\$53.99-\$3519lete-Starter-

Tutorial/dp/BQ26gTLHGE/ref=sm_n_ma_dka_ES_pr_pub_0_0?

sigts=1504609759775&sig=064f60bcc7dd8ac6a7f3667d9999df6eeeac1b...

20&linkCode=w43&ref-

refURL=http%3A%2F%2Fh sensor-hc-sr04%2F&slotNu



n%2Ftutorials%2Farduin... xRu13zgKl120CsTz8lg)

Shares

922

OSOYOO Sensor Kit 20 Modules for Arduino UNO... (http://aax-us-20 east.amazon-adsystem.com/x/c/Qmj-

(:aLqXUty03m07Cl4ntkAAAFeUbryFAEAAAFKAQ3Qev0/https://www.amaz...

1,2019Re \$-171e9 a 2560-Raspberry-

Learning/dp/βφβWQY2704/ref=sm_n_ma_dka_ES_pr_pub_1_0?

eicts=1504609759775&sia=69a8147697e22560585a53459ce3aa633bea.



Rosewill 90 Piece Professional Computer... (http://aax-us-east.amazonadsystem.com/x/c/Qmj-

QaLqXUty03m07Cl4ntkAAAFeUbryFAEAAAFKAQ3Qev0/https://www.amaz...

\$53699sional-Computer-Components-RTK-

090/dp/B004HP74PQS/ref=sm_n_ma_dka_ES_pr_pub_0_1?

sigts=1504609759775&sig=127f2c03224d84b7951f763e411efe2060d136...

20&linkCode=w43&ref-

refURL=http%3A%2F%2Fhc sensor-hc-sr04%2F&slotNur



m%2Ftutorials%2Farduin... kxRu13zgKl120CsTz8lg)

X-Tronic Model #3020-XTS Digital Display Soldering I... (http://aax-useast.amazon-adsystem.com/x/c/Qmj-

QaLqXUty03m07Cl4ntkAAAFeUbryFAEAAAFKAQ3Qev0/https://www.amaz... **\$ለ9ነ80**3872008TS-Digital-Display-

Soldering/dp/B2107GZFSNE/ref=sm_n_ma_dka_ES_pr_pub_1_1? siats=1504609759775&sia=7080b9316a23ce428b4829f12e363f8549684...

Search Amazon

Ads by Amazon (https://affiliate-program.amazon.com/home/ads/ref=sm_n_ma_dka_ES_logo?sigts=1504609759775&sig=e2fb9a234d9d0770b1f2947563c07f3eee785bfb&adld=logo&creativeASIN=logo&linkId=1d4e7298d5c6d22d141d6764d8d9ff37&tag=howto045-20&linkCode=w43&ref-refURL=http%3A%2F%2Fhowtomechatronics.com%2Ftutorials%2Farduino%2Fultrasonic-sensor-hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-ads&cid=nsa-therefurL=http%3A%2F%2Fhowtomechatronics.com%2Ftutorials%2Farduino%2Fultrasonic-sensor-hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-ads&cid=nsa-therefurL=http%3A%2F%2Fhowtomechatronics.com%2Ftutorials%2Farduino%2Fultrasonic-sensor-hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-ads&cid=nsa-therefurL=http%3A%2F%2Fhowtomechatronics.com%2Ftutorials%2Farduino%2Fultrasonic-sensor-hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-ads&cid=nsa-therefurL=http%3A%2F%2Fhowtomechatronics.com%2Ftutorials%2Farduino%2Fultrasonic-sensor-hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-ads&cid=nsa-therefurL=http%3A%2F%2Fhowtomechatronics.com%2Ftutorials%2Farduino%2Fultrasonic-sensor-hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-ads&cid=nsa-therefurL=http%3A%2F%2Fhowtomechatronics.com%2Ftutorials%2Farduino%2Fultrasonic-sensor-hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-ads&cid=nsa-therefurL=http%3A%2F%2Fhowtomechatronics.com%2Ftutorials%2Farduino%2Fultrasonic-sensor-hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-ads&cid=nsa-therefurL=hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-ads&cid=nsa-therefurL=hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-therefurL=hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-therefurL=hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-therefurL=hc-sr04%2F&slotNum=0&imprToken=HFkxRu13zgKl120CsTz8lg&ac-ms-src=nsa-therefurL=hc-src=nsa-therefurL=hc-src=nsa-therefurL=hc-src=n

(https://www.amazon.com/adprefs)



How To Mechatronics 13,821 likes



Shop Related Products



HC-SR04 Ultrasonic Sensor Distance Module (5pcs) ... (http://aax-useast.amazon-

adsystem.com/x/c/Qh_alsHHOhrATWkWuxuMC9wAAAFeUbrzUAEAAAE0A... \$ዋ.**፬**9-ይነ6.83onic-Distance-MEGA2560-

ElecRight/dp/MA4O5G5/ref=sm_n_au_dka_ES_pr_lco_0_0? sigts=1504609760103&sig=10192e3646898d7cfe4d5056e4da8fef851caa... 20&linkCode=w41&ref-



HC-SR04 Ultrasonic Sensor, Arduino Distance Sensor ... (http://aax-useast.amazon-


adsystem.com/x/c/Qh_alsHHOhrATWkWuxuMC9wAAAFeUbrzUAEAAAE0A...

\$9.66-Ultrasonic-Distance-Transmitter-

Receiver/dp/P9716SSPR5/ref=sm_n_au_dka_ES_pr_lco_0_1? sigts=1504609760103&sig=b82f716f5fd8b9ab25d0e2ef53fa74478346a11...

Ads 2008 dink 2000 dictros 4/a dine fre-program. amazon. com/home/ads/ref=sm_n_au_dka_ES_logo? refl.RL=http%3Asidse7.594609769193&sid=b7177686eb3E86fb869dae489e30183cc6cceab5&adld=logo&creativeASiN=logo&linkld=6aab88f7c123e4155162a3a0072a90&tap=hpvto045-20&linkCode=w41&ref-refURL=http%3A%2F%2Fhowtomechatronics.com%2Futrorials%2Farduino%2Farduino (https://www.amazon.com/adprefs)

DIY & CRAFTS PROJECTS



(http://www.creativityhero.com/diy-crafts/build-wooden-desk-lamp-dကုံ-ရှားျင်းမှာ lid A Wooden Desk Lamp

922 Shares

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

420

HOW TO MECHATRONICS

HowToMechatronics is an education website in the area of Mechanical, Electrical and Computer Engineering. Tutorials, Tips, Tricks, How It Works, Projects, Examples, Source Codes, Download files and much more can be found here.

922 Shares	FOLLOW HOWTOMECHATRONICS ON SOCIAL MEDIA
420	(https://www.fartebsoo/plccong/brights/down/helpounticustechart/oneirs/DejanNedelkovski)
420	
329	

 $Copyright @ 2017 \ How To Mechatronics.com. \ All \ rights \ reserved. \ \underline{Terms \ and \ Conditions \ (http://how to mechatronics.com/disclaimer/)} \\$