



















```
Windows PowerShell

* d1ac4ba Добавлен .gitignore
* fbf2296 Первый коммит: добавлены два файла
PS C:\Users\Vladislav\my-project> git remote add origin https://github.com/islavdo/my-project.git
PS C:\Users\Vladislav\my-project> git branch -M master
PS C:\Users\Vladislav\my-project> git push -u origin
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin master

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

PS C:\Users\Vladislav\my-project> git push --set-upstream origin master
Enumerating objects: 20, done.
Counting objects: 100% (20/20), done.
Delta compression using up to 8 threads
Compressing objects: 100% (17/17), done.
Writing objects: 100% (20/20), 2.11 KiB | 719.00 KiB/s, done.
Total 20 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), done.
To https://github.com/islavdo/my-project.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
PS C:\Users\Vladislav\my-project> git push
Everything up-to-date
PS C:\Users\Vladislav\my-project> git pull
Already up to date.
PS C:\Users\Vladislav\my-project>
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/islaydo/my-project.git
```



```
git push --set-upstream origin master

have this happen automatically for branches without a tracking
branch, see 'push.autoSetupRemote' in 'git help config'.

C:\Users\Vladislav\my-project> git push --set-upstream origin master
Enumerating objects: 20, done.
Counting objects: 100% (20/20), done.
Delta compression using up to 8 threads
Compressing objects: 100% (17/17), done.
Writing objects: 100% (20/20), 2.11 KiB | 719.00 KiB/s, done.
Delta 20 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
Note: Resolving deltas: 100% (4/4), done.
https://github.com/islavdo/my-project.git
[new branch]      master -> master
Branch 'master' set up to track 'origin/master'.
C:\Users\Vladislav\my-project> git push
Everything up-to-date
C:\Users\Vladislav\my-project> git pull
Already up to date.
C:\Users\Vladislav\my-project> git push origin feature-branch
Delta 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Note:
Note: Create a pull request for 'feature-branch' on GitHub by visiting:
Note:     https://github.com/islavdo/my-project/pull/new/feature-branch
Note:
https://github.com/islavdo/my-project.git
[new branch]      feature-branch -> feature-branch
C:\Users\Vladislav\my-project>
```

islavdo (Vladislav Dol ... | Семестр 1 Лекция 1 | GitHub | git download windo ... | Git - Downloading Pr ... | ReleaseNotes.html | my-project/ at maste ... +

github.com/islavdo/my-project/tree/master

Яндекс Входящие (150) - is... Outlook Яндекс.Лист WhatsApp Музыка YouTube Настройки – Мене... VK Gmail Markdown Editor Узнать IP адрес

Windows PowerShell

```
PS C:\Users\Vladislav\my-project> git push
Everything up-to-date
PS C:\Users\Vladislav\my-project> git pull
Already up to date.
PS C:\Users\Vladislav\my-project> git push origin feature-branch
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature-branch' on GitHub by visiting:
remote:     https://github.com/islavdo/my-project/pull/new/feature-branch
remote:
To https://github.com/islavdo/my-project.git
 * [new branch]      feature-branch -> feature-branch
PS C:\Users\Vladislav\my-project> git pull origin main
fatal: couldn't find remote ref main
PS C:\Users\Vladislav\my-project> git pull origin master
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1.10 KiB | 188.00 KiB/s, done.
From https://github.com/islavdo/my-project
 * branch            master      -> FETCH_HEAD
   b87a1c9..1d9bf6e  master      -> origin/master
Updating b87a1c9..1d9bf6e
Fast-forward
 README.md | 2 ++
 1 file changed, 2 insertions(+)
 create mode 100644 README.md
PS C:\Users\Vladislav\my-project>
```

Name .gitignore README.md file1.txt file2.txt README.md

Add file ...

History

Last commit date

11 minutes ago now 7 minutes ago 9 minutes ago

TEct markdown

13:08 20.09.2025