




accounts		transfers	
$id \mathscr{D}$	bigserial -	id 🛭	bigserial _
owner	varchar NN }	from_account_id	bigint NN >
balance	bigint NN	to_account_id	bigint NN >
currency	varchar NN	amount	bigint NN
created_at	timestamptz NN	created_at	timestamptz NN



sessions	
id 🛭	uuid
username	varchar NN
refresh_token	varchar NN
user_agent	varchar NN
client_id	varchar NN
is_blocked	boolean NN
expired_at	timestamptz NN
created_at	timestamptz NN

verify_email				
id 🛭	bigserial			
username	varchar NN			
email	varchar NN			
secret_code	varchar NN			
is_used	boolean NN			
created_at	timestamptz NN			
expired_at	timestamptz NN			





username ② varchar 1 hashed_password varchar NN full_name varchar NN email varchar NN is_email_verify boolean NN created_at timestamptz NN updated_at timestamptz NN sessions id ② uuid

sessions				
id 🛭	uuid			
username	varchar NN			
refresh_token	varchar NN			
user_agent	varchar NN			
client_id	varchar NN			
is_blocked	boolean NN			
expired_at	timestamptz NN			
created_at	timestamptz NN			

verify_email				
id Ø	bigserial			
username	varchar NN			
email	varchar NN			
secret_code	varchar NN			
is_used	boolean NN			
created_at	timestamptz NN			
expired_at	timestamptz NN			