HOMEWORK – 2

Plant pre-allocation can be confirmed or rejected by the employee.

- 1. Operations implied by the sequence diagram that should be mapped into REST interactions:
 - GET- Retrieves the pre-allocated PO.
 - PUT Confirm and update plant pre-allocation PO.
 - DELETE Reject, cancel and delete plant pre-allocation.
- 2. State model associated with the resource purchase order. Submit a PDF file containing the new state model:

STATE MODEL GOES HERE

3. REST API summarization:

HTTP	URI template	Relation	Current	New State	Comments
Verb			State		
GET	/api/allocate/plants	findPO	Finding	Return pre-	Query
			preallocated	allocated	pending
			POs	POs	lists
PUT	/api/allocate/orders/{id}/confirm	confirmPO	Pre-	Updating	Minimum
			allocated	retrieved PO	one plant
					available.
PUT	/api/allocate/orders/{id}/confirm	confirmPO	Update PO	Notify	Use (HTTP
				success	status 200)
				confirmation	
DELETE	/api/allocate/orders/{id}/confirm	rejectPO	Rejected	Retrieve PO	
DELETE	/api/allocate/orders/{id}/confirm	cancelPO	Cancelling	Deleting	
			reservation	reservation	
PUT	/api/allocate/orders/{id}/confirm	UpdatePO	Update PO	Notify	Use (HTTP
			(Rejected)	successful	status 200)
				deallocation	