



Metaməlumatlar

SƏNƏD

Ad

ACTIVE LEARNING FOR NAMED ENTITY RECOGNITION: REDUCING LABELED DATA REQUIREMENTS

MÜƏLLİF

Səmədov İsmət Azər

ELMİ RƏHBƏR

Qurbanov Tahir Cavad

Sənəd ID-si

334013423

TƏŞKİLAT

Təşkilatın adı

Azerbaijan State University of Economics (UNEC)

Yarımşöbə

MBA-magistratura

HESABAT


HESABATIN TARİXİ

5/25/2026

Redaktə tarixi

Tapılan oxşarlıqların həcmi

Zəhmət olmasa, diqqət yetirin ki, yüksək əmsal dəyəri avtomatik olaraq plagiat hesab edilmir. Hesabat səlahiyyətli şəxs tərəfindən təhlil edilməlidir.



20

Oxşarlıq əmsalı 2 üçün ifadənin uzunluğu



21335

Söz sayı



136995

İşarə sayı

Xəbərdarlıqlar

Bu bölmədə siz mətn dəyişiklikləri ilə bağlı məlumat tapa bilərsiniz. Mətnə bu dəyişikliklər mətnə MÜMKÜN manipulyasiyaları göstərə bilər. Mətnə dəyişikliklər qəsdən oluna bilər, lakin çox vaxt sənədi konvertasiya etdikdə və yadda saxladığınızda da texniki səhvlər baş verə bilər, buna görə də bu modulun təhlili tam məsuliyyətlə yanaşmağı tövsiyə edirik. Hər hansı bir sualınız yaranarsa, dəstək komandamızla əlaqə saxlamağınız xahiş olunur.

Hərflə dəyişiklikləri

B

0

İntervallar

A→

0

Mikroboşluqlar

|

1

Ağ işarələr

B

0

Parafrazlar

a

51

Mənbələr

Aşağıda mənbələrin siyahısı verilmişdir. Bu siyahıda müxtəlif məlumatlar bazalarından mənbələr mövcuddur. Mətnin rəngi onun hansı mənbədə aşkarlandığını göstərir. Bu mənbələr və oxşarlıq əmsalı dəyərləri birbaşa plagiatı əks etdirmir. Hər bir mənbəni açmaq və mənbənin məzmununu və düzgünlüyünü təhlil etmək lazımdır.

10 ən uzun fraqmentlər

Mətnin rəngi

#	URL ADI VƏ ÜNVANI (BAZANIN ADI)	EYNİ SÖZLƏRİN SAYI (FRAQMENTLƏR)
1	https://link.springer.com/chapter/10.1007/978-981-99-7442-9_3	27 (0.13 %)
2	https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8240806/	27 (0.13 %)

3	DDSUD: dynamically detecting subsequence uncertainty and diversity for active learning in imbalanced Chinese sentiment analysis Bingkun Wang, Haiping Si, Yibo Si, Shufeng Xiong, Gupei Zhang, Guang Zheng;	24 (0.11 %)
4	https://www.pyrrhicpress.org/articles/1733232_machine-learning-approaches-for-natural-language-processing	24 (0.11 %)
5	https://link.springer.com/article/10.1007/s11192-022-04332-7	22 (0.1 %)
6	https://www.pyrrhicpress.org/articles/1733232_machine-learning-approaches-for-natural-language-processing	22 (0.1 %)
7	https://pmc.ncbi.nlm.nih.gov/articles/PMC9655263/	22 (0.1 %)
8	https://link.springer.com/content/pdf/10.1007/s00521-024-09646-6.pdf	21 (0.1 %)
9	https://link.springer.com/article/10.1007/s12145-019-00390-3	21 (0.1 %)
10	Evaluating the role of natural language processing in artificial intelligence 6/26/2024 Azerbaijan State University of Economics (UNEC) (MBA-magistratura)	21 (0.1 %)

RefBooks Məlumatlar Bazası (0.4 %)



AD

EYNI SÖZLƏRİN SAYI
(FRAQMENTLƏR)

Mənbə: Paperity

1	DDSUD: dynamically detecting subsequence uncertainty and diversity for active learning in imbalanced Chinese sentiment analysis Bingkun Wang, Haiping Si, Yibo Si, Shufeng Xiong, Gupei Zhang, Guang Zheng;	24 (1) (0.11 %)
2	Toward optimal probabilistic active learning using a Bayesian approach Marek Herde, Christoph Sandrock, Denis Huseljic, Georg Krempf, Bernhard Sick, Daniel Kottke;	19 (2) (0.09 %)
3	Use of deep learning-based NLP models for full-text data elements extraction for systematic literature review tasks Du, Jingcheng, Lin, Bin, Manion, Frank J., He, Long, Li, Yeran, Huang, Liang-Chin, Cossrow, Nicole, Wang, Jingqi, Wang, Dong, Yao, Lixia;	10 (1) (0.05 %)
4	A BERT-Span model for Chinese named entity recognition in rehabilitation medicine Jinhong Zhong, Kang Wang, Zhou Cheng, Zhanxiang Xuan;	9 (1) (0.04 %)
6	Learning Subword Embedding to Improve Uyghur Named-Entity Recognition Alimu Saimaiti, Lulu Wang, Tuergen Yibulayin;	6 (1) (0.03 %)
7	CHEMDNER system with mixed conditional random fields and multi-scale word clustering Yanan Lu Donghong Ji Xiaoyuan Yao Xiaomei Wei Xiaohui Liang;	5 (1) (0.02 %)
8	TEI-friendly annotation scheme for medieval named entities: a case on a Spanish medieval corpus Pablo Ruiz-Fabo, Elena González-Blanco, Elena Álvarez-Mellado, Salvador Ros, Helena Bermúdez, María Luisa Díez-Platas;	5 (1) (0.02 %)

Mənbə: <https://arxiv.org/>

5	Identifying Wrongly Predicted Samples: A Method for Active Learning Nikolay Chumerin, Daniel Olmeda Reino, Rahaf Aljundi;	7 (1) (0.03 %)
---	--	----------------

Daxili Məlumatlar Bazası (0.27 %)



9	Evaluating the role of natural language processing in artificial intelligence 6/26/2024 Azerbaijan State University of Economics (UNEC) (MBA-magistratura)	57 (6) (0.27 %)
---	--	-----------------

Məlumatlar Bazalarının mübadilə proqramı (0.33 %)



#	AD	EYNI SÖZLƏRİN SAYI (FRAQMENTLƏR)
---	----	-------------------------------------

10	Делампинг результатов композиционного моделирования 5/2/2023 Satbayev University (ИГиНГД)	18 (2) (0.08 %)
----	---	-----------------

11	593626 11/24/2023 University of Southern Denmark (SDU backlog)	15 (3) (0.07 %)
----	--	-----------------

12	anmol.puri@tu-ilmenau.de 1/26/2026 Technische Universität Ilmenau (WM / Institut für Betriebswirtschaftslehre)	12 (1) (0.06 %)
----	--	-----------------

13	DS807_exam.pdf 1/30/2026 University of Southern Denmark (SDU backlog)	8 (1) (0.04 %)
----	---	----------------

14	278 9/26/2025 Universidad de Valladolid (University of Valladolid)	6 (1) (0.03 %)
----	--	----------------

15	Development of a web service for recognizing named entities in the texts of reports of cyber threat researchers using neural network technologies 5/12/2025 International IT University (Компьютерная инженерия)	6 (1) (0.03 %)
----	--	----------------

16	Potencjał generowania wartości biznesowej przez algorytmy NLP i Large Language Models 7/25/2023 Szkoła Główna Handlowa (Szkoła Główna Handlowa)	5 (1) (0.02 %)
----	---	----------------

Internet (5.46 %)



#	URL MƏNBƏ	EYNI SÖZLƏRİN SAYI (FRAQMENTLƏR)
---	-----------	-------------------------------------

17	https://www.pyrrhicpress.org/articles/1733232_machine-learning-approaches-for-natural-language-processing	136 (8) (0.64 %)
----	---	------------------

18	https://arxiv.org/pdf/2203.09174.pdf	65 (6) (0.3 %)
----	---	----------------

19	https://link.springer.com/article/10.1007/s11192-022-04332-7	61 (5) (0.29 %)
----	---	-----------------

20	https://dl.acm.org/doi/10.1109/TKDE.2020.2981314	57 (6) (0.27 %)
----	---	-----------------

21	https://link.springer.com/content/pdf/10.1007/s00521-024-09646-6.pdf	52 (4) (0.24 %)
----	---	-----------------

22	https://dl.acm.org/doi/abs/10.1145/1143844.1143891	51 (3) (0.24 %)
----	---	-----------------

23	https://link.springer.com/article/10.1007/s11063-021-10547-1	49 (5) (0.23 %)
----	---	-----------------

24	https://link.springer.com/chapter/10.1007/978-3-030-58607-2_30	46 (4) (0.22 %)
----	---	-----------------

25	https://perssongroup.lbl.gov/papers/trewartha_quantifying_advantage_2022.pdf	44 (3) (0.21 %)
----	---	-----------------

26	https://elifesciences.org/reviewed-preprints/89679	32 (4) (0.15 %)
----	---	-----------------

27	http://archive.org/stream/EaiEnc/EAI_djvu.txt	32 (2) (0.15 %)
28	https://link.springer.com/chapter/10.1007/978-981-99-7442-9_3	32 (2) (0.15 %)
29	https://studyx.ai/questions/4lomzp9/kestrel-nexus-evals-certification-course-answers	31 (3) (0.15 %)
30	https://lct-master.org/getfile.php?id=115&n=1&dt=TH&ft=pdf&type=TH	28 (2) (0.13 %)
31	https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8240806/	27 (1) (0.13 %)
32	https://www.springerprofessional.de/portuguese-language-models-and-word-embeddings-evaluating-on-sem/17735702	27 (2) (0.13 %)
33	https://www.ijrte.org/wp-content/uploads/Suvinier_IJRTE_Volume-8_Issue-4_November_2019.pdf	26 (2) (0.12 %)
34	https://link.springer.com/chapter/10.1007/978-3-642-45358-8_7	26 (3) (0.12 %)
35	https://ouci.dntb.gov.ua/en/works/9jqKnLol/	24 (2) (0.11 %)
36	http://compbio.ucdenver.edu/Hunter_lab/Cohen/NaturalLanguageProcessingWeek03.pdf	24 (2) (0.11 %)
37	https://pmc.ncbi.nlm.nih.gov/articles/PMC9655263/	22 (1) (0.1 %)
38	https://link.springer.com/article/10.1007/s12145-019-00390-3	21 (1) (0.1 %)
39	https://thescipub.com/pdf/jcssp.2024.88.95.pdf	20 (2) (0.09 %)
40	https://link.springer.com/article/10.1007/s11263-020-01395-y	17 (1) (0.08 %)
41	https://cyberleninka.ru/article/n/podhod-k-raspoznavaniyu-imenovannyh-suschnostey-na-primere-tehnologicheskikh-terminov-v-usloviyah-ogranichennoy-obuchayushey	17 (1) (0.08 %)
42	https://pmc.ncbi.nlm.nih.gov/articles/PMC7442512/	15 (2) (0.07 %)
43	https://dl.acm.org/doi/10.1007/s10791-008-9070-z	15 (1) (0.07 %)
44	https://arxiv.org/pdf/1707.05928.pdf	15 (1) (0.07 %)
45	https://hrafni.github.io/papers/Named_entity_recognition_SLSP.pdf	15 (1) (0.07 %)
46	https://pmc.ncbi.nlm.nih.gov/articles/PMC10507183/	13 (2) (0.06 %)
47	https://arxiv.org/html/2412.05655	13 (1) (0.06 %)
48	https://publica-rest.fraunhofer.de/server/api/core/bitstreams/22380ed7-a10b-4857-aa16-3f5096621fb1/content	13 (1) (0.06 %)
49	https://arxiv.org/pdf/2309.14621	12 (1) (0.06 %)
50	https://link.springer.com/chapter/10.1007/978-981-15-1081-6_18	11 (1) (0.05 %)
51	https://link.springer.com/chapter/10.1007/978-3-030-45442-5_49	11 (1) (0.05 %)
52	https://acknowledgementletter.com/acknowledgement-for-assignment/	10 (1) (0.05 %)
53	https://link.springer.com/chapter/10.1007/978-981-16-0575-8_10	10 (1) (0.05 %)
54	https://arxiv.org/pdf/2310.08035	10 (1) (0.05 %)
55	https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0232547	8 (1) (0.04 %)
56	http://fcst.ceaj.org/EN/10.3778/j.issn.1673-9418.2407038	8 (1) (0.04 %)
57	https://www.sciencedirect.com/science/article/pii/S0010482519301106	7 (1) (0.03 %)
58	https://link.springer.com/article/10.1007/s44196-021-00019-8	6 (1) (0.03 %)

**İstisna edilmiş fraqmentlər**

#

MÜNDƏRİCAT

EYNİ SÖZLƏRİN (FRAQMENTLƏRİN) SAYI