

1. Authentication

Method	Endpoint	Description	User Story
POST	/api/auth/register	Create a new user account.	all
POST	/api/auth/login	Authenticate user, return session token.	all
POST	/api/auth/logout	Invalidate the current session.	all
GET	/api/auth/me	Return the currently logged-in user's profile.	all

2. Habits (US1, US6)

Method	Endpoint	Description	User Story
GET	/api/habits	List all habits owned by the user. Supports ?frequency= and ?category_id= filters.	US1, US6
GET	/api/habits/:id	Return a single habit with its category and attached goals.	US1
POST	/api/habits	Create a new habit.	US1, US6
PUT	/api/habits/:id	Update an existing habit.	US1
DELETE	/api/habits/:id	Delete a habit (cascades to its logs and goals).	US1
GET	/api/habits/calendar	Expand habits into calendar entries inside ?start_date=&end_date=.	US1

3. Habit Logs (US1)

Method	Endpoint	Description	User Story
GET	/api/habits/:id/logs	Return the completion history for a habit. Supports date-range filtering.	US1
POST	/api/habits/:id/logs	Mark a habit as completed / skipped / missed on a given date.	US1
PUT	/api/logs/:log_id	Update a single log entry.	US1
DELETE	/api/logs/:log_id	Remove a log entry.	US1

4. Categories (US6)

Method	Endpoint	Description	User Story
GET	/api/categories	List all categories the user has defined.	US6
GET	/api/categories/:id	Return a single category.	US6
POST	/api/categories	Create a new category (name, colour, optional icon).	US6
PUT	/api/categories/:id	Rename or recolour a category.	US6
DELETE	/api/categories/:id	Delete a category. Linked habits keep their data; category_id becomes NULL.	US6

5. Goals (US5)

Method	Endpoint	Description	User Story
GET	/api/goals	List every goal owned by the user. Supports ?status=&habit_id= filters.	US5
GET	/api/goals/:id	Return a single goal.	US5
GET	/api/habits/:id/goals	Return all goals attached to a specific habit.	US5
POST	/api/goals	Create a new goal on a habit.	US5
PUT	/api/goals/:id	Update a goal.	US5
DELETE	/api/goals/:id	Remove a goal.	US5
GET	/api/goals/:id/progress	Return progress (completed_count, target_value, percentage, days_remaining).	US5

Method	Endpoint	Description	User Story
GET	/api/reports/statistics	Overall completion stats inside ?start_date=&end_date=.	US4
GET	/api/reports/habit/:id	Per-habit statistics in a date range.	US4
GET	/api/reports/by-category	Statistics grouped by category.	US4, US6

GET	/api/reports/streaks	Current streak and longest streak per habit.	US4
GET	/api/reports/completion-rate	Time-series of completion rate per day or per week.	