



## 1-Machine virtuelle AD1









Shutting down service: Connected User Experiences and Telemetry.





## 2-Machine virtuelle AD2



```
- 0 x
ValidLifetime : Infinite ([TimeSpan]::MaxValue)
PreferredLifetime : Infinite ([TimeSpan]::MaxValue)
SkipAsSource : False
PolicyStore : PersistentStore
PS C:\Users\aymane> Get-NetAdapter
                                                                                                            ifIndex Status
                                                                                                                                              MacAddress
Name
                                         InterfaceDescription
                                                                                                                                                                                     LinkSpeed
Ethernet
                                         Intel(R) PRO/1000 MT Desktop Adapter
                                                                                                                                              08-00-27-8B-34-86
                                                                                                                                                                                       1 Gbps
PS C:\Users\aymane> Set-DnsClientServerAddress -InterfaceAlias "Ethernet" -ServerAddresses 192.168.1.90
PS C:\Users\aymane> ipconfig
Windows IP Configuration
Ethernet adapter Ethernet:
   Connection-specific DNS Suffix :

IPv6 Address . . . : fd00::9cc7:3c34:d662:8ce7

Link-local IPv6 Address . . : fe80::9cc7:3c34:d662:8ce7%4

IPv4 Address . . : 192.168.1.93

Subnet Mask . . : 255.255.255.0

Default Gateway . . : fe80::2%4

192.168.1.254
PS C:\Users\aymane>
```

