


SignalDesk

Trainable request triage with human review

Independent software project | Owner: Ismail Habib | Created September 2026



Actual application capture. Any example records are labeled verification inputs.

The problem

Small teams often route repetitive requests by reading each message manually. SignalDesk turns labeled examples into a local statistical classifier, while keeping people in charge of the final decision.

What the project delivers

- CSV import with required-column validation and duplicate handling
- Trainable text classification using real user-provided categories
- Abstention for unknown vocabulary and sparse overlap
- Human correction, persistent SQLite history, and CSV export

Built to be inspected.

REQUEST 004 · 2026-09-27 22:54 UTC Reviewed

Verification request: please send a quote for a new website and API integration project.

Suggested: Sales · score 96% · Confirmed: Sales Sales Update

REQUEST 003 · 2026-09-27 22:53 UTC Needs review

Orchid telescope penguin

Suggested: Unclassified · score 0% Unclassified Confirm category

REQUEST 002 · 2026-09-27 22:53 UTC Suggested route

Verification request: the backend API returns an error and a timeout.

Suggested: Technical support · score 86% Technical support Confirm category

REQUEST 001 · 2026-09-27 22:53 UTC Reviewed

Verification request: please send a receipt for our duplicate invoice payment.

Suggested: Billing · score 98% · Confirmed: Billing Billing Update

ISMAIL HABIB / INDEPENDENT SOFTWARE PROJECT Statistical text classification · SQLite · Local web application

The persistent decision queue preserves original suggestions and human confirmations.

What was verified

Thirteen automated tests passed across classification, feedback persistence, CSV export and request limits. Regression checks preserve curated examples and independent reviews when a category is corrected. Local HTTP checks verified import, classification, human feedback, export and origin rejection. Browser verification classified a separate request as Sales and confirmed it in the queue. Screenshot inputs are labeled verification fixtures; these checks do not establish real-world model accuracy.

How it works

Browser interface to local API to processing engine to stored result to review or export

Current scope

Scores are not calibrated probabilities. The included dataset is for functional verification, not a trained business model. A deployment should use representative business examples and a separate held-out evaluation set. This version is a single-user local tool with no authentication, cloud hosting, email ingestion, or automatic downstream actions.

Included: source code, setup guide, tests, screenshots, editable case study and Malt copy.
MIT License | Copyright 2026 Ismail Habib.