

The Atlas, the Blueprint Book and the Memory Map

Part Two, Part Three and the closing pages of the brief. The seven pictures, how to sit the forty questions, every answer's tell, and the twenty-five things to carry into the room.

The Architecture Atlas, A1 to A7

The Atlas draws what the stems describe in words. The brief's instruction for Day C is to redraw A4 from memory. Here is what each picture is for:

Atlas	What it draws	How to use it in a stem
A1 Taxonomy tree	Three floors, seven leaves: augmented LLM; five workflows; the agent loop	If the stem's answer is not one of the seven leaves, re-read the stem. Match its phrase (predefined code paths versus directs its own process) to the floor, then pick the leaf
A2 Five workflow shapes	Chaining as a line with gates; routing as a fan to wards; parallel as fan-out to an aggregate in code; orchestrator-workers as a planner over workers into synthesis; evaluator-optimizer as a rubric loop with a budget and a PASS exit	Recognise a diagram described in prose. Learn the shapes, not the paragraphs
A3 Reference architecture	Four bands: input, processing, output, feedback, with the human gate on refunds and the purple feedback arrow	Count the four stages against every 1.2 option. The missing arc is the answer
A4 Pattern selector	A walk of yes/no diamonds from one question to the agent loop	The 1.3 decision as a path, not a memory feat. Walk it for every pattern stem
A5 Topologies	Single agent, orchestrator plus subagents with dotted field offices, peer handoff with a baton	The dots are the point: notes stay inside, only reports travel. Quote the caps: depth 3, concurrency 20, max_budget_usd
A6 Decomposition tree	KF-2481's run: planned boxes solid, the dropped one crossed out, the grown ones dashed	Static versus dynamic in one glance. Dashed boxes are evidence the dynamic machinery earned its keep
A7 Value-pillar matrix	Three options, five pillars, every cell a number	No-red-column beats tallest-single-bar. An unpriced option is a wish

The A4 walk, in words

Ask the questions in order and stop at the first yes.

- One question, no multi-step work at all? Yes: **augmented LLM** (E1).
- Subtasks fixed and known in advance? Yes: known categories means **routing** (E3); a sequence means **chaining** (E2); independent subtasks under a latency budget means **parallel** (E4).
- Plan can be written once, then executed? Yes: **orchestrator-workers** (E5).
- Findings can invalidate the plan mid-run? Yes: **re-planning with a growth cap** (E8).
- Path itself unknowable, each result steers the next act? **Agent loop** (E7) with budget, exit and escalate.

Overlay questions asked at every node: a rubric exists and drafts improve, add the evaluator (E6). High stakes and 3x cost is acceptable, add voting. Money, law or people, add a human gate (Domain 5).

The Blueprint Book: how to sit it

Forty questions, six per objective and eight each for 1.3 and 1.5. Twelve are head-to-head pairs where two options look right; eight carry a number that decides. Rules: underline the deciding clause before reading the options; mark, do not dwell, about 110 seconds each; keep the key sealed until question 40; afterwards give every miss a ledger row with a family code. On track means 30 or more with no objective below 4 of 6 or 5 of 8.

The key, one tell per question

The book's key gives the tell, the reason and a family tag for each wrong option. Condensed here so the pattern across forty questions is visible. Read the tell column as a list of phrases to underline.

Q	Ans	The tell, in a few words	Obj
1	B	Deploy AI is ambition; the note names no workload, constraint or measure	1.1
2	C	Already fully deterministic: deterministic logic stays in code	1.1
3	B	40 ms, hard control loop, structured data: three disqualifiers	1.1
4	B	38 percent need information not in the ticket: draft plus human completion	1.1
5	C	Only one option names workload, categories, numbers and a gate	1.1
6	B	Measurable value in 4 weeks: volume times safety beats drama	1.1
7	B	The flow ends at output: the feedback arc is missing	1.2

Q	Ans	The tell, in a few words	Obj
8	B	Scrub PII before any model call; after is too late by definition	1.2
9	B	Irreversible plus money defines the gate; 97 percent still mis-approves 3 in 100	1.2
10	B	Three pipelines times three prompts: normalise at input, one pipeline	1.2
11	B	Feedback measures what happened after output met the world: edit distance, re-open rate	1.2
12	B	Cannot classify at all asks for an exit: a human queue with the ticket intact	1.2
13	B	Identical steps every time, accuracy over speed: chaining, verbatim	1.3
14	C	The sequence cannot be scripted: the agent, with a budget and escalation	1.3
15	A	while True and an else that swallows: both organs missing	1.3
16	B	max_tokens means the page ran out, not the thought: append, Continue, stay in budget	1.3
17	A	tool_use, tool_use, end_turn: fuel, fuel, natural exit	1.3
18	B	Six known templates, 30,000 a day, 2 seconds: all three shout router	1.3
19	A	Must never reach is a guarantee; only code between steps gives one	1.3
20	A	No multi-step anything: the cell suffices	1.3
21	B	40 documents, tight context: isolation keeps the reading out of the parent	1.4
22	B	Never by instruction is persuasion; by tool-list omission it is physics	1.4
23	B	A fresh subagent inherits nothing; the brief must carry ids, findings, constraints	1.4
24	B	Independent plus 40 s against 3 times 30 s: concurrency turns a sum into a max	1.4
25	B	Clean sequential break, no synthesis: a baton, not a hub	1.4
26	B	A coordinator over the coordinator: governance is what caps are for	1.4
27	B	Subtasks listed in the stem itself: the plan pre-exists	1.5
28	B	Cannot be predicted: the one phrase that unlocks the foreman	1.5
29	B	Re-planning is a loop; every loop needs a budget	1.5
30	B	A finding invalidated part of the plan: drop, add, count against the cap	1.5
31	B	Does the remaining plan still hold is the smallest question that decides	1.5
32	B	Escalating uncertainty, escalating machinery: the three-tier ladder	1.5
33	B	needs is a design statement: data flows along declared dependencies only	1.5
34	B	400 independent plus one synthesised report: fan-out with a built-in synthesise	1.5
35	B	Pillar plus number plus measurement mechanism	1.6
36	B	Rs 7.10 against a Rs 6 ceiling: one number decides	1.6
37	B	New service line from patterns is the transformation pillar's definition	1.6
38	B	A beats B on nothing Meera measures: the matrix already answered	1.6
39	B	A gain is a difference; one of the two numbers must precede deployment	1.6
40	B	Board time buys pillars and numbers, never mechanism names	1.6

Two things to notice. The shaded rows are 1.3 and 1.5, the soft spots, and nearly every tell in them is a quoted dividing line: identical steps, cannot be scripted, cannot be predicted, does the plan still hold. Second, the distractor families in the key are the same ones Domain 3 used: OE, VG, TR, CM, HL, SF, SD. The Blueprint key tags one on every wrong option.

The Memory Map: twenty-five things, condensed

Group	Carry into the room
The tree and the laws	Augmented LLM, five workflows, agents. Workflows: predefined code paths. Agents: model directs its own process. Law 1 constraint picks the pattern. Law 2 workflows when the path is known. Law 3 budget plus exit (E6 max_rounds and PASS; E7 BUDGET and end_turn; E8 max_new). Law 4 decompose on discovery. Law 5 a pillar with a number; alignment is no pillar breached.
The five workflows	Chaining: fixed steps plus gates. Routing: cheap classifier, specialist ward and model per category. Parallel: sectioning is coverage, wall clock equals the slowest scout; voting is confidence at 3x cost, for judgement not facts. Orchestrator-workers: model writes the subtask list, code steers delegate, work, synthesise. Evaluator-optimizer: needs a real rubric; criticism and draft go back together.
The loop, your 50 percent row	Seven stop_reason values, all HTTP 200. tool_use is fuel: append the assistant turn, run the tools, tool_result by tool_use_id, the model's reply decides the next turn. max_tokens is truncated not done. refusal is a different path, no blind retry. Wildcard escalates. The floor: budget spent, case open, human hand-off with a reason. Healthy trace: tool_use, tool_use, end_turn. The trap: an else that swallows.
Decomposition, your 75 percent row	The ladder: knowable to chain in code; plan writable once to E5; findings can invalidate to E8 re-plan with a growth cap. Subtasks listed in the stem means never orchestrator-workers. The replan call sees only finding plus remaining. Data flows along declared needs only; for context without a dependency is noise.

Group	Carry into the room
Multi-agent and the boardroom	Subagent starts fresh: brief carries ids, findings, authorization state. Isolation: notes stay in, reports return. Never do X: omit the tool. Caps not committees: depth 3, concurrency 20, max_budget_usd. Pillars: efficiency, cost, productivity, SLA, transformation; the stated pillar is the contract. Board sentence: 5 minutes not 4 hours, Rs 4 each, refunds above Rs 10k still cross a human desk.

The miss ledger

One row per miss: date, source, question, objective, family, the tell you skipped in your own words, fixed or not. The brief's pattern rule: three misses sharing a family beats three misses sharing an objective. Fix the habit, not the topic. Three CM rows means slow down and underline before the options. Three OE rows means re-walk A4 before the next sitting.

Domain 1 and Domain 3, side by side

Domain 1 idea	Where you already ran it in Domain 3
Routing workflow (E3): classifier picks a specialist	e6_shape_router.py: regex picks lookup, aggregate or RAG
Tool schema as a promise (E1); the phone book	e1_kaveri_mcp.py served it; e2_bloat_audit.py priced it
Tool restriction: an omitted tool does not exist	e3_gate_pass.py scopes; the Wrong Tower's prompt-based permissions flaw
Agent loop budget and timeout	One Ticket's 3 second carrier timeout and the 4 second SLA
Feedback stage, outcomes logged	e7_dock_cameras.py JSON lines and the p95 digest
Cost pillar, Rs 6 ceiling	e8_two_bills.py and the 47 paise bill
Context isolation	the 5,800-token window versus the 362k monolith
Parallel sectioning	carrier ETA running concurrently with retrieval's tail

The one thing to remember. Seven leaves on the tree, a walk through A4 for every pattern stem, two organs in every loop, four stages in every architecture, a number on every pillar. The Blueprint key tags every wrong option with a family. Ledger the family, not the topic.