Understanding the Structure of Computer-Science's Research Article: an Example from HCI Empirical Study

Isna Bustoni
isna.bustoni@unil.ch
University of Lausanne, Vaud, Lausanne
Switzerland

ABSTRACT

Before publication, computer science research articles go through a peer-review process to ensure quality, reproducibility, and originality. However, the diverse structure of the field can make it difficult for novice authors. This paper examines 37 studies across three major CS subfields: Machine Learning (ML), Human-Computer Interaction (HCI), and Computer Vision (CV). We found out seven key sections typically used in CS articles: (1) Abstract, (2) Introduction, (3) Related Work, (4) Methods, (5) Results, (6) Discussion, and (7) Conclusion. We also include a case study from the HCI domain to illustrate these sections, helping early-career researchers create well-structured articles that improve readability and reproducibility.

KEYWORDS

computer science, human-computer interaction, research structure

ACM Reference Format:
Isna Bustoni. 2026. Understanding the Structure of Computer-Science's Research Article: an Example from HCI Empirical Study. In *Proceedings of MScIS's Computer Science Research Methodology Conference 2026 (CSRM 2026).* ACM, New York, NY, USA, 6 pages. https://doi.org/XXXXXXX.XXXXXXX

1 INTRODUCTION

Despite the continually growing number of early-career researchers worldwide (around 2.1 million over the past decade) [11], the number of research publications in 2024 decreased in most European countries (33 out of 46) [26]. This data may indicate that there are barriers to research publication. For novice researchers, producing a high-quality article requires extensive training in fundamental academic writing techniques, such as understanding article structure. To write an appropriate article, researchers must clearly define their research approach, which might be domain-specific. For example, in computer science (CS) field such as Human-Computer Interaction (HCI) research, authors also need to frame their work based on specific contributions (i.e. empirical contribution, or artefact contribution) [39]. The various options for methods and views on contributions can be confusing for novice authors, making it challenging for them to set up the appropriate article structure.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.
CSRM 2026, June 03–05, 2026, Lausanne, Switzerland
© 2026 Association for Computing Machinery.
ACM ISBN 978-1-4503-XXXX-X/18/06…$15.00
https://doi.org/XXXXXXX.XXXXXXX

When considering a broader perspective, the field of computer science encompasses several areas. According to Scopus [1], a comprehensive citation and research database owned by Elsevier, various fields within computer science include: **Computer Science Theory and Mathematics, Computer Vision and Pattern Recognition (CVPR), and Human-Computer Interaction (HCI)** . Despite variation across fields, the typical structure of CS research articles is still not well understood. We conduct a rapid review to navigate the commonly used structure of CS research articles. The scoping review will answer the following questions:

- **RQ1:** ***What is the typical structure of research articles in computer science across various fields?***

Our paper found the commonly used research article structure through a rapid review of three CS research fields and provides a case study in the HCI domain that focuses on contributions to empirical research, based on the work of Wobbrock [40]. This paper explained these commonly used sections, describing the key points of each and providing example references.

2 RELATED WORK

The structure of CS research articles varies by subfield and is often quite discriminant in its approach to answering research questions through formal and experimental methods [1]. Formal methods focus on proving and improving algorithms for efficiency and accuracy [1], such as enhancing large language model text generation [10, 33]. Experimental methods, commonly used in Human-Computer Interaction (HCI), test proposed solutions and evaluate usability and user perceptions [3]. They can also serve as interventions to foster behavior change [12]. Wobbrock [39] asserts that empirical contributions aim to understand human attitudes towards technology, aligning with the goals of experimental methods. Research can be quantitative, qualitative, or mixed, utilizing data collection techniques like field experiments, observations, interviews, and surveys [39].

3 METHODOLOGY

This paper uses a Rapid Review method to synthesise the typical computer science research article [36]. We chose research papers published in top venues across the top three fields in CS (Machine learning as a subfield of Computer Science Theory and Mathematics, HCI, CVPR). The selected fields and their respective venues are: (1) Machine Learning: International Conference on Machine Learning (ICML) [2]; (2) Human-Computer Interaction: The ACM CHI Conference on Human Factors in Computing Systems (CHI)

[1] https://www.scopus.com/sources.uri
[2] https://icml.cc/Conferences/2026

[3]; and (3) Computer Vision and Pattern Recognition: IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR) [4]. **Inclusion and Exclusion Criteria**: This study includes articles published between 2025 and 2026, focusing on human aspects or human data. Data was collected from the first search results page for each venue. All empirical study designs were included, such as quantitative, qualitative, mixed-methods, and case study designs. Poster, position, and meta-review papers were excluded. **Searching Keyword**: The following keywords are used to search in titles, abstract and keywords:

- Machine learning - ICML'25 : *"deep learning" AND "human";*
- Human-computer interatcion - CHI'25 : *"human-AI interaction" AND "empirical study";*
- Computer vision - CVPR'25 : *"object detection" AND "human".*

4 RESULT

4.1 PRISMA result

To ensure transparency in our study selection using the rapid review process, we adhered to the PRISMA guidelines [27]. We collected a total of 57 papers from CHI'25, ICML'15, and CVPR'25. For each venue, we selected the first 20 papers, except for CHI, which yielded only 17 papers from its first page. Rayyan AI [5] was used to help remove duplicate publications (n=2). Fifty-five papers were screened again, and eighteen were later excluded due to inaccessible full articles or incorrect categorisation (i.e., posters or extended abstracts). The selected papers (n=37) were then manually reviewed by the authors (CHI=10, CVPR=17, ICML=10). The selection process is shown in Figure 1.



Figure 1: PRISMA 2020 Framework for Rapid Review on CS Article Structure

4.2 Typical Structure of CS Research Articles

The typical structure of computer science (CS) research articles is depicted in Table 1 and Figure 2 (full raw data in Table A1 of section 6). Key sections included in all venues are the abstract, introduction, and references. CHI and CVPR papers consistently feature Related Work and Experimental Results, while ICML papers include these sections in about 70% and 90% of cases, respectively. The Conclusion section appears in over 88% of all papers. The Ablation Study is mainly found in CVPR papers, with around 10% in ICML and none in CHI. Impact Statement and Design Implication sections are in CHI and ICML but absent in CVPR. Discussion, Limitations, and Future Work sections are present in nearly all CHI papers, but rarely in CVPR and ICML, where they may be integrated into Results or ablation studies. These findings answer our research question **(RQ1)**: **What is the typical structure of research articles in computer science across various fields?**: Overall, CS papers typically consist of an abstract, introduction, related work, method, results, discussion, and conclusion.

Table 1: CS Articles Typical Structure

Structure	CHI	CVPR	ICML
Abstract	10	17	10
Introduction	10	17	10
Preliminary/ Pilot study	0	3	3
Related Works	10	17	7
Methodology/ Method	10	11	6
Experiment: Datasets and Evaluation metrics	0	17	7
Experiment: Apparatus/Implementation Details	10	15	8
Experiment: Results	10	17	9
Experiment: Ablation study	0	14	1
Analysis/Evaluation	7	5	2
Discussion	10	5	7
Limitation and Future Work	9	7	5
Conclusion	10	15	9
Impact Statement/ Design Implication	6	0	9
Acknowledgement	8	14	8
References	10	17	10

The number indicates how many articles use the section as a heading title.



Figure 2: Structure map across various CS venues

5 HCI CASE STUDY

In this section, our paper will focus on the empirical research perspective and apply our findings from the previous sections.

[3]https://chi2026.acm.org/
[4]https://www.computer.org/csdl/proceedings/cvpr/2025/2998kzfEzK0
[5]https://new.rayyan.ai/

5.1 Abstract

An abstract provides a brief overview of a research study, including methods, participants (if applicable), and a summary of findings. The motivation can be mentioned in the first or second sentence, but should remain concise, with more detail in the introduction. Typically, abstracts are 150 to 200 words long.

5.2 Introduction

The introduction provides an overview of the research motivation, including the problem statement, a summary of existing research, and the identification of research gaps (specifically, what has been accomplished and what still needs to be addressed). Additionally, it will explain how the author's study aims to bridge these gaps and present the results obtained. Wobbrock [40] suggests including key elements such as: defining the problem, followed by opportunities to address it, and proposing potential solutions. The introduction should also include the key findings and a statement of the contribution.

5.3 Related Work

The related work section should identify research gaps and highlight opportunities for novel contributions. It should address the questions: *"Who has done relevant work?" "What did they find?" "How is your work different?"*[40]. Authors need to critically examine relevant papers to spot existing gaps and discuss potential solutions. For instance, when creating a new interaction in an AR/VR environment, mention relevant technologies like computer vision and the readiness of necessary hardware, such as [3]. Additionally, a section between the related work and methods can illustrate the proposed solution, including screenshots of prototypes, architectural diagrams, or pseudocode.

5.4 Method

The methods section outlines the research methods used in the study, justifying their selection and rationale. It may describe a mixed-methods approach, including experimental studies and interviews, and should define the research questions and state any ethical approvals received. Key information must include study design, apparatus, procedures, participant recruitment, and analysis plan. For qualitative studies, a subsection on theoretical background may be added.

- **Study design**: This section outlines the study design, including dependent and independent variables, intervention conditions, measures (e.g., 5-point Likert scale), randomization of stimuli, and study approaches (within-subject or between-subject).
- **Apparatus**: The author should clearly state the apparatus used in the experiment, including hardware and software for both participants and researchers. Adding a picture of the setup can enhance context, especially for non-commercial devices.
- **Procedure**: The procedure section should detail all steps taken by participants, starting with informing them about the study and obtaining consent, followed by training with stimuli and conducting the experiment. It should include any potential risks, emphasize that participants can withdraw at any time, and state the study's duration.
- **Participant recruitment**: This section outlines the participant recruitment process, specifying whether it was conducted online or offline. It emphasizes the importance of ethical practices, ensuring no exploitation of the participant-researcher relationship, such as a professor using their position to coerce students. Additionally, it details the inclusion and exclusion criteria for participants.
- **Analysis**: In quantitative research, the analysis section should outline statistical methods like ANOVA and regression. For qualitative research, it should focus on techniques such as thematic analysis. It's also essential to include statistical tests, like post hoc tests (e.g., Bonferroni), for evaluating comparisons among multiple factors.

5.5 Result

The results section presents the study's findings and can be divided into two parts: results and analysis. In the results section, the author should report findings objectively without judgment, while also offering interpretations [40]. The analysis section should thoroughly examine the results, explaining how they address the research questions and highlighting key findings.

5.6 Discussion

This section addresses the relevance of the results to other research when the problem remains partially unresolved. If there's no significant result and H0 is not rejected, authors can refer to other studies that may answer these questions. This discussion can be organised into subsections.

5.7 Limitation and Future Work

Authors can add a future work subsection to discuss the study's limitations and suggest improvements for future research.

5.8 Conclusion

The conclusion should restate the claim from the introduction, summarizing the paper's key findings and demonstrating that the claim has been achieved. It should also offer closure and provide a broader perspective on the contributions made.

6 CONCLUSION

This paper provides an overview of the typical structure of computer science research articles, along with a case study of empirical studies in the HCI domain. It thoroughly describes seven sections: abstract, introduction, related work, method, results, discussion, and conclusion, along with examples of their usage. This paper explains these commonly used sections and serves as a starting point for novice researchers to build their first research article.

ACKNOWLEDGMENTS

To cite this work, please use this: Bustoni, I. A. (2026). Understanding the Structure of Computer Science's Research Article: An Example from HCI Empirical Study. Zenodo. https://doi.org/10.5281/zenodo.19662332.

REFERENCES

[1] Jose Nelson Amaral, M Buro, R Elio, J Hoover, I Nikolaidis, M Salavatipour, L Stewart, and K Wong. 2011. About computing science research methodology.

[2] Mohammadhossein Bahari, Saeed Saadatnejad, Amirhossein Askari Farsangi, Seyed-Mohsen Moosavi-Dezfooli, and Alexandre Alahi. 2025. Certified Human Trajectory Prediction - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 12301–12311.

[3] Isna Alfi Bustoni, Mark McGill, and Stephen Brewster. 2025. The Perception of a Tap: Using Auditory Augmented Reality to Alter the Contact Properties of a Physical Object. *ACM Trans. Comput.-Hum. Interact.* 32, 5, Article 53 (Oct. 2025), 33 pages. https://doi.org/10.1145/3745770

[4] Changan Chen, Juze Zhang, Shrinidhi K. Lakshmikanth, Yusu Fang, Ruizhi Shao, Gordon Wetzstein, Li Fei-Fei, and Ehsan Adeli. 2025. The Language of Motion: Unifying Verbal and Non-Verbal Language of 3D Human Motion - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 6200–6211.

[5] Honghu Chen, Bo Peng, Yunfan Tao, and Juyong Zhang. 2025. D^3-Human: Dynamic Disentangled Digital Human from Monocular Video - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 10836–10846.

[6] Tianlang Chen, Charilaos Kanatsoulis, and Jure Leskovec. 2026. RELGNN: Composite Message Passing for Relational Deep Learning - Proceedings of the 42nd International Conference on Machine Learning. In *Proceedings of the 42nd International Conference on Machine Learning (ICML'25)*. JMLR.org.

[7] Xiwen Chen, Wenhui Zhu, Peijie Qiu, Hao Wang, Huayu Li, Zihan Li, Yalin Wang, Aristeidis Sotiras, and Abolfazl Razi. 2026. FIC-TSC: Learning Time Series Classification with Fisher Information Constraint - Proceedings of the 42nd International Conference on Machine Learning. In *Proceedings of the 42nd International Conference on Machine Learning (ICML'25)*. JMLR.org.

[8] Zixuan Chen, Jiaxin Li, Junxuan Liang, Liming Tan, Yejie Guo, Cewu Lu, and Yong-Lu Li. 2025. M^3-VOS: Multi-phase, Multi-Transition, and Multi-Scenery Video Object Segmentation - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 29193–29202.

[9] Jaeho Choi, Soheil Hor, Shubo Yang, and Amin Arbabian. 2025. MVDoppler-pose: Multi-modal Multi-View mmWave Sensing for Long-Distance Self-Occluded Human Walking Pose Estimation - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 27750–27759.

[10] Jasper Dekoninck, Maximilian Baader, and Martin Vechev. 2025. A Unified Approach to Routing and Cascading for LLMs. arXiv:2410.10347 [cs.CL] https://arxiv.org/abs/2410.10347

[11] Eurostat. 2026. *R&D Personnel*. https://ec.europa.eu/eurostat/statistics-explained/images/4/48/Copy_of_Excel_Personnel_preliminary_2024_20260105.xlsx

[12] Lahari Goswami, Alexandre Senges, Thibault Estier, and Mauro Cherubini. 2023. Supporting Co-Regulation and Motivation in Learning Programming in Online Classrooms. *Proc. ACM Hum.-Comput. Interact.* 7, CSCW2, Article 298 (Oct. 2023), 29 pages. https://doi.org/10.1145/3610089

[13] Fabrizio Guillaro, Giada Zingarini, Ben Usman, Avneesh Sud, Davide Cozzolino, and Luisa Verdoliva. 2025. A Bias-Free Training Paradigm for More General AI-generated Image Detection - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 18685–18694.

[14] Siqi Guo, Ilgee Hong, Vicente Balmaseda, Changlong Yu, Liang Qiu, Xin Liu, Haoming Jiang, Tuo Zhao, and Tianbao Yang. 2026. Discriminative Finetuning of Generative Large Language Models without Reward Models and Human Preference Data - Proceedings of the 42nd International Conference on Machine Learning. In *Proceedings of the 42nd International Conference on Machine Learning (ICML'25)*. JMLR.org.

[15] Mo Houtti, Moyan Zhou, Loren Terveen, and Stevie Chancellor. 2025. Observe, Ask, Intervene: Designing AI Agents for More Inclusive Meetings - Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems (Chi '25)*. Association for Computing Machinery, New York, NY, USA. https://doi.org/10.1145/3706598.3713838

[16] Ziqin Huang, Gu Wang, Chenyangguang Zhang, Ruida Zhang, Xiu Li, and Xiangyang Ji. 2025. GIVEPose: Gradual Intra-Class Variation Elimination for RGB-based Category-Level Object Pose Estimation - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 22055–22066.

[17] Markelle Kelly, Alex Boyd, Sam Showalter, Mark Steyvers, and Padhraic Smyth. 2026. Bayesian Inference for Correlated Human Experts and Classifiers - Proceedings of the 42nd International Conference on Machine Learning. In *Proceedings of the 42nd International Conference on Machine Learning (ICML'25)*. JMLR.org.

[18] Sophie Hanna Langbein, Niklas Koenen, and Marvin N. Wright. 2026. Gradient-Based Explanations for Deep Learning Survival Models - Proceedings of the 42nd International Conference on Machine Learning. In *Proceedings of the 42nd International Conference on Machine Learning (ICML'25)*. JMLR.org.

[19] Chenyi Li, Guande Wu, Gromit Yeuk-Yin Chan, Dishita Gdi Turakhia, Sonia Castelo Quispe, Dong Li, Leslie Welch, Claudio Silva, and Jing Qian. 2025. Satori: Towards Proactive AR Assistant with Belief-Desire-Intention User Modeling - Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems (Chi '25)*. Association for Computing Machinery, New York, NY, USA. https://doi.org/10.1145/3706598.3714188

[20] Ming-Feng Li, Xin Yang, Fu-En Wang, Hritam Basak, Yuyin Sun, Shreekant Gayaka, Min Sun, and Cheng-Hao Kuo. 2025. UA-pose: Uncertainty-aware 6D Object Pose Estimation and Online Object Completion with Partial References - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 1180–1189.

[21] Peng Li, Wangguandong Zheng, Yuan Liu, Tao Yu, Yangguang Li, Xingqun Qi, Xiaowei Chi, Siyu Xia, Yan-Pei Cao, Wei Xue, Wenhan Luo, and Yike Guo. 2025. PSHuman: Photorealistic Single-Image 3D Human Reconstruction Using Cross-Scale Multiview Diffusion and Explicit Remeshing - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 16008–16018.

[22] Weizhuo Li, Yue Xi, Wenjing Jia, Zehao Zhang, Fei Li, Xiangzeng Liu, and Qiguang Miao. 2025. PointSR: Self-regularized Point Supervision for Drone-View Object Detection - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 11707–11716.

[23] Ziqi Li, Tao Gao, Yisheng An, Ting Chen, Jing Zhang, Yuanbo Wen, Mengkun Liu, and Qianxi Zhang. 2025. Brain-Inspired Spiking Neural Networks for Energy-Efficient Object Detection - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 3552–3562.

[24] Xin Lin, Chong Shi, Zuopeng Yang, Haojin Tang, and Zhili Zhou. 2025. SGC-net: Stratified Granular Comparison Network for Open-Vocabulary HOI Detection - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 4539–4549.

[25] Ben Lonnqvist, Elsa Scialom, Abdulkadir Gokce, Zehra Merchant, Michael H. Herzog, and Martin Schrimpf. 2026. Contour Integration Underlies Human-like Vision - Proceedings of the 42nd International Conference on Machine Learning. In *Proceedings of the 42nd International Conference on Machine Learning (ICML'25)*. JMLR.org.

[26] Springer nature. 2026. *2025 Research Leaders: Leading countries/territories*. https://www.nature.com/nature-index/research-leaders/2025/country/all/regions-Europe

[27] Matthew J Page, Joanne E McKenzie, Patrick M Bossuyt, Isabelle Boutron, TammyC Hoffmann, Cynthia D Mulrow, Larissa Shamseer, Jennifer M Tetzlaff, Elie A Akl, Sue E Brennan, Roger Chou, Julie Glanville, Jeremy M Grimshaw, Asbjørn Hróbjartsson, Manoj M Lalu, Tianjing Li, Elizabeth W Loder, Evan Mayo-Wilson, Steve McDonald, Luke A McGuinness, Lesley A Stewart, James Thomas, Andrea C Tricco, Vivian A Welch, Penny Whiting, and David Moher. 2021. The PRISMA 2020 Statement: An Updated Guideline for Reporting Systematic Reviews. *BMJ* (2021).

[28] Hui En Pang, Shuai Liu, Zhongang Cai, Lei Yang, Tianwei Zhang, and Ziwei Liu. 2025. Disco4D: Disentangled 4D Human Generation and Animation from a Single Image - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 26331–26344.

[29] Thomas Pethick, Wanyun Xie, Kimon Antonakopoulos, Zhenyu Zhu, Antonio Silveti-Falls, and Volkan Cevher. 2026. Training Deep Learning Models with Norm-Constrained Lmos - Proceedings of the 42nd International Conference on Machine Learning. In *Proceedings of the 42nd International Conference on Machine Learning (ICML'25)*. JMLR.org.

[30] Thanawit Prasongpongchai, Pat Pataranutaporn, Monchai Lertsutthiwong, and Pattie Maes. 2025. Talk to the Hand: An LLM-powered Chatbot with Visual Pointer as Proactive Companion for on-Screen Tasks - Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems (Chi '25)*. Association for Computing Machinery, New York, NY, USA. https://doi.org/10.1145/3706598.3715579

[31] Kevin Pu, Daniel Lazaro, Ian Arawjo, Haijun Xia, Ziang Xiao, Tovi Grossman, and Yan Chen. 2025. Assistance or Disruption? Exploring and Evaluating the Design and Trade-Offs of Proactive AI Programming Support - Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems (Chi '25)*. Association for Computing Machinery, New York, NY, USA. https://doi.org/10.1145/3706598.3713357

[32] Aneeshan Sain, Subhajit Maity, Pinaki Nath Chowdhury, Shubhadeep Koley, Ayan Kumar Bhunia, and Yi-Zhe Song. 2025. Sketch down the Flops: Towards

Efficient Networks for Human Sketch - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 28383–28393.

[33] Ning Shang, Li Lyna Zhang, Siyuan Wang, Gaokai Zhang, Gilsinia Lopez, Fan Yang, Weizhu Chen, and Mao Yang. 2025. LongRoPE2: Near-Lossless LLM Context Window Scaling. arXiv:2502.20082 [cs.CL] https://arxiv.org/abs/2502.20082

[34] Joongi Shin, Anna Polyanskaya, Andrés Lucero, and Antti Oulasvirta. 2025. No Evidence for Llms Being Useful in Problem Reframing - Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems (Chi '25)*. Association for Computing Machinery, New York, NY, USA. https://doi.org/10.1145/3706598.3713273

[35] Amira Skeggs, Ashish Mehta, Valerie Yap, Seray B Ibrahim, Charla Rhodes, James J. Gross, Sean A. Munson, Predrag Klasnja, Amy Orben, and Petr Slovak. 2025. Micro-Narratives: A Scalable Method for Eliciting Stories of People's Lived Experience - Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems (Chi '25)*. Association for Computing Machinery, New York, NY, USA. https://doi.org/10.1145/3706598.3713999

[36] Beata Smela, Mondher Toumi, Karolina Świerk, Clement Francois, Małgorzata Biernikiewicz, Emilie Clay, and Laurent Boyer. 2023. Rapid Literature Review Definition and Methodology. *Journal of Market Access & Health Policy* 11, 1 (2023), 2241234. https://doi.org/10.1080/20016689.2023.2241234

[37] Sirui Tao, Ivan Liang, Cindy Peng, Zhiqing Wang, Srishti Palani, and Steven P. Dow. 2025. DesignWeaver: Dimensional Scaffolding for Text-to-Image Product Design - Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems (Chi '25)*. Association for Computing Machinery, New York, NY, USA. https://doi.org/10.1145/3706598.3714211

[38] Jian-Jia Weng, Calvin Ku, Jo Chien Wang, Chih-Jen Cheng, Tica Lin, Yu-An Su, Tsung-Hsun Tsai, You-Yi Lin, Lun-Wei Ku, Hung-Kuo Chu, and Min-Chun Hu. 2025. Bridging Coaching Knowledge and AI Feedback to Enhance Motor Learning in Basketball Shooting Mechanics through a Knowledge-Based SOP Framework - Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems (Chi '25)*. Association for Computing Machinery, New York, NY, USA. https://doi.org/10.1145/3706598.3713324

[39] Jacob O Wobbrock. 2012. Seven Research Contributions in HCI.

[40] Jacob O Wobbrock. 2015. Catchy Titles Are Good: But Avoid Being Cute.

[41] Sheng Wu, Yimi Wang, Xudong Liu, Yuguang Yang, Runqi Wang, Guodong Guo, David Doermann, and Baochang Zhang. 2025. DFM: Differentiable Feature Matching for Anomaly Detection - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 15224–15233.

[42] Weimin Wu, Maojiang Su, Jerry Yao-Chieh Hu, Zhao Song, and Han Liu. 2026. In-Context Deep Learning via Transformer Models - Proceedings of the 42nd International Conference on Machine Learning. In *Proceedings of the 42nd International Conference on Machine Learning (ICML'25)*. JMLR.org.

[43] Zhuochen Yu, Bijie Qiu, and Andy W. H. Khong. 2025. ViKIENet: Towards Efficient 3D Object Detection with Virtual Key Instance Enhanced Network - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 11844–11853.

[44] Bhada Yun, Dana Feng, Ace S. Chen, Afshin Nikzad, and Niloufar Salehi. 2025. Generative AI in Knowledge Work: Design Implications for Data Navigation and Decision-Making - Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems (Chi '25)*. Association for Computing Machinery, New York, NY, USA. https://doi.org/10.1145/3706598.3713337

[45] Yipeng Zhang, Longlong Li, and Kelin Xia. 2026. Rhomboid Tiling for Geometric Graph Deep Learning - Proceedings of the 42nd International Conference on Machine Learning. In *Proceedings of the 42nd International Conference on Machine Learning (ICML'25)*. JMLR.org.

[46] Hongwei Zheng, Han Li, Wenrui Dai, Ziyang Zheng, Chenglin Li, Junni Zou, and Hongkai Xiong. 2025. HiPART: Hierarchical Pose AutoRegressive Transformer for Occluded 3D Human Pose Estimation - Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR). In *Proceedings of the Computer Vision and Pattern Recognition Conference (CVPR)*. 16807–16817.

No	Paper Title	Venue	Structure															
			Abstract	Intro.	Prelim. Study	Related Works	Method	Experimental Results				Analysis	Discussion	Limitations & Future Work	Conclusion	Impact / Design Implications	Acknow -ledgement	References
								Datasets & Metrics	Appar./ Implem.	Results	Ablation Study							
1	The News Says, the Bot Says: How Immigrants and Locals Differ in Chatbot-Facilitated News Reading [?]	CHI	✓	✓		✓	✓		✓	✓			✓	✓	✓		✓	✓
2	Talk to the Hand: an LLM-powered Chatbot with Visual Pointer as Proactive Companion for On-Screen Tasks [30]	CHI	✓	✓		✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓
3	Satori ##: Towards Proactive AR Assistant with Belief-Desire-Intention User Modeling [19]	CHI	✓	✓		✓	✓		✓	✓		✓	✓	✓		✓	✓	
4	Observe, Ask, Intervene: Designing AI Agents for More Inclusive Meetings [15]	CHI	✓	✓		✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	
5	No Evidence for LLMs Being Useful in Problem Reframing [34]	CHI	✓	✓		✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	
6	Micro-narratives: A Scalable Method for Eliciting Stories of People's Lived Experience [35]	CHI	✓	✓		✓	✓		✓	✓		✓		✓		✓	✓	
7	Generative AI in Knowledge Work: Design Implications for Data Navigation and Decision-Making [44]	CHI	✓	✓		✓	✓		✓	✓		✓	✓	✓	✓		✓	
8	DesignWeaver: Dimensional Scaffolding for Text-to-Image Product Design [37]	CHI	✓	✓		✓	✓		✓	✓		✓	✓	✓		✓	✓	
9	Bridging Coaching Knowledge and AI Feedback to Enhance Motor Learning in Basketball Shooting Mechanics Through a KnowledgeBased SOP Framework [38]	CHI	✓	✓		✓	✓		✓	✓			✓	✓	✓	✓	✓	
10	Assistance or Disruption? Exploring and Evaluating the Design and Trade-offs of Proactive AI Programming Support [31]	CHI	✓	✓		✓	✓		✓	✓			✓	✓	✓		✓	
11	ViKIENet: Towards Efficient 3D Object Detection with Virtual Key Instance Enhanced Network [43]	CVPR	✓	✓		✓	✓	✓	✓	✓	✓				✓		✓	✓
12	UA-Pose: Uncertainty-Aware 6D Object Pose Estimation and Online Object Completion with Partial References [20]	CVPR	✓	✓		✓	✓	✓	✓	✓	✓				✓		✓	
13	The Language of Motion: Unifying Verbal and Non-verbal Language of 3D Human Motion [4]	CVPR	✓	✓	✓	✓		✓		✓			✓			✓	✓	
14	Sketch Down the FLOPs: Towards Efficient Networks for Human Sketch [32]	CVPR	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓		✓	
15	SGC-Net: Stratified Granular Comparison Network for Open-Vocabulary HOI Detection [24]	CVPR	✓	✓		✓		✓	✓	✓	✓	✓			✓		✓	
16	PSHuman: Photorealistic Single-image 3D Human Reconstruction using Cross-Scale Multiview Diffusion and Explicit Remeshing [21]	CVPR	✓	✓		✓	✓	✓	✓	✓	✓	✓		✓	✓		✓	✓
17	PointSR: Self-Regularized Point Supervision for Drone-View Object Detection [22]	CVPR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓		✓	✓
18	MVDoppler-Pose: Multi-Modal Multi-View mmWave Sensing for Long-Distance Self-Occluded Human Walking Pose Estimation [9]	CVPR	✓	✓		✓	✓	✓		✓	✓			✓	✓		✓	✓
19	M3-VOS: Multi-Phase, Multi-Transition, and Multi-Scenery Video Object Segmentation [8]	CVPR	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓
20	HiPART: Hierarchical Pose AutoRegressive Transformer for Occluded 3D Human Pose Estimation [46]	CVPR	✓	✓		✓		✓	✓	✓	✓	✓			✓		✓	✓
21	GIVEPose: Gradual Intra-class Variation Elimination for RGB-based Category-Level Object Pose Estimation [16]	CVPR	✓	✓		✓	✓	✓	✓	✓	✓			✓	✓		✓	✓
22	Disco4D: Disentangled 4D Human Generation and Animation from a Single Image [28]	CVPR	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		✓		✓	✓
23	DFM: Differentiable Feature Matching for Anomaly Detection [41]	CVPR	✓	✓		✓	✓	✓	✓	✓	✓				✓		✓	✓
24	D3-Human: Dynamic Disentangled Digital Human from Monocular Video [5]	CVPR	✓	✓		✓	✓	✓	✓	✓	✓		✓				✓	✓
25	Certified Human Trajectory Prediction [2]	CVPR	✓	✓		✓	✓	✓	✓	✓			✓	✓	✓		✓	✓
26	Brain-Inspired Spiking Neural Networks for Energy-Efficient Object Detection [23]	CVPR	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓	✓
27	A Bias-Free Training Paradigm for More General AI-generated Image Detection [13]	CVPR	✓	✓		✓	✓	✓	✓	✓				✓	✓		✓	✓
28	Training Deep Learning Models with Norm-Constrained LMOs [29]	ICML	✓	✓	✓	✓	✓					✓			✓	✓	✓	
29	Rhomboid Tiling For Geometric Graph Deep Learning [45]	ICML	✓	✓		✓	✓	✓	✓	✓				✓		✓		
30	RELGNN: Composite Message Passing for Relational Deep Learning [6]	ICML	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	
31	In-Context Deep Learning via Transformer Models [42]	ICML	✓	✓	✓	✓	✓			✓		✓	✓	✓	✓	✓	✓	
32	Gradient-based Explanations for Deep Learning Survival Models [18]	ICML	✓	✓		✓	✓	✓	✓	✓		✓		✓	✓		✓	
33	FIC-TSC: Learning Time Series Classification with Fisher Information Constraint [7]	ICML	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	
34	Discriminative Finetuning of Generative Large Language Models without Reward Models and Human Preference Data [14]	ICML	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓	
35	Contour Integration Underlies Human-Like Vision [25]	ICML	✓	✓		✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	
36	Bayesian Inference for Correlated Human Experts and Classifiers [17]	ICML	✓	✓		✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	
37	A Physics-Augmented Deep Learning Framework for Classifying Single Molecule Force Spectroscopy Data	ICML	✓	✓	✓	✓	✓	✓	✓	✓		✓		✓	✓	✓	✓	

Table A1: Raw data for Screening