


Menu



Getting Started with Sensitive Data Intelligence

[Sensitive Data Intelligence](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N6536815d9a70a\]](#) lets you run discovery scans across your multi-cloud environment and visualize the post-scan analytics. This can help you understand where sensitive data is located in your cloud across various regions and assess the associated risks. With this insight, you can perform necessary data privacy, security, compliance, and governance operations to ensure your data remains safe and secure.



Step 1 - Connect your Data System

Integrate your [structured](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N65368180ef365\]](#), [unstructured](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N653682666754a\]](#), and [streaming](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N6694bb4fc396a\]](#) data systems, such as MySQL, SharePoint, and Kafka, with Securi by providing the necessary permissions. This integration makes your [data systems](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N65367e5db3191\]](#) eligible for scans, ensuring full visibility into all types of data across your files, tables, and topics.

Note**Menu**


Securiti offers out-of-the-box integration for over 300 SaaS and self-hosted platforms.

[Learn more about connecting your data system/modules/connectors/en/index-en.html?contextId=settingsDsMonitored\]](#)

Step 2 - Configure classifications to define scan criteria

Securiti offers various features to ensure that your scanning efforts are on point. Set up the relevant options as shared below.


Please note that Securiti offers default options for all these features. Adding more to it is optional.



Data Elements

Securiti offers hundreds of default [data elements](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N65367dfe133fd\]](#), such as email, phone numbers, and date of birth, for classification. If a specific data element you need to classify is not available in the default list, you can create a custom data element so it can be included in the scan criteria and detected.


[Learn more\[data-classifications/data-elements.html\]](#)



Document Categories

Securiti offers several [document categories](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N65367ea75cb3f\]](#) to choose from, such as bank statements, credit card images, and birth certificates. You can also create a custom document category of your choice.


[Learn more\[data-classifications/configuring-document-categories-and-types.html\]](#)



Content Profiles

Securiti offers [content profiles](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N65367d80dd577\]](#) such as PCI DSS, GDPR, etc., to help you create file-level content-matching policies. These profiles assist you in identifying and managing data according to the requirements of the selected regulation.

[Learn more\[data-classifications/configuring-content-profiles.html\]](#)



Menu

Exact Data Profiles

An [Exact Data Index](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N65367ec7df5a6\]](#) helps detect sensitive data like bank account numbers and SSNs by matching actual values, reducing false positives, and improving accuracy. You define the exact data index to scan and create an [Exact Data Profile](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N65367ee6aecd3\]](#) using that index for use in discovery scans. This ensures that SecuriTI looks only for the exact matches you specified.


[Learn more](#)[\[data-classifications/using-exact-data-indexes-and-profiles.html\]](#)

To learn more about configuring classification types, refer to:

- [Data dictionaries](#)[\[data-classifications/configuring-dictionaries.html\]](#)
- [File formats](#)[\[data-classifications/configuring-file-formats.html\]](#)
- [Scan profiles](#)[\[data-classifications/content-scan-profiles-290727.html\]](#)
- [Scan categories](#)[\[data-classifications/configuring-custom-scan-categories.html\]](#)

Step 3 - Run a Discovery Scan to discover sensitive data

Pick the scan mechanism to run the discovery scan:




Discovery scan

Discover [duplicate documents](#)[\[data-classifications/detecting-and-reducing-duplicate-and-near-duplicate-data.html\]](#) and sensitive data across all sorts of self-hosted and SaaS platforms. It is available for structured, unstructured, and streaming data systems, ensuring comprehensive visibility.

[Learn more](#)[\[discovery-scans.html\]](#)

Step 4 - Review Scan Results

In the [SDI](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N6536815d9a70a\]](#) module, you can see dashboards for structured, unstructured, and streaming data explorers to review the respective discovery scan results. In Graph Explorer, you can also view classification and scan results according to data systems or any other criteria.



Discovery Scan Evidence

For your scan jobs, you can view the evidence on the discovery scan pages that take you to the cloud platforms to view the evidence. This evidence includes information about data elements and content profiles discovered.

[Learn more](#)[modules/data-intelligence/en/index-en.html?contextId=sdiViewDocumentEvidence]

04:21

Structured Data Explorer New Experience

Private Preview

View the discovery scan results associated with your structured data systems, such as MySQL, Snowflake, Oracle, and so on. You can perform bulk edits on classification.

Note

The Structured Data Explorer New Experience is a [private preview](#)[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N667a8fb12e742] feature that is available by subscription. Contact support@securiti.ai to enable it for Securi tenants.

[Learn more](#)[dashboards/structured-data-explorer-private-preview.html]


04:28

Unstructured Data Explorer

View the discovery scan results associated with your unstructured data systems, such as Amazon S3, Alfresco, Microsoft 365 SharePoint, apply quick filters, and so on.

[Learn more](#)[dashboards/using-the-unstructured-data-explorer.html]

Menu




04:21

Streaming Data Explorer

View the discovery scan results associated with your streaming data systems, such as Kafka, Confluent Kafka, and Amazon MSK.

[Learn more\[dashboards/using-the-streaming-data-dashboard.html\]](#)

**Graph Explorer**

View relationships between different entities, such as discovery scans, data systems, content profiles, and so on,SecuriTI offers the Graph Explorer dashboard, where you can create widgets and view discovered assets.

[Learn more\[/modules/data-command-graph/en/index-en.html?contextId=dcgGraphExplorer\]](#)

Step 5 - Validate Classification Results / Fine-tuning Discovery Scan

This step is essential for ensuring that sensitive information, such as personally identifiable information (PII), financial data, or intellectual property, is in compliance with regulatory standards and organizational policies. You need to validate classification results for your structured, unstructured, and streaming data systems to see whether you have the expected sensitive data identified during the discovery scan jobs. In case of issues, you can go back to Step 2 to reconfigure classification types and make changes to discovery scans in Step 3.

For more information, see [Classification Validation and Fine-tuning Discovery Scans\[discovery-scans/classification-validation-and-fine-tuning-discovery-scans.html\]](#).

Step 6 - Apply Data Privacy and Security Policies to Remediate Risks (Structured and Unstructured Data)

Menu

03:28

Data Labeling Policy


To apply [sensitivity data labels](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N65367e2d0f6ee\]](#) to your files in your unstructured data systems based on the results of Securiti's data classification. Securiti integrates with Microsoft Purview labeling and Google Drive labeling to apply the sensitivity labels to files and documents as per your requirements.

Example

Imagine a healthcare provider handling a large volume of patients' sensitive information, such as medical records. They have a significant responsibility to keep this data safe and comply with strict privacy rules under HIPAA. To manage this, they use a system to classify the data. For instance, they might label certain patient records as "Highly Confidential," helping them identify which data requires extra protection.

[Learn more](#)[\[policies/configuring-data-labeling-policies.html\]](#)

Menu



File Insights Policy Private Preview

You can create a [file insights policy\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N6698bd860e0ee\]](https://fileinsights.policy[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N6698bd860e0ee]) that policy, that leverages previously scanned data, allowing you to quickly identify files with specific data elements, skipping the need to perform scans repeatedly.

You can also quarantine your files to move or quarantine files containing sensitive information or infected files to a new location of your choice.

i Note

The File Insights policy is a [private preview](#)[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N667a8fb12e742](#) feature that is available by subscription. Contact support@securiti.ai[\[mailto:support@securiti.ai\]](mailto:support@securiti.ai) to enable it for Securiti tenants.


Example to view File Insights

For example, consider students' grade report data placed in different files on SharePoint, and you want to identify sensitive information. For this purpose, you can create a file insights policy to see such details and apply quarantine and retention policies as well.

Example to quarantine files

For a healthcare provider managing sensitive patient information, implementing a File Quarantine Policy can enhance data security. By quarantining patient data, the provider prevents unauthorized access and ensures data integrity. This process also supports regular monitoring and auditing, maintaining compliance with privacy regulations.

[Learn more\[policies/configuring-file-insights-policies-private-preview.html\]](#)



Structured Data Insights policy Private Preview

Structured Data Insights policy lets you identify sensitive data across structured data systems in tables and columns.

Note

The Structured Data Insights policy is a [private preview](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N667a8fb12e742\]](#) feature that is available by subscription. Contact support@securiti.ai to enable it for Securiti tenants.

Example

A financial organization wants to make sure its customer data is properly categorized and structured. Using this policy, the organization scans its database metadata to identify anomalies, such as transaction records missing key attributes or being stored in incorrect tables.

[Learn more](#)[\[policies/configuring-structured-data-insights-policies-private-preview.html\]](#)

Menu

15:27

Automation policy Private Preview

The Automation policy lets you create tickets in ServiceNow and Jira to address issues found in posture, compliance tests, Gencore firewalls, and file findings. You can also send email notifications to relevant users in your team.

Note

The Automation policy is a [private preview](#)[\[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N667a8fb12e742\]](#) feature that is available by subscription. Contact support@securiti.ai to enable it for Securiti tenants.

Example

Set up an automation policy and create a ServiceNow or Jira ticket to turn on encryption for an AWS Redshift Cluster and assign it to the relevant team member.

[Learn more](#)[\[policies/configuring-automation-policies-private-preview.html\]](#)


Other Policies

There are the following policies that you can also configure to get more benefits and view valuable insights:

- [Security posture policies](#)[\[modules/security-posture-management/en/index-en.html?contextId=spmCreatePosturePolicy\]](#)
- [Data masking policies \(structured data\)](#)[\[modules/data-access-governance/en/index-en.html?contextId=dagCreateMaskingPolicy\]](#)
- [Cross-border policies](#)[\[modules/data-access-governance/en/index-en.html?contextId=dagCrossBorderPolicies\]](#)
- [Access control policies](#)[\[modules/data-access-governance/en/index-en.html?contextId=dagDacPolicies\]](#)
- [Data encryption policies \(streaming data\)](#)[\[modules/data-access-governance/en/index-en.html?contextId=dagCreateMaskingPolicy\]](#)


Step 7 - View all Policy Findings

You can view the relevant policy findings on their page.

**File Insights Policy Findings**

Quickly identify files with specific data elements, apply quarantine and retention policies.

[Learn more](#)[\[modules/data-intelligence/en/index-en.html?contextId=sdiFIFindings\]](#)




Menu

Structured Data Insights Findings

Quickly identify tables and columns with specific data elements.

[Learn more\[/modules/data-intelligence/en/index-en.html?contextId=sdiStructuredDataInsightsFindings\]](#)




Security Posture Findings Private Preview

Quickly view your data security posture findings and misconfigurations.

Note

The Security Posture Findings is a [private preview](#)[glossary-of-sensitive-data-intelligence-terms.html#UUID-c5ab797c-3e97-db5c-f4c5-d2fbefd601dc_N667a8fb12e742\]](#) feature that is available by subscription. Contact support@securiti.ai to enable it for Securiti tenants.

[Learn more\[/modules/security-posture-management/en/index-en.html?contextId=spmSpFindings\]](#)



Automation Policy Integrated with Ticketing System

Easily create task tickets and assign them to users to take remediation actions, e.g., ServiceNow and Jira.

[Learn more\[/modules/data-intelligence/en/index-en.html?contextId=sdiAutomationPolicies\]](#)

▼ Sensitive Data Intelligence Module API Documentation

[#UUID-639b1f62-f87f-c6ab-d8d3-b08886018cfc_section-idm234543358476204_body]

Securiti offers a set of APIs that let you integrate your preferred platform with ours. The API documentation provides detailed descriptions for each API, including information on endpoints and parameters, along with examples and usage guidelines. See the table below for more details.

Run APIs directly from the doc

With our interactive API documentation, you can execute API requests directly within the document. This lets you quickly test endpoints and view API responses without needing to set up a separate environment.

[Learn more\[/modules/data-intelligence/apidocs/index.html#section/Getting-Started\]](#)


Menu

00:05

Download the Postman collection

We also provide a Postman collection for customers who prefer using it to execute APIs. This collection contains a set of pre-configured requests that let you quickly test and explore the functionalities of our APIs.

[Learn more\[/modules/data-intelligence/apidocs/index.html#section/Getting-Started/Import-Postman-Collection\]](#)



In this section

Step 1 - Connect your Data System[../data-intelligence-target/getting-started-with-sensitive-data-intelligence.html#UUID-639b1f62-f87f-c6ab-d8d3-b08886018cfc_section-idm234505501185239]

Step 2 - Configure classifications to define scan criteria[../data-intelligence-target/getting-started-with-sensitive-data-intelligence.html#UUID-639b1f62-f87f-c6ab-d8d3-b08886018cfc_section-idm23450551388878]

Step 3 - Run a Discovery Scan to discover sensitive data[../data-intelligence-target/getting-started-with-sensitive-data-intelligence.html#UUID-639b1f62-f87f-c6ab-d8d3-b08886018cfc_section-idm23450551597425]

Step 4 - Review Scan Results[../data-intelligence-target/getting-started-with-sensitive-data-intelligence.html#UUID-639b1f62-f87f-c6ab-d8d3-b08886018cfc_section-idm23450551711867]

Step 5 - Validate Classification Results / Fine-tuning Discovery Scan[../data-intelligence-target/getting-started-with-sensitive-data-intelligence.html#UUID-639b1f62-f87f-c6ab-d8d3-b08886018cfc_section-idm234505519819487]

Step 6 - Apply Data Privacy and Security Policies to Remediate Risks (Structured and Unstructured Data)[../data-intelligence-target/getting-started-with-sensitive-data-intelligence.html#UUID-639b1f62-f87f-c6ab-d8d3-b08886018cfc_section-idm234505518245452]

Step 7 - View all Policy Findings[../data-intelligence-target/getting-started-with-sensitive-data-intelligence.html#UUID-639b1f62-f87f-c6ab-d8d3-b08886018cfc_section-idm234505571131581]

Sensitive Data Intelligence Module API Documentation[../data-intelligence-target/getting-started-with-sensitive-data-intelligence.html#UUID-639b1f62-f87f-c6ab-d8d3-b08886018cfc_section-idm234543358476204]