Independent T20 prime-field norms

Fixed F101 model · local unit acceptance204440 · unsigned

The independent adapter accepts all12317 rational balanced classes. Its prime-field image-Mumford norm matches a separate F101² pointwise oracle. Both compositions are[4];public recovery works by9238 after pullback or82/85 on elliptic components before pullback. All group/Frobenius and109+113 scalar-image checks pass. [pcc:unverified]





Source:y²=z⁶+46z⁵+6z⁴+50z³+74z²+12z+100;rawY=50y. Covers have degree4;the producer identifies the global norm pair of degree16. The new consumer independently checks the functions and rational domain,not a new Richelot construction. [pcc:unverified]

Complete fibres and falsification

The adapter retains the entire fibre $U=n-Xq^2$ and $V=Yq^3/m$ modulo the original U. Existing balanced reduction receives plus=nplus−1. Runtime uses existing F101 arithmetic and divisor engines;the extension field belongs to enumeration/oracle validation. [pcc:unverified]

Target	Finite-degree strata	Infinity/repetition
E2(59,27),order109	1 identity;106 degree4;2 degree2	Two equal signed infinities;0 repeated finite fibres
F0(44,21),order113	1 identity;110 degree4;2 degree3	One infinity;2 repeated finite fibres at z=0

Exact characteristic101 identities:$n0-10q0^2=z^2+52z+56$ and $n1-71q1^2=z^2(96z+24)$. Both infinity signs and all222 rational target points are checked. Actual finite fibre/pole intersections:zero for both covers. [pcc:unverified]

Negative or positive control	Observed outcome
16 fixture/parser mutants	All reject
9 balanced +3 elliptic malformed inputs;size bound	All reject
Wrong inverse2=6159;wrong global pullback sign	Each12316 different;1 identity equal
Four wrong infinity multiplicities	All4 valid but different classes
Two squarefree fibre replacements	Both valid but different classes and norm pairs
Universal identity RHS+1	Reject
Coherent whole-cover translations	Positive controls agree

All counts are exact local observations,not statistical/performance estimates. No extension-field Jacobian input domain or computational advantage is inferred. [pcc:unverified]

Proof, custody and next replay

Eleven separately bound Lean declarations pass the local gate with zero trusted-native declarations:universal quartic factorization,image support/ordinate substitution,conditional unit recovery,actual normalized F101 equations,both literal degree drops,infinity accounting and public constants. Global Picard/projective completion/local-jet/reducer/polarization bridges remain written/native. Scientific signature is absent. [pcc:unverified]

The first static attempt stopped before compilation with a nested-workspace manifest error101;it is preserved. Corrected membership passes strictClippy. CLI checks36 bounded fibres including duplicates,not the full12317 domain. New IDC1h72eac926f7b6d166 uses the unchanged fixed2^61−1 checker for the universal identity,not F101 coefficients. [pcc:unverified]

Native receipt:2026-11-13T00:13:14Z to00:19:02Z,originalexit0,194 input hashes unchanged,four tests/zero failedignoredfiltered. Whole206-file raw source/log/receipt tree is one506588-byte standardtar.xz with member/raw/archive hashes and exact roundtrip. Intact local archive awaits the documented trusted-base root migration;remote publication is pending. [pcc:unverified]

The original35 Rust/driver/pin inputs and four whole CI jobs remain byte-identical. The new fifth job requires upstream43 native/24 algebra/eleven exact certificates/both old JSON comparisons/40 modules238 compiled212 written0trusted,old kernel4+CLI,new norm4+CLI and11 consumer Lean declarations. This full replay/admission evidence is pending at the unit checkpoint. [pcc:unverified]

Sources and receipts:ec2a8b frozen protocol;204440 native;380d2b Lean;7f58bd static failure/pass;fdd132 CLI;root6298/bfa422;Galbraith corrected8.3.8/8.3.10;original balanced/quartic/Cantor engines. See adjacent REPORT.md for exact linked paths. Actual KB commands127/no backend;S3 checkpoint token/profile absent;vault8edec422 locked. No novelty inference. [pcc:unverified]

Next:publish this source checkpoint,complete pinned55-minute replay and raw migration,then compare a separate full F101 C0↔T20 adapter against the accepted degree196 chain. Construction/setup and matched solver measurements remain necessary for any cost claim. [pcc:unverified]