Benchmark progress: cryptanalysis

From bench.record/v1 records in Git; raw data in S3 by SHA-256. Derived numbers are labelled derived.

Records: open 0, measured 1, invalid 0, censored 0. Headline unit S: group operations / sqrt(n); the ECDLP cost unit, every phase priced.

Series in unit count: gain vs first record (derived, %)

Series in unit ir_per_op: gain vs first record (derived, %)



Series in unit ratio: gain vs first record (derived, %)



Series summary

problem • metric	unit	first	latest	gain vs first	value/ref	pts
ic:N53 • cost_per_trial_ratio.aa	ratio	0.9918	0.9918	-0%	?	1
ic:N53 • cost_per_trial_ratio.w128	ratio	1.0391	1.0391	-0%	?	1
ic:N53 • cost_per_trial_ratio.w256	ratio	1.0834	1.0834	-0%	?	1
ic:N53 • cost_per_trial_ratio.w512	ratio	1.0946	1.0946	-0%	?	1
ic:N53 • descents_verified	count	3,840	3,840	?	?	1
ic:N53 • ir_per_trial.w512	ir_per_op	692.5	692.5	0%	?	1
ic:N53 • ir_per_trial.w64	ir_per_op	735.3	735.3	0%	?	1
ic:N53 • perfbench_descent_k0n53_ratio	ratio	1.2224	1.2224	-0%	?	1

Every value is quoted from the record it names, in that record’s unit. Percentages and ratios under ’derived’ are computed here from those values and are not measurements. Series in different units are never compared.