V2 static source-delta review

J1 breaks · TASK-20261106-a2cc4a · 2026-11-06

V2 closes the exact F1/F2 counterexamples and adds the named operational/custody checks. A residual unknown-status acceptance path breaks the externally pinned false-object requirement. This is a static source-fit finding; no empirical failure or raw-prefix occurrence is asserted.

V2 delta: named corrections and one retained J1 break



Planned workload: 48 domains / 24 target domains / 1536 public targets; fresh A then B.

Post hoc static source review only; no solver, raw scan, control or fixture execution.

Old V1 J1 breaks and 305.14s / 300s UNMET remain unchanged.

Residual R1: unknown status can pass

verify.py:373-374 simply records status as a census key. Lines476-478 require word status to be text but accept every text value except that only RECOVERED triggers auditing. Cell status has no vocabulary/type gate. An otherwise valid joined cell with status="__UNREGISTERED_STATUS__", words=[], scalar=null and recovered_scalars=[] remains in contexts but can reach line513 status complete.

The pinned proves_too_much object explicitly requires unknownstatuses mustnotpassfullcoverage/custody. Census retention alone does not satisfy that rejection condition. No authoritative allowed-status vocabulary is defined in these sources. Define it prospectively and add an explicit invalid/incomplete gate before a new source snapshot/review.

F1 / F2: exact counterexamples closed

verify.py:461-470,490-499,509 — Every joined cell context is appended. RECOVERED with empty words, null scalar and empty recovered_scalars gets a cell.status undefined event and is included in claimed_cells. This does not assert any such raw row exists.

verify.py:414-425,433-435 — Exact integer coefficients must satisfy1<=a,b<r before normalization. F17r19,a20,b1,k=x2 raises ValueError and is retained undefined; it cannot be valid after reduction. Original/ transformed equations and normalization remain checked.

G1: cumulative CPU and stop

driver.py:104-137,145-197,223-241; verify.py:161-196,242-262,521-525 — Driver aggregates self/reaped/live CPU, samples at0.2s, decreases each child OS allowance and writes prior charge with2s finalization reserve. Checker rejects missing/negative/nonfinite/inconsistent/stale ledger and carries prior charge into its guard and remaining OS allowance. Same run/stop/pid/launch/source are checked. This closes fresh1800-per-phase reset in ordinary source flow. Sampling, fixed finalization reserve and native hard-guard dependency are retained; no hard instantaneous/cgroup enforcement was independently reviewed.

G2: census, provenance and joins

verify.py:353-395,438-510 — Top-level trace/cell statuses, word statuses, line/byte offset/length/SHA, all trace/cell contexts, arm and provided optional ID joins are retained. Missing optional IDs are recorded absent, and a separately labelled digest uses trace/curve/target/a/b/G/Q/arm rather than inventing a source ID. Dependent event multiplicities are retained. However arbitrary text statuses are accepted/censused without any admissible vocabulary check, and unknown-status cells/words can reach complete summary. Trace scan373 and context389-392 do not traverse original/incremental nested statuses; any full nested-status census remains unestablished. Their schema was mentioned by Coordinator but not independently read here.

G3: process and final-write guards

driver.py:70-96,125-137,170-192,234-261; verify.py:161-195,349,512,525 — Driver requires native process group and monitors worker membership, waits/reaps direct children, and guards successful writes. Checker reuses original stop, guards before/after final serialization/write calls and does not reset stop. Current worker has no child spawning. Cleanup grace and cooperative checks remain; unchanged native process-group/claim/watchdog behavior was not independently inspected in this scoped review.

G4: seals, source and original order

driver.py:204-213; verify.py:234-287,291-302,329-349 — Checker binds native launch/environment/runtime guard, current manifest and all source hashes; compares source bytes to authority Git blobs (code inspected, not executed). Public and certificate hashes/bytes, exact original curve/control/target order, duplicate IDs, canonical scalars and every equation are checked before reference seal and candidate open. Actual published-commit/native-environment runtime evidence remains a future execution dependency.

Mathematical fit and false objects

solver.py is byte-identical to V1. Static AST comparisons show prime/inverse/Curve/BabyGiant and independent is_prime/Projective unchanged. The affine SEC1 law and separate Jacobian arithmetic retain unreduced rG/rQ checks. HAC BSGS uses m=ceil(sqrt(r)), covering every x=im+j with 0<=x<r and i,j<m, and directly verifies every returned scalar.

Frozen false-object branches: missing/negative/inconsistent/stale ledger rejects at161-190/242-262; altered source/manifest/native seals at234-262; certificate omissions/duplicates/order at274-302; arm/optional ID mismatch at449-455; stream omissions at377-378; modified point at217-225/293-294/445-446. Absent optional IDs are recorded absent and derived bindings are explicitly labelled. All are analytical assessments, not control outcomes. Unknown statuses are the retained exception R1.

Pins, independence and limits

Plan sorted compact JSON SHA256:
08a3003f7196d897707b9c213c76629f892f1bdc1265ab5a19b53ab0d19d3d9d
Source commit supplied:59fdb82778ffaf1b134f3b8bd1e1a4f71b5920ee. Actual local source hashes match published-source materialization:
solver.py: d462b17ffb10772852d6024a92be71eb768b27d3d4b619cd582c868f88953031
driver.py: 99a6a535dda612a762d4b56c3fed8749321ddc849f2200b19474ba1d79010849
verify.py: a1cf6bdcb243caf5f4564f47b1dc86e2e7ea9dd3b368ab0da14dc019f8a5c667

Same reviewer as V1, independent of implementer; this is post hoc delta review, not an independent replication of own prior. No sibling review read; no source import, scientific/fixture/control/unit execution or raw scan. No Git query/mutation. No native environment or runtime enforcement was empirically validated. Source-fit review grants no experiment approval.

HAC Chapter3 §3.6.2 Algorithm3.56/Fact3.57 (local primary text1000-1040) and SEC1v2 §2.2.1 (local442-494) were reread before delta source analysis; retrieved, verified by this session. Full absolute paths and source-read accounting are in checks.json.

Budget and preserved history

New claim acquired2026-11-06T17:03:20Z (epoch1793984600), fixed stop17:13:20Z (1793985200). Whole review600s including artifacts/render/inspection; no extension/reset/review retry. Reviewer memory4GiB not instrumented, compliance unverified.

Old TASK-20261106-2ff273 remains J1 breaks,305.135592s against300s UNMET, memory unverified; no waiver or relabelled pass. Final actual completion and render/inspection logs are appended in report.md/checks.json. Canonical scientific graphs are outside scope and unchanged.