# Benchmark progress: crypto-autoresearcher

From bench.record/v1 records in Git; raw data in S3 by SHA-256. Derived numbers are labelled derived.

Records: open 0, measured 12, invalid 2, censored 0. Headline unit S: group operations / sqrt(n); the ECDLP cost unit, every phase priced.

### Series in unit bytes: gain vs first record (derived, %)

### Series in unit count: gain vs first record (derived, %)

**Series in unit fmul: gain vs first record (derived, %)**

# Series summary

| problem • metric | unit | first | latest | gain vs first | value/ref | pts |
|---|---|---|---|---|---|---|
| ic:prime-field-cold-solvers • cancellation_first | fmul | 813,356 | 813,356 | ? | ? | 1 |
| ic:prime-field-cold-solvers • cancellation_first | count | 506,680 | 506,680 | ? | ? | 1 |
| ic:prime-field-cold-solvers • full_joint_fr_mul | fmul | 1.617e+06 | 1.617e+06 | ? | ? | 1 |
| ic:prime-field-cold-solvers • full_joint_fr_sub | count | 537,790 | 537,790 | ? | ? | 1 |
| ic:prime-field-cold-solvers • matched_target_out | count | 288 | 288 | ? | ? | 1 |
| ic:prime-field-fresh-holdouts • distinct_targets | count | 8 | 8 | ? | ? | 1 |
| ic:prime-field-fresh-holdouts • distinct_targets | count | 15 | 15 | ? | ? | 1 |
| ic:prime-field-fresh-holdouts • source_construct | fmul | 98,566 | 98,566 | ? | ? | 1 |
| ic:prime-field-fresh-holdouts • source_queries | count | 49,152 | 49,152 | ? | ? | 1 |
| ic:prime-field-source-budgets • distinct_targets | count | 10 | 10 | ? | ? | 1 |
| ic:prime-field-source-budgets • first_checked_in | count | 96 | 96 | ? | ? | 1 |
| ic:prime-field-source-budgets • first_checked_jo | count | 48 | 48 | ? | ? | 1 |
| ic:prime-field-source-budgets • source_queries | count | 98,304 | 98,304 | ? | ? | 1 |
| ic:prime-field-source-control • distinct_targets | count | 8 | 8 | ? | ? | 1 |
| ic:prime-field-source-control • source_queries | count | 49,152 | 49,152 | ? | ? | 1 |
| ic:prime-field-sparse-functionals • checked_solv | count | 1,152 | 1,152 | ? | ? | 1 |
| ic:prime-field-sparse-functionals • cumulative_o | count | 1,156 | 1,156 | ? | ? | 1 |
| ic:prime-field-sparse-functionals • sparse_cance | fmul | 605,078 | 605,078 | ? | ? | 1 |
| ic:prime-field-sparse-functionals • sparse_cance | count | 2 | 2 | ? | ? | 1 |
| ic:prime-field-sparse-functionals • sparse_cance | count | 50 | 50 | ? | ? | 1 |
| ic:prime-field-sparse-functionals • sparse_joint | fmul | 688,054 | 688,054 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • affin | count | 39,341 | 39,341 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • fresh | count | 4 | 4 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • fresh | count | 32 | 32 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • max_r | bytes | 1.607e+08 | 1.607e+08 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • scope | count | 1,152 | 1,152 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • solve | count | 2,304 | 2,304 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • sourc | count | 147,456 | 147,456 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • spars | count | 602,296 | 602,296 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • spars | count | 4,762 | 4,762 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • spars | fmul | 6.851e+06 | 6.851e+06 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • spars | count | 7.199e+06 | 7.199e+06 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • spars | count | 456,714 | 456,714 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • spars | count | 4,952 | 4,952 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • spars | fmul | 6.415e+06 | 6.415e+06 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • spars | count | 6.703e+06 | 6.703e+06 | ? | ? | 1 |
| kernel:prime-field-affine-target-holdout • targe | count | 33,728 | 33,728 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • construct | count | 7,599 | 7,599 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • fresh_cur | count | 4 | 4 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • fresh_tar | count | 32 | 32 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • max_rss_b | bytes | 9.612e+07 | 9.612e+07 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • scope_cas | count | 432 | 432 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • solver_ca | count | 864 | 864 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • source_qu | count | 147,456 | 147,456 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • sparse_ca | count | 35,965 | 35,965 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • sparse_ca | count | 6,774 | 6,774 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • sparse_ca | fmul | 764,255 | 764,255 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • sparse_ca | count | 706,961 | 706,961 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • sparse_jo | count | 35,920 | 35,920 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • sparse_jo | count | 7,970 | 7,970 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • sparse_jo | fmul | 786,587 | 786,587 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • sparse_jo | count | 700,348 | 700,348 | ? | ? | 1 |
| kernel:prime-field-ap-source-holdout • target_qu | count | 1,536 | 1,536 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • max_ | bytes | 1.941e+08 | 1.941e+08 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • obse | count | 4 | 4 | ? | ? | 1 |

| | | | | | | |
|---|---|---|---|---|---|---|
| kernel:prime-field-batched-target-holdout • obse | count | 32 | 32 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • quer | count | 120,800 | 120,800 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • quer | count | 3,775 | 3,775 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • quer | fmul | 1.076e+06 | 1.076e+06 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • quer | count | 1.087e+06 | 1.087e+06 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • quer | count | 0 | 0 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • quer | count | 241,600 | 241,600 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • quer | fmul | 724,800 | 724,800 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • quer | count | 1.691e+06 | 1.691e+06 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • sour | count | 196,608 | 196,608 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • spar | count | 31,177 | 31,177 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • spar | count | 1,869 | 1,869 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • spar | fmul | 347,426 | 347,426 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • spar | count | 386,075 | 386,075 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • spar | count | 4,245 | 4,245 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • spar | count | 1,384 | 1,384 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • spar | fmul | 311,016 | 311,016 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • spar | count | 351,255 | 351,255 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • targ | count | 44,992 | 44,992 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • veri | count | 2,304 | 2,304 | ? | ? | 1 |
| kernel:prime-field-batched-target-holdout • veri | count | 1,152 | 1,152 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • curves | count | 4 | 4 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • hybrid_ | count | 126,837 | 126,837 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • hybrid_ | count | 913 | 913 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • hybrid_ | fmul | 736,257 | 736,257 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • hybrid_ | count | 972,666 | 972,666 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • hybrid_ | count | 126,837 | 126,837 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • hybrid_ | count | 913 | 913 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • hybrid_ | fmul | 1.132e+06 | 1.132e+06 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • hybrid_ | count | 1.361e+06 | 1.361e+06 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known32 | count | 1,138 | 1,138 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known32 | count | 27 | 27 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known32 | fmul | 1,801 | 1,801 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known32 | count | 7,672 | 7,672 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known32 | count | 1,138 | 1,138 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known32 | count | 27 | 27 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known32 | fmul | 8,221 | 8,221 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known32 | count | 14,947 | 14,947 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known48 | count | 2,271 | 2,271 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known48 | count | 35 | 35 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known48 | fmul | 4,083 | 4,083 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known48 | count | 21,944 | 21,944 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known48 | count | 2,271 | 2,271 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known48 | count | 35 | 35 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known48 | fmul | 17,247 | 17,247 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • known48 | count | 40,116 | 40,116 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • max_rss | bytes | 2.513e+08 | 2.513e+08 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • norm_pa | count | 11,150 | 11,150 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • norm_pa | count | 991 | 991 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • norm_pa | fmul | 232,164 | 232,164 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • norm_pa | count | 251,826 | 251,826 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • norm_sp | count | 11,150 | 11,150 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • norm_sp | count | 991 | 991 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • norm_sp | fmul | 236,836 | 236,836 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • norm_sp | count | 256,067 | 256,067 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • public_ | count | 32 | 32 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • query_b | count | 358,404 | 358,404 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • query_b | count | 8,962 | 8,962 | ? | ? | 1 |

| | | | | | | |
|---|---|---|---|---|---|---|
| kernel:prime-field-mixed-known-helpers • query_b | fmul | 3.212e+06 | 3.212e+06 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • query_b | count | 3.226e+06 | 3.226e+06 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • query_s | count | 4 | 4 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • query_s | count | 716,798 | 716,798 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • query_s | fmul | 2.15e+06 | 2.15e+06 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • query_s | count | 5.018e+06 | 5.018e+06 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • signed_ | count | 491,520 | 491,520 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • signed_ | count | 225,280 | 225,280 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • verifie | count | 576 | 576 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • verifie | count | 2,496 | 2,496 | ? | ? | 1 |
| kernel:prime-field-mixed-known-helpers • verifie | count | 1,248 | 1,248 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • kno | count | 1,211 | 1,211 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • kno | count | 38 | 38 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • kno | fmul | 1,940 | 1,940 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • kno | count | 8,229 | 8,229 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • kno | count | 1,211 | 1,211 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • kno | count | 38 | 38 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • kno | fmul | 8,270 | 8,270 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • kno | count | 15,839 | 15,839 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • max | bytes | 1.717e+08 | 1.717e+08 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • nor | count | 11,355 | 11,355 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • nor | count | 806 | 806 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • nor | fmul | 133,623 | 133,623 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • nor | count | 160,034 | 160,034 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • nor | count | 1,835 | 1,835 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • nor | count | 586 | 586 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • nor | fmul | 115,183 | 115,183 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • nor | count | 140,855 | 140,855 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • obs | count | 4 | 4 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • obs | count | 32 | 32 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • que | count | 143,360 | 143,360 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • que | count | 4,480 | 4,480 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • que | fmul | 1.277e+06 | 1.277e+06 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • que | count | 1.29e+06 | 1.29e+06 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • que | count | 0 | 0 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • que | count | 286,720 | 286,720 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • que | fmul | 860,160 | 860,160 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • que | count | 2.007e+06 | 2.007e+06 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • sou | count | 196,608 | 196,608 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • tar | count | 90,112 | 90,112 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • ver | count | 1,248 | 1,248 | ? | ? | 1 |
| kernel:prime-field-paid-known-base-control • ver | count | 624 | 624 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • ba | count | 12,992 | 12,992 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • ba | count | 16 | 16 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • ba | fmul | 117,024 | 117,024 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • ba | count | 156,544 | 156,544 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • ba | bytes | 2.942e+06 | 2.942e+06 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • ma | bytes | 1.559e+08 | 1.559e+08 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • ne | count | 0 | 0 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • sc | count | 0 | 0 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • sc | count | 51,968 | 51,968 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • sc | fmul | 155,904 | 155,904 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • sc | count | 364,416 | 364,416 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • sc | bytes | 0 | 0 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • ve | count | 32 | 32 | ? | ? | 1 |
| kernel:prime-field-signed-pair-construction • ve | count | 17,920 | 17,920 | ? | ? | 1 |
| kernel:prime-field-target-effort • curves | count | 4 | 4 | ? | ? | 1 |
| kernel:prime-field-target-effort • hybrid8_parti | count | 115,978 | 115,978 | ? | ? | 1 |

| | | | | | | |
|---|---|---|---|---|---|---|
| kernel:prime-field-target-effort • hybrid8_parti | count | 860 | 860 | ? | ? | 1 |
| kernel:prime-field-target-effort • hybrid8_parti | fmul | 694,644 | 694,644 | ? | ? | 1 |
| kernel:prime-field-target-effort • hybrid8_parti | count | 925,733 | 925,733 | ? | ? | 1 |
| kernel:prime-field-target-effort • hybrid8_spars | count | 115,978 | 115,978 | ? | ? | 1 |
| kernel:prime-field-target-effort • hybrid8_spars | count | 860 | 860 | ? | ? | 1 |
| kernel:prime-field-target-effort • hybrid8_spars | fmul | 1.076e+06 | 1.076e+06 | ? | ? | 1 |
| kernel:prime-field-target-effort • hybrid8_spars | count | 1.302e+06 | 1.302e+06 | ? | ? | 1 |
| kernel:prime-field-target-effort • known32_8_par | count | 1,260 | 1,260 | ? | ? | 1 |
| kernel:prime-field-target-effort • known32_8_par | count | 29 | 29 | ? | ? | 1 |
| kernel:prime-field-target-effort • known32_8_par | fmul | 1,896 | 1,896 | ? | ? | 1 |
| kernel:prime-field-target-effort • known32_8_par | count | 8,241 | 8,241 | ? | ? | 1 |
| kernel:prime-field-target-effort • known32_8_spa | count | 1,260 | 1,260 | ? | ? | 1 |
| kernel:prime-field-target-effort • known32_8_spa | count | 29 | 29 | ? | ? | 1 |
| kernel:prime-field-target-effort • known32_8_spa | fmul | 8,238 | 8,238 | ? | ? | 1 |
| kernel:prime-field-target-effort • known32_8_spa | count | 16,004 | 16,004 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_24_pa | count | 1,017 | 1,017 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_24_pa | count | 19 | 19 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_24_pa | fmul | 4,245 | 4,245 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_24_pa | count | 21,390 | 21,390 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_24_sp | count | 1,017 | 1,017 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_24_sp | count | 19 | 19 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_24_sp | fmul | 17,421 | 17,421 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_24_sp | count | 34,128 | 34,128 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_8_par | count | 2,781 | 2,781 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_8_par | count | 42 | 42 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_8_par | fmul | 4,818 | 4,818 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_8_par | count | 26,060 | 26,060 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_8_spa | count | 2,781 | 2,781 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_8_spa | count | 42 | 42 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_8_spa | fmul | 18,672 | 18,672 | ? | ? | 1 |
| kernel:prime-field-target-effort • known48_8_spa | count | 47,104 | 47,104 | ? | ? | 1 |
| kernel:prime-field-target-effort • max_rss_bytes | bytes | 3.898e+08 | 3.898e+08 | ? | ? | 1 |
| kernel:prime-field-target-effort • norm8_partial | count | 191 | 191 | ? | ? | 1 |
| kernel:prime-field-target-effort • norm8_partial | count | 711 | 711 | ? | ? | 1 |
| kernel:prime-field-target-effort • norm8_partial | fmul | 148,935 | 148,935 | ? | ? | 1 |
| kernel:prime-field-target-effort • norm8_partial | count | 174,473 | 174,473 | ? | ? | 1 |
| kernel:prime-field-target-effort • norm8_sparse_ | count | 191 | 191 | ? | ? | 1 |
| kernel:prime-field-target-effort • norm8_sparse_ | count | 711 | 711 | ? | ? | 1 |
| kernel:prime-field-target-effort • norm8_sparse_ | fmul | 153,645 | 153,645 | ? | ? | 1 |
| kernel:prime-field-target-effort • norm8_sparse_ | count | 178,490 | 178,490 | ? | ? | 1 |
| kernel:prime-field-target-effort • public_target | count | 32 | 32 | ? | ? | 1 |
| kernel:prime-field-target-effort • query_batch_f | count | 465,664 | 465,664 | ? | ? | 1 |
| kernel:prime-field-target-effort • query_batch_f | count | 11,194 | 11,194 | ? | ? | 1 |
| kernel:prime-field-target-effort • query_batch_f | fmul | 4.178e+06 | 4.178e+06 | ? | ? | 1 |
| kernel:prime-field-target-effort • query_batch_f | count | 4.191e+06 | 4.191e+06 | ? | ? | 1 |
| kernel:prime-field-target-effort • query_scalar_ | count | 0 | 0 | ? | ? | 1 |
| kernel:prime-field-target-effort • query_scalar_ | count | 931,328 | 931,328 | ? | ? | 1 |
| kernel:prime-field-target-effort • query_scalar_ | fmul | 2.794e+06 | 2.794e+06 | ? | ? | 1 |
| kernel:prime-field-target-effort • query_scalar_ | count | 6.519e+06 | 6.519e+06 | ? | ? | 1 |
| kernel:prime-field-target-effort • signed_source | count | 491,520 | 491,520 | ? | ? | 1 |
| kernel:prime-field-target-effort • signed_target | count | 439,808 | 439,808 | ? | ? | 1 |
| kernel:prime-field-target-effort • verified_info | count | 576 | 576 | ? | ? | 1 |
| kernel:prime-field-target-effort • verified_solv | count | 2,520 | 2,520 | ? | ? | 1 |
| kernel:prime-field-target-effort • verified_syst | count | 1,260 | 1,260 | ? | ? | 1 |

Every value is quoted from the record it names, in that record's unit. Percentages and ratios under 'derived' are computed here from those values and are not measurements. Series in different units are never compared.