Independently reconciled finite recovery

DEC-20261030-f19cb6: revise technical follow-up

EV-ECDLP-78ed38 · EXP-ECDLP-787704 · RUN-ECDLP-53b08d


The complete finite mathematics is independently verified. Seven historical protocol/export findings remain. Goal ACTIVE; H-ECDLP-6674c9 specified. No scientific promotion, rejection, exponent or performance conclusion.

Observation

The original fixed circuit2.a1 function is enumerated on all 48 retained curves: **821638 nonzero states**, **4929828 dependent scalar/cells** and **821686 orbit/query points including identities**. All states, cells, 288 exact summary rows and curve-stream hashes agree with the independently sealed disjoint mathematical implementation. Field p ≤62011; order r ≤61717; L ∈ {11,14,17}.

Exact recovery across six fixed decoder cells

RUN-ECDLP-53b08d · 48 retained functions · 821638 nonzero states per cell



Primary t1.e2 highlighted. Exact finite counts: no binomial uncertainty or pooled probability.

All six cells share the same states. q and uniform-reference fractions remain separate for every function.

Independent full comparison: 4929828 scalar/cells agree. Export conformance: seven findings remain.

Source: TASK-20261030-cd89e7/independent-summary.json; producer summary.json.gz; EV-ECDLP-78ed38.

Exact finite counts have no binomial sampling interval. Six cells share the same states. Successful-state sums are descriptive, never a pooled probability. All zero/undefined/capped/empty/public-check branches remain in the source summaries. The 918 erasure-bearing states each have one erased position.

Comparison

For each function, q = successes/(r−1). Its analytical conditional-uniform reference is M(s)/(r−1) per state, and sum M(s)/(r−1)² over the domain. This law is not a second physical solver run. The source retains 288 separate fractions and all histograms.

Sources: raw summary.json.gz at RUN-ECDLP-53b08d; TASK-20261030-cd89e7/independent-summary.json. Source snapshot ca7590d80a. Complete paths/hashes and editable sources are in composition/observations.json.

Independent joints and qualification

Joint	Verdict	Exact boundary
Predicate	Holds	All 48orbits, setups and public answer streams.
List/density/reference	Holds	All 821638 states / 4929828 cells; every per-function law.
Blinding	Conditional hold	Fresh genuinely iid uniform nonzero b; no actual SHA-PRG iid proof.
Integrity	Breaks	Seven frozen protocol/export findings; mathematics and custody checks remain separate.

Retained regression reconciles 216 setups, 345600 singles, 688128 trace queries, 36864 original plus 12288 incremental attempt objects, 73728 cells and 3068802 word/public-equation rows. No old producer scientific run was repeated. Serialized predicate_evaluations and retained_bit_reads remain bookkeeping rather than physical-cost qualification.

Seven preserved export findings

1. Actual launch commit differs from frozen instrument commit.
2. Analytical conditional-uniform arm has no execution row.
3. One actual census bundle versus 96 planned typed rows.
4. Candidate has 1 instance versus 48.
5. Reference has 0 instances versus 48.
6. Instance identities differ across arms.
7. Analysis script SHA link is missing or differs.

The native driver/checker returned 0. The captured receipt remains output_validated, published=false, scientific_validity not_assessed. Root review-format and independence checks returned 0. Neither makes the frozen export conformant. No fake reference arm, cloned row or retroactive frozen edit was introduced.

Controls and retained failures

Genuine/negated-half, erasure/cap, 32256 tiny cube/direct comparisons, scalar/sign/conversion and independent public-check mutations have actual witnesses. Eighteen narrower source/format/process guards retain their limited scopes. Producer supervisor end-to-end mutation coverage and original not_run placeholders remain unqualified.

Two old-adapter invocations stopped on unsupported coverage/counter assumptions; their failed sources, logs and witnesses survive. Corrected adapters leave sealed mathematics unchanged. Initial PDF layout and root publication-shape refusals are preserved separately. Representation errors are not mathematical refutations.

Evidence: TASK-20261030-cd89e7/report.md, checks.json and experiment.review.json; root canonical review checks; problems/classical-ecdlp-exact-density-export-conformance.md.

Decision and concrete next work

At primary t1.e2, 35/48 fixed functions have positive q and 13/48 have zero q. At radius 2 both caps have positive q on 48/48. This finite retryability lead is worth inspecting under the explicit uniform-blinding condition. It supplies no paid restart cost or fresh-population law.

DEC-f19cb6 revises the technical path. Preliminary is the aggregate conformance/transfer ceiling; the finite integer enumeration itself is independently established. No p^(1/3) baseline is assumed.

1. Complete the existing v3 two-process candidate/unchanged-BSGS adapter and fixed integrity controls; archive actual source.
2. Complete a separately declared full-cohort production route: actual native allocated context, full original schedule or prospectively justified changes, timeout/partial custody and resource/storage bounds. Then independently review its published source. Tiny fixture success alone is insufficient.
3. Freeze and admit three distinct fresh 48-curve solver cohorts,144 total: original sampling law, prior/current exclusions, fixed primary, paired original/incremental and all six dependent cells. Draw nothing before actual runnable admission, approval/archive and current checkpoint.
4. Execute candidate and working BSGS on identical public instances with matched backend. Publicly verify every claimed solve; retain all negatives and infrastructure stops.
5. Validate setup, retries, failed work, stopping policy, primitive definitions, memory and qualified clocks before any cost comparison. Any measured advantage requires a matched-baseline progress-fidelity record.

Limits

Actual PRG iid, population transfer, historical BSGS internals, old native counters, full attack costs, per-process peak RSS and isolated clocks remain unresolved. Diagnostic orbit/log/label tables are verifier-only; diagnostic word/public-check/reference counts are not full physical cost. No deployed-curve security or broad novelty/positive/negative claim follows.

Source52 completes only a declared schema-obstruction stop clause. Future v3 source success is not presumed. Goal stays active and H specified. Administrative lane closure waits for every actual task archive/release, including v3 source and final review/composition custody.

Graphs, knowledge and provenance

Historical mechanism/proof-map SVGs and known-rho frontier records are unchanged: this census changes no mechanism or collision bound. The new graph shows only finite observations. No knowledge promotion accompanies this technical revise decision; named conformance/cost problems retain the open questions.

Requested policy: coordinator-orchestration-code/high; serving model unverified. No scientific runs in composition. Complete editable Typst/SVG-generation sources, measured reader controls and exact source links are embedded in composition/observations.json. The source report.md carries full detail and next actions.