Scalar-prefix metadata custody

2026-11-08 UTC



Source/static evidence only. Parent, builder, audit, candidate and oracle invocation counts: all 0.

The independent metadata source is published and statically reviewed. Native readiness passed, but root launch preparation refused the next ownership-ref record because it would exceed the fixed diagnostic allowance. No metadata phase started.

TASK-20261107-e7cdd2, epoch 1; source TASK-20261107-57cb8a. Source publication 29fa1682630eeacacd302eea754babc7d88d111c; timely source release e209d53d4d02a9d73955e60ba767721b813560a8. Conditional decision DEC-20261108-fba007 was published at f275696cf8cacc8eddd6c653e15a4689d43ee454; exact phase approval at 2c3b6eb8c32f59dd1edf7744014e8fcaffcee4da. Metadata claim publication 2083ae8c706473ccfe24bff60453ba58ba33db42, original expiry 2026-11-08T01:17:13Z.

Source scope. The four released files implement a hash-pinned driver, bounded supervisor, independent manifest auditor and source contract. The auditor inverse-ranks coefficient tuples and call ordinals and checks typed arguments against the locked specification without evaluating candidate or oracle polynomials. The specified panel is 649 cases, 1,680 depth queries and 23,952 calls (23,824 valid plus 128 malformed). These are frozen design counts; no generated manifest or audit result exists.

Actual preparation observations. The first native readiness command returned 1 because the resolved interpreter could not find yaml. A separately recorded existing-venv PYTHONPATH correction was confined to root's read-only command; worker and supervisor environments stayed frozen. Three subsequent native readiness observations returned 0. Preparation 1369 then refused an unused synthetic slice reported as loaded/inactive; actual reconciliation showed no invocation, cgroup or service. Its original source and failure remain preserved. A narrowly approved slice-only absence predicate was used in preparation 95245.

Terminal observation. Preparation 95245 returned 1. Its full-ref mapping write would exceed the 4,194,304-byte external diagnostic allowance; the attempted error-detail write was also refused by that guard. The helper joined the readiness thread before exiting. Final custody retains 3,952,503 diagnostic bytes. It did not emit a usable launch/configuration or start a parent service. Final readback showed all four parent/worker services not-found with MainPID 0, empty InvocationID and empty ControlGroup; both slice definitions were inactive. Both persistent custody directories and all generated outputs were absent.

Accounting. Parent phases started: 0; builder invocations: 0; audit invocations: 0; candidate calls: 0; oracle calls: 0; new cloud jobs: 0. The original two serial 70-second phases (140 seconds total), aggregate 1 CPU / 512 MiB / zero swap, no retries and 128 MiB overall output cap were not enlarged. The diagnostic refusal is a preparation failure, not a consumed metadata runtime attempt or a successful metadata task. Both previous producer slots remain consumed; the reserved independent software-validation slot remains untouched.

Missing outputs. manifest.json, builder-receipt.json and audit-receipt.json were not created. No placeholder success receipts are substituted. supervisor-receipts.json is explicitly root external custody, not a native supervisor terminal receipt. It embeds byte-preserving operational records, hashes, source versions, initial refusals and final unit/path

readbacks. The metadata task is to be released failed; only an additive terminal-custody authorization may archive the actual files with the existing snapshot task.

Interpretation and next construction. The source/static-review component is complete; metadata generation and independent audit remain unperformed. A concrete preparation repair is to store shared ref mappings once and preserve later ref changes as small independently replayable deltas, with actual freshness and complete ownership coverage. This requires source review and a new exact admission disposition before further execution; it is not a retry authorization or a cap increase. The retained byte set must not be discarded to make room.

Research scope is preserved: quartic, membership-augmented and quadratic-lift certified SAT comparisons must still use identical complete projected model sets and charge witness reconstruction and certificate checking. Shared coefficients still require complete charts and certified partial-assignment pruning. All 106 coordinate cells, six coefficient cells and five leads remain in scope. The unchanged partial-matrix/two-bit configurations are not scaled. No new regularity or solver comparison follows from preparation.

Visual scope. This is a custody flow diagram because no paired scientific measurements were taken. No canonical mathematical frontier graph changes: no scientific output was generated. Diagram labels are observations or explicitly unperformed stages.