Checkpoint-aware worker integration controls

Observations only. This corrected export derives restored publication counts from archived acknowledgment files; report 001 incorrectly hard-coded zero. Raw trials are unchanged. All nine actual local controls passed: fresh completion, deliberate checkpoint stop, and restored completion for three retained Semaev fixtures. Six completed certificates match their retained references and pass the original independent checker. Accepted codimension and fresh exact solution count agree: 3, 1, and 1 for fixtures 0, 1, and 2. No new LFD lower bound follows.

Worker controls: 9 / 9 passed; 6 checked certificates

	Fresh	Checkpoint stop	Restored
Fixture 0	Verified	Checkpointed	Verified
Fixture 1	Verified	Checkpointed	Verified
Fixture 2	Verified	Checkpointed	Verified

Local fake storage; no new LFD bound; no timing inference.

Three source controls intentionally stop after durable publication. They are not completed certificates. All restored workers verify source state, rerun the checker and count, and complete the certificate.

Seeds are streamed through the URL transfer interface from fixed gzip files. Storage is a local fake AWS service. These controls do not qualify cloud permissions, large-file recovery, or frontier resource admission. Timings are diagnostic only.

The archive contains 736 individually verified files. Nine actual rows ran once each with no exclusions. The frozen protocol, raw manifest, exact launch commands, capped logs, request files and result records accompany the report.

Next: qualify the exact packaged worker in the cloud, then admit the retained n=47 frontier request. Forty high-memory inputs and eleven panel inputs remain unfinished.