Run report: EXP-XEDN-0c0182

This report records what ran and what it measured. It is generated by tools/runbook.py from the session journal. It states no verdict, support, weakening or significance; the evidence review does that.

- Runbook: experiments/EXP-XEDN-0c0182/runbook.yaml (sha256 7d4b2fd1d358bd36b84f928e5c827ab8f5ecba1761809096145aaede6f752ee4)
- Session: experiments/EXP-XEDN-0c0182/runbook-sessions/RBS-XEDN-a7cd25
- Journal tip: 7852f39220ab54507f40946ff50770aea6e81a31b1047490c6afe2f502e03a1e (24 entries)
- Commit: 32adbb6989803ba3e8f058a8de305d5853220dec; tracked files dirty: False
- Started 2026-10-17T05:34:29.457869Z, finished 2026-10-30T16:06:24.082034Z; status stopped

Purpose

Records, for the source curve y^2 = x(x^2 - x + 16) over F_p at p in 31, 43, 59, 83 and 353, the quadratic character of x on odd-order points, the sign eligibility of odd-order points and of faithful frozen target pairs, three Legendre symbols, and the exact accepted-cell counts of the frozen proposal grid beside the H1 uniform-residue count, for H-XEDN-5befd8. Two seeds; every census field is deterministic and the second trial is a determinism replicate. Observations only; the checker re-derives every field with disjoint code. No Lean premise and no execution proof is claimed.

Steps

step	status	what it does
S01-trials	failed	Runs run.py then check.py for each trial of trial-plan.json under the supervisor claim and keeps every output.

Units

0 valid of 2; invalid: ['primary-seed-20261016', 'replicate-seed-20261017']

trial	run	receipt status	valid
primary-seed-20261016	RUN-XEDN-132272	invalid_output	False
replicate-seed-20261017	RUN-XEDN-f4d646	invalid_output	False

Metrics

Each value is computed by tools/runbook.py from the recorded outputs named in its source. Labels say whether a value was measured or derived from measured values.

metric	label	unit	n	values
elapsed_seconds	measured	seconds	0	count=0, max=null, mean=null
f1_violations_total	measured	points	0	count=0, max=null, min=null
faithful_nonplus_eligible_arms_at_3mod4	measured	arms	0	count=0, max=null, min=null
faithful_pairs	measured	pairs	0	count=0, max=null, min=null
odd_order_minus_eligible_at_3mod4	measured	points	0	count=0, max=null, min=null



Figure 1: Recorded values from this session only; no new computation.

Validity, proofs and formal obligations

- Execution validity: incomplete
- Control validity: not_applicable
- Inferential validity: not_assessed: review-evidence and the Coordinator decide

- Execution proofs: {"chain": "incomplete: docs/execution-proof-chain.md milestones are open", "failed_units": 0, "unavailable_units": 0, "verified_units": 0}
- Audit: not audited: tools/runbook.py audit (audit-runs skill)

Where it stopped

S01-trials: implementation_error: supervisor exit 3 (trials remain or need reconciliation); see experiments/EXP-XEDN-0c0182/runbook-sessions/RBS-XEDN-a7cd25/steps/S01-trials.attempt-4.supervisor.stderr

A stop is an operational fact. It is not evidence about the hypothesis.