Joint layers: conditional interface, finite packet next


DEC-20261030-5d1573 / TASK-20261030-685c7c / 2026-10-30

Decision: revise toward an actual finite clipped certificate. Manual derivation supports the stated conditional algebraic interface. No finite joint cell, numerical reach, root recovery, IC advantage or runtime/scientific readiness is established. Full proof and original reviews remain linked from report.md; this is a concise overview.

Observation and comparison

Put I=(F1,F2,F3), J_mu=(N,I)^mu, with N a formal variable separate from coefficients. For fixed finite M, d=|M|, let H_j=I^j intersect span(M), r_j=dim H_j. Coefficientwise formal-N membership gives **q_N=mu*d-sum_j r_j**. The ranks were not evaluated.

The exact Semaev triple has pairwise-coprime monic top monomials in an auxiliary order. This proves global ideal-power saturation by a manual product-basis argument. It does not certify coordinate clipping or reproduce the native bound order. A finite flag certificate is still needed for specialization and the prime-to-integer bridge.



Proof dependencies only, no scientific measurements. Source: producer6394ed full joint-certificate.md and exact snapshot94c29; blind0cd7c6 derivation and adversarial4c1898 source review. Every scientific/algorithm call is0.

Blind0cd independently derives the formal identity and sufficient good-specialization conditions, inconclusive for an actual cell/growing family. Adversarial4c reads producer but never blind and finds the conditional manual implications hold. The Coordinator compares their distinct joints, not votes on a whole attack claim.

Exact limits, controls and review procedure

Conditional finite certificate

The remainder maps require T_j B=[0,C_j], B inverse and a left inverse L_j C_j=Id. These identities certify complete kernels after allowed base changes; membership-only rows are insufficient. With p not dividing Delta(c0) and **N0=p**, the full supported integer lattice has index p^q_N. A selected-row lattice can have an extra index m that must be charged. Arbitrary known multiples/composite moduli do not inherit this exact integer index formula.

The proved order is: for each fixed finite(mu,M), there exists a finite certificate and nonzero Delta, then every good specialization is covered. It is not one uniform certificate for all growing packets or p-dependent coefficients. Actual matrices, ranks, Delta, native span/trace and integer representatives remain absent.

Controls that distinguish the interfaces

- Generic division by c in (N,c*x) fails at c(p)=p,N=p,x=1. Clearing c restores divisibility, with height charged.
- I=(x+c*y), clipped to span(x), is globally free/monic but its clipped kernel changes on a bad fiber. Global saturation is not clipped base change.
- Rows p and p(p+1) have equal p-local span but different integer determinant. A prime-to-p index is not free.
- Repeated equations, equal-support corruption and x-only signed lifts do not establish joint gain, a root, or a group relation. Valid equations alone need not give zero-dimensional extraction.

All controls were checked manually/source-wise, not executed against software. Integer lifts, basis index and bit sizes must be charged as they actually occur; large trailing coefficients need not universally change a triangular determinant.

Independence and departures

Original plan plus both original attestations: canonical checker **exit0**, all joints owned/attested, blindness respected, controls declared. This checks declared-read consistency, not every tool action or mathematical truth. Earlier independence failures remain unchanged.

Retained departures: blind reviewer used a broader native filename inventory without current protected content. Adversarial reviewer initially ran broad filename-only discovery; its exact returned list contains no current blind artifact path/content, and unrelated plans stayed unread. Its missing /usr/local/bin/python3 attempt exited127 before writing; managed3.12.14 handled metadata instead of documented3.12.8. No reference/crypto execution. These departures are not waived or relabeled full compliance.

Ryan full-primary relevant sections were re-read: denominator units, integer span, Heuristics1-2, suitability/shared-root/proportional specialization, strict margin and joint log-p/multiplicity growth. Final root recovery remains excluded. Static source correspondence is not native execution or theorem applicability for an actual cell.

Next target and preserved research scope

First finite clipped packet

Ranked target: **J-r2-mu1-joint_A**, the existing fixed cell: a=2,b=3,q=5, centers(11,13,17,19,23,29). Preserve four leaf X/two internal Y scales and native Wp weights(1000,50,50,50,50,100,100). M1 is all integer points in conv(0 plus the exact fixed nonzero supports), formal-N coordinate0. No domain list or rank was computed here.

The next deliverable must bind exact inputs/M/order; monic remainder identities and T1; B/Binverse, nonzero tail/leftinverse, r1 and Delta/minors; native trace and both module-span directions. A declared prime specialization additionally requires units/branches, actual integer lifts, complete index/saturation and height ledger. A pass qualifies only that finite interface; a failure names its exact fiber or identity. **No construction/evaluation or run is authorized here**: first design the complete conformance protocol and lawful execution route.

Then either fix the packet or prove uniform sizes/heights/good-locus/costs for a changing family. Short independent integer equations, extraction, compatible group witnesses, random-target yield/rank and matched full IC/rho cost remain separate. A fresh execution host is secondary when a complete justified run needs it; old case/cache cards remain terminal.

Source-control and ancillary facts

Original24scientific cells remain unrun. Goal active, checkpoint, hypotheses and other lanes unchanged. No new KN scientific finding: scoped adaptation, no attack/novelty/complexity result. The S3/S4/S5 principal convex ceilings do not close the joint ideal; canonical lead/known-result inputs remain unchanged. The SVG is a new proof-dependency view, not a frontier point.

Owner tested914f / published9b source-equivalent scope:5428passed,0failed,123ignored of5551; exit0,1395.81s. Full486662B raw stays local/canonicalfalse. T7 normally cancelled/unmerged, no jobs per root. Later bd4 changes are not integrated/claimed tested. Both PRs remain unmerged/gated; payment/spending-limit jobs never started are not test failures. Main.cpp postlaunch status handling stays open; CPU formatter qualification is only prior17fixtures. No merge/status/guard waiver.

Evidence and custody

Full manual proof: TASK6394ed joint-certificate.md/schema/source-manifest in snapshot94c29cd9c0b31e3e254a2582e9bd3d345fa91d31. Independent derivation: TASK0cd7c6. Adversarial review: TASK4c1898. Exact paths/hashes and primary links are in report.md and independence-check.json; original plan/attestations are unchanged.

Primary: Ryan, ePrint2024/1577,52-page archived primary PDF SHA15dd6ae6...; relevant sections2.5,3,4.3,6.1-6.6/ Algorithm3/Lemma7 and AppendixC actually read. cuso pinnedfb2747d2; native4f27. Managed gpt-6.1-sol/high producer/ Coordinator and xhigh independent sessions, operator binding/API unverified, no fallback. This3-page overview retains full sources alongside it; exact ledger17paths await root publication.