Independent quotient-storage review

Fifteen main declarations, thirteen producer controls and eight independent controls passed fresh checking. Thirty-six exact named standard-axiom readbacks passed; eight module native/gate exits were zero. A false equality returned native/gate exit one.

Storage refinement. Actual UInt64 arrays are zero-initialized and updated by bounded Array.set. Decoding proves overwrite semantics without assuming freshness. The stored loop refines the prior quotient loop for every fuel count. Final Array.toList trimming preserves decoding and establishes normal output; canonicality is proved separately.

Native bounds. With nonempty divisor, representable input length and positive word width, the natural capacity a-b+1 remains representable. The maintained remainder bound proves every write index fits. Physical allocation/layout success and compiled machine semantics remain separate.

Independent controls. Repeated zero overwrite, high-zero trim, minimal exact fuel, insufficient capacity, a degree-short zero-capacity return and nonmonic rejection passed. A raw noncanonical word survives trimming while Good fails: canonicality is a theorem premise, not runtime rejection.

Review custody. Published bytes match commit09e64fca55 and the native source hash matches. Source-first review and postpublication dispatch are recorded. Prior monic/quotient work is disclosed. One reviewer simplifier failure remains preserved. Cached dependencies are trusted. No scientific execution or repository change occurred.