Direct projected geometry residual

2026-11-07 | PCC-20261107-51c5f9



Derived construction. Even-power recurrence factors vanish in the order-two image. In the order-four image only their quadratic characters remain. The recurrence reduces modulo squares to next = difference times previous; a parity-weighted accumulator supplies the required character. Resultants still use full-field polynomial arithmetic. [pcc:unverified]

Observed development checks. Seven selected native methods pass. Of 2500 deterministic synthetic geometry cases, 1349 valid outputs agree with projection of the original homogeneous residual and 1151 are rejected by both; two malformed shape/order cases are also rejected. The paired source retains 499 subgroup rows, 100 splits, 1375 advances and 450 skips, with prior predicate/cache/closure checks. Each invocation filters 75 methods. Unsigned producer evidence. [pcc:unverified]

Domain. Every original zero-difference check remains. A zero resultant product is rejected. The canonical projected pair is compared homogeneously with the old result. Synthetic grids are algebra tests, not an expanded curve cohort. The full-value validator remains.

Next. Investigate direct image computation of the root resultant product; then complete-cost accounting. No scalar recovery, timing panel or cloud job ran; original cohort intact.

Full formula and sources: DERIVATION.md, original multiseed-factor residual and prior projection derivation. Evidence: receipt.json, source-lock.json, residual.log and other logs. KB unavailable. Shared polynomial code means this is not independent review; no novelty claim.