Recovered original paired Kummer run

run-20261022T0710Z retrospective report, 2026-10-22 UTC

Provenance. The migrated source transcript pins the original `paired_uncached` command, working directory, exit status and combined output. Its SHA-256 and exact event coordinates are in the study's recovered execution receipt. A locked offline build at the saved source path reproduced the retained executable byte for byte.

Recorded property	Value
Derived start, UTC	07:10:45.527
Completion, UTC	07:35:52.725
Elapsed process duration	1,507.197243106 s
Exit code	0
Candidate results	1,260 solved / 1,260 requested
Same-process rho results	1,260 / 1,260


Evidence boundary. The original run did not retain separate stdout and stderr, a standalone environment snapshot, user/system CPU time, or an isolation level. Its elapsed duration is not a qualified wall-speed measurement. The archived seven candidate and seven rho JSONL files are bound by the study SHA-256 manifest. The independent Rust analyzer verifies source scalars and recomputes its five analysis files and validation gate. A later isolated full replay with separate process capture produced identical raw and analysis bytes.

Modeled result. Across 36 whole-cohort price cells, the full-cold candidate/rho operation-cost ratio is 8.959687–55.935424, with zero pooled candidate wins. At $S/M = 0.5$, $I/M = 10$ and 0.1 GAE per native logical operation, it is 14.356662. These are model ratios, not wall-time ratios. The price graph on page 2 is from the sealed study SVG and a 150 dpi render. A later Lean theorem proves only a conditional aggregation step on aligned natural-number price vectors; it does not import this CSV or prove the Kummer formulas.

Reproduction and limits. The adjacent `RUN.md` links exact source paths, raw records, validation, the independent analyzer and the fresh validation replay. The conclusion is restricted to 1,260 public workloads and the recorded GAE price model. No practical-size attack is established.

Archived same-process price graph

1,260 public targets; 36 whole-cohort price cells; modeled GAE units



The full-cold candidate charge includes fresh model, theta and torsion setup per target, source transfer, signed anchor, collector and verification. The rho control is the native negation solver run after the candidate in the same executable on the same workload IDs.