Run report: Cheon ecbench sessions, 2026-10-22T19:15Z

This report is descriptive only. The interpretation is in ../../REPORT.md.

What ran

The three specs below were run at isolation level L0, recording counts only.

session	spec id	session id	arms	curves
minus	ECS1h6ad1dae8d8c6	ECBS1h293023c203b3	rho.negation, cheon.pminus1_comb	7 (32–56 bits)
minus-naive	ECS1hfc8dda230071	ECBS1h6323501e31ef	rho.negation, cheon.pminus1_naive	6 (32–52 bits)
plus	ECS1h3c46fa8c4fe9	ECBS1ha367083f3e51	rho.negation, cheon.pplus1_comb	7 (32–56 bits)

- **Specs and records.** The specs are `../../spec-minus.json`, `../../spec-minus-naive.json` and `../../spec-plus.json`. The raw records are in `../../sessions/<session>/`.
- **Workloads.** Each curve has 8 planted targets. Indices 0–5 are the workloads of PR #2422.
- **Binary.** The sessions record `git_commit: null` because the binary was copied out of the build tree. Its sha256 is `0750e00f676c7bd5e225c8edd9ebb07e9b017a45f5e7bf1a2072ae009573f6e5`, built from the sources at commit `2881fd08e`.
- **Host.** Intel Xeon at 2.10 GHz with 4 cores, shared with other jobs. No wall time is admitted.

Completion

session	runs requested	runs completed	verified	failures / timeouts
minus	112	112	112	none
minus-naive	96	96	96	none
plus	112	112	112	none

`ecbench verify --replay-all` replayed 320 of 320 runs identically, with 0 problems. The audit receipts and their sha256 values:

receipt	sha256
sessions/minus-20261022.audit.json	b66ef51eaee1aad251c7485a650a4feb23d93c8aab419d2f90134579ce60ea03
sessions/minus-naive-20261022.audit.json	86418d16d871c2ce6ce4141a349782cbfdcb3a63120fdddf0381cd17c2801a3d
sessions/plus-20261022.audit.json	74dbf4e2d313a38a24bb5404d0ec35a79403535a07785224ab51e3a9c027404c

The receipts come from the same host class. There is no independent-runner receipt.

Measured values

- **Unit:** `ecbench.gae` group operations, with every phase charged. These are measured counts.
- **Per-run oracle columns:** `oracle_queries` and `oracle_server_group_ops`. These are also measured.
- **Per curve and arm:** mean, min, max, S = mean/√n (derived) and the paired ratio to rho with a 95 % bootstrap interval (derived) are in Table 1 of ../../results/results.md.




Fig. 1. MEASURED log2 charged operations per curve (dots = mean over verified targets, bars = min..max), ecbench sessions of research/cheon_ecbench_20261022. Lines: the sealed bound fits gae = C r^alpha over 36 to 56 bits (the 32-bit toy size is outside the fit). Oracle queries are not in these operations.

The graph's data is in ../../results/results.json.