Dataset pilot: observed launch failures

Protocol ML-ECDLP-DATASET-PILOT-20261027. Cutoff: 28 October 2026, 06:10 UTC. This execution report covers pilot001 and pilot002. It is not an independent review. Neither attempt established a completed cloud dataset cell or S3 roundtrip.



What ran

Both EKS Spot attempts used the tested 4c94f1dfc9bf source binary, the frozen 720-cell plan, and at most 36 cells on shard 0 of 19. Budgets were 30 seconds per cell, 2048 MiB worker address space, 64 MiB worker output, and 2 CPU/4 GiB with 3600 seconds Job TTL and zero retries. These are limits, not measured throughput. The fixed executable SHA-256 is `333da60b62312d33efb43ba6c4fb7826d8627c5c2fbf5bfcb7c645eed227222b`.

Failures and retained evidence

Pilot001 exited 1 at 05:59:10. Cleanup raced with scheduling, so terminal status was retained but workload stderr was lost. The same digest-pinned image, tested locally without permitting a scientific worker to start, could not read the owner-only plan file as UID 1000. The replacement image set input modes to 0644.

Pilot002 exited 1 at 06:09:39. Its retained stderr reports S3 HeadObject 403 during publication. Read-only IAM inspection found the EKS role permits only the legacy bucket. A policy scoped to this campaign's approved-bucket prefixes was prepared; it had not been applied at this cutoff. No scalar recovery, instruction count, PDP completion or exact fall degree is inferred from either failed Job.

Provenance and next execution

The canonical records are the pilot-wave-001/002 launch and terminal JSON files under `research/ml_dataset_20261028/`, plus the pilot002 submission receipt. Their image digests, Job and Pod identities, full argv and explicit receipt routing are retained. The 49 focused and 5,016 full-library tests for the launch source passed with 122 ignored; the six logs/hash records are in the S3-backed `validation-4c94f1d/.artifacts.json`. Those local tests are not cloud trial data.

The complete research export requires 144 arm-instance bundles from 720 method cells. There is no complete-panel claim and no invented unattempted row. The next bounded launch must demonstrate worker S3 access, fresh object readback, native restore/replay and a leakage-checked training view. Ordinary EKS Job success would still not establish CRIU recovery or comparative timing.