Pencil 28-bit first-target records

Six source-verified candidate/rho pairs; one target per arm.

p and arm	pencil/rho	row updates	index ops
48,383 I	96,957.133	20,814,919,424	0
48,383 R	95,449.814	20,491,226,949	0
48,383 A	92,525.430	19,863,241,061	0
48,383 P	22,644.844	1,719,301,303	9,411,215,080
48,823 I	104,109.643	21,197,946,803	0
49,451 I	73,044.348	20,860,404,273	0

Representative price: M+0.5S+10I and 0.1 GAE/logical.

At p=48,383, peel/online identity: 0.233555.

Peel/online band: 0.233492–1.018367; 24/36 lower.

All 36 candidate/rho cells exceed one for each of these records.

The 28-bit slices contain one target each; no size-wide estimate follows.

Source: raw JSONL, 36-cell grid, exact replay and native validator.


28-bit pencil first-target records: complete operation prices
Complete cold pencil cost / source rho
10^0
10^1
10^2
10^3
10^4
10^5
48,383 I
48,383 R
48,383 A
48,383 P
48,823 I
49,451 I
p=48,383 cold cost / identity online cost
0.0
0.2
0.4
0.6
0.8
1.0
Identity
Reverse
Affine
Peel
I/R/A are fixed column orders; P is degree peel · one frozen target per curve


p=48,383 target 0: peel / online identity across all 36 prices
Native logical = 0 GAE
Native logical = 0.1 GAE
Native logical = 1 GAE
I/M
1
10
100
1000
1.015
1.016
1.018
0.234
0.233
0
0.5
1
S/M
Values above 1 are losses; exact aggregate prices remain in the CSV