Run report: session c30 (`ECBS1h0d23937f2c51`)

Protocol PROTOCOL.md (supplementary). **Spec** `specs/c30.json` (`ECS1h576265fa490e`), commit `05a0ebd92` (clean), binary `d0527101…7771`, env class `ECBENV2h2196cccd7a31`, `ecbench run --wait --cpus auto`. Started 2026-10-20T17:05:12Z, finished 2026-10-20T17:16:04Z.

Curve `find_prime_order_curve(30, 1)` (ecbench `prime_search`; unregistered, not named by slug). **Workloads** 8 targets (seed 20261021). **Rounds** 3 measured + 1 warm-up, alternate order. **Runs** 256 planned, 256 written, 256 verified. **Audit** OK, 12 exact replays (`sessions/c30.audit.json`). **Isolation** (measured runs) double-base: L1 6, L2 18; full-rank: L1 22, L2 2; half-base: L1 11, L2 13; plan: L1 5, L2 19; plan-aa: L1 7, L2 17; random-targets: L1 24; rho-neg: L1 2, L2 22; rootfind: L1 24.

Mean S per arm at w = 0, 0.1, 1 (ecbench `band`)

arm	w = 0	w = 0.1	w = 1
double-base	38.583	40.181	54.56
full-rank	116.301	138.026	333.546
half-base	32.762	38.914	94.283
plan	24.161	27.454	57.089
plan-aa	24.161	27.454	57.089
random-targets	1417.226	1420.61	1451.06
rho-neg	0.937	1.03	1.861
rootfind	15379.978	16919.62	30776.389

Paired ratios against `plan`: `sessions/c30/comparisons/`, collected in `analysis/summary.json`. Records: `sessions/c30/records.jsonl`. Observations only; the interpretation is in the study README.