
reference: recorded execution

Job 20261023-035922-twist-image-census-b0420d. Outcome: done, recorded exit 0. Host class: c7i.4xlarge, lifecycle spot. Started 2026-10-23T04:00:15Z; last status update 2026-10-23T04:01:29Z.

Initial full-stream image census and exact coordinate certificate; later supplements add controls.



Command, controls and evidence

Exact command SHA-256: 34f3921d46f1d057aa6f242e96b4b40e272b5cb9a96f56df2274033d097d1a25. The command, native raw output, exit receipts, setup/build logs and host metadata are in runs/jobs/20261023-035922-twist-image-census-b0420d/ after extracting the content-addressed archive. Job snapshots record the source revision; frozen cold source is bundled separately. The registry specifies all arms, fields and seeds through these commands; the panel protocol and its supplements define the controls and caps.

This job has 0 originating resource-admitted timed records. Copied checkpoints are not additional samples. A cold graph displays every originating admitted cold record, identified by the native JSON. A diagnostic count graph displays the recorded summary's signed relations and rank/columns, with each population labeled in the JSON; it establishes no wall-time advantage. Replayed summaries are deterministic checks rather than independent targets. Medians and paired ranges used for the final comparison are independently recomputed across complete whole rounds in results/summary.json; a per-record resource pass alone does not admit an incomplete round. The full-column phi-L0 arm is censored consumed cost, not a verified solution.

Recorded exit-count map: {}. Recorded summary-status map: {"pass": 43}. Recorded independent audit-status map: {}.

Raw observations: results/job-observations/20261023-035922-twist-image-census-b0420d.json. Partial JSON records, failed exits and refused isolation are retained in the raw archive. Missing isolation is missing, never an admitted time. No performance conclusion follows from a job's done/0 state alone. Build and test gate durations are not algorithm timings.

See protocol (../../PROTOCOL.md), cost boundary (../../BOUNDARY.md), final report (../../README.md) and raw reproduction (../../ARTIFACTS.md). The msolve job alone measures internal GB timers on 378 fixed systems; it does not run a complete external DLP solver. Other jobs with fewer than two comparable admitted timings use an execution diagram rather than an invented numerical plot.