N83 structured-base four-summand gate

2026-10-17 UTC · Primary a = 0 curve · 2,001 signed-Frobenius columns

Retained structured N83 base: bounded chained-S3 gates



Both arms are capped stage diagnostics. Source: run4/result.json, run5/cap.json and both event streams.

The retained 332,166-point object passed native archive, curve, subgroup, orbit-label and generic factor-base import checks. The native m = 4 chain completed eight queries at 5,000 SAT conflicts each: all eight returned `Unknown`. Its bounded record has zero accepted rows, rank 0 of 2,002 columns, 784.331 s shared-host worker wall and a 487,276,544-byte cgroup peak. The unchanged m = 5 control completed four capped calls before its 900-second worker budget interrupted the next call. The container exited 124 without OOM; no completed rank or phase summary exists for that arm.

The exact object and source hashes, caps, commands, event streams, container states and classification are in `PROTOCOL.md` and `RUN_REPORT.md`. These are capped stage observations on different arities. No natural relation yield, useful-rank gain, complete cold pipeline cost or speed ordering can be inferred from them. No accepted row was available for independent replay.

Next: a matched K = 2,048 explicit-orbit m = 4 query with a degree-83 planted relation control; then a resource-gated m = 4 screen of the larger K = 16,627 prebuilt base. The canonical IC scoreboard stays unchanged.