Strict splitting replay — actual attempt001


29 October 2026. Frozen protocol1, digest eeb7482bcda69477a360a7c28749b7f737d377dbe3298bec94346e4efbcdbbb7; actual launch source 077c41e7d414cf72faf20bf9b474b7c35dae7bd8. The successful uploaded checkpoint and source/input/binary checks preceded all actual-cohort phases. The run retained all 21 original choices, ten published and eleven omitted, six streams. P384/P521 remain in the data, with no skipped same-field controls.

Six phases were planned, attempted and completed; no failure of an expected outcome, interruption, resume or exclusion. Positive, production and separate verification have actual native exits 0,0,0. Three deliberately corrupted character/calibration/summary copies have actual exits 1,1,1, the required refusals. The verifier identifies the intended file in each case. They do not count as verified corrupted results. Every actual status and output is retained in the raw bundle.

The GMP producer and separate PARI verifier agree on all 6,342 odd-prime characters, 303 cutoff positions,4480 stream-matched label assignments and all six output files. The fixed 691 criterion separates the paired labels. Successful strict cutoffs are 691,701,709,769; the search-family count is 23/4,480; the fixed 691 count is 1/4,480. These are exact finite calibration counts under the declared label model. Earlier external selection of 691, visible labels, other investigated families and absent original decisions prevent a confirmatory historical significance claim.

The unchanged native programs share the GMP integer-primitive family but compute the characters and label enumeration by separate implementations. No new point count, input primality proof, DLP, isogeny map or performance comparison ran. Input orders are reused from the certified cohort. The shared local exact-analysis fallback is explicit. Limits were 30/120/120/30/30/30seconds and 1536 MiB virtual address space. No clock or isolation tier is admitted.

Sources: summary, all 21 counts, verification, export and protocol. The graph uses exact recorded counts with no sampling interval.



Attempt 001 · all 21 choices · deterministic exact counts; P-384/P-521 have no omitted controls