m = 4 Macaulay matrix: fitted w and the repriced degree-5 row

Status. Offline analysis of 1561 recorded closure rows; the new matrix-profile runs are pending the owner's S3 gate (upload refused by the session network policy). No new solver, no speed claim; rho stays 2^60.81.




Figure 1: Left: counted word ops vs columns, saturating closures, OLS with intercept per degree. Right: D=5 row in rho-step units vs w; points are the fitted (a, w) with bootstrap 95% intervals.

Fitted w (cell-clustered bootstrap, intercept included)

block	rows / cells	log2 cols	w	95% CI
degree 3, m=3+4	495 / 37	7.8 to 13.5	2.00	1.83 to 2.07
degree 4, m=3+4	367 / 18	9.1 to 18.4	2.54	2.42 to 2.60
degree 5, m=3+4	345 / 12	10.0 to 16.1	2.83	2.59 to 2.92
pooled (degree intercepts)	1207 / 37		2.34	2.16 to 2.40

The local slope at the top of the range is 2.7 (degree 4) and 3.2 (degree 5): w rises toward the dense cubic regime. Degree 3 and degree 4 do not overlap.

D = 5 row, m = 4, bits over rho

price	A: column touches	B: rho steps
w = 1 floor (existing +10.32)	+10.32	+6.95
w = 1.80 (crosses +30)	+38.45	+30.02
w = 2.00, a = 0	+45.71	+37.27
degree-4 proxy (w 2.54)	+60.65	+52.21 (49.5 to 53.7)
degree-5 fit (w 2.83)	+69.89	+61.45 (55.8 to 64.0)

Decision

Above +30 under every measured pricing: the (4,6) cell is a degree curiosity; do not rent memory for it. Structured elimination: the closure matrix has rank 0.6 to 0.75 of its columns (dense, no Krylov gain); the plain XL matrix has rank fraction 0.07 to 0.09 but needs at least one more degree (0 of 16 draws refute at 4). Estimate: a constant-factor lever, not w < 2; confirmation pending the profile runs.