Archival v2 source review

Both required v1 reporting corrections are implemented. No remaining source-level blocker was found for the fixed source-bound gate. No native compilation or execution was performed.

Failure propagation. Nested invariant_error, candidate_rejected and noncanonical_label now set the failed-disposition list/count/flag, make audit_pass false and cause exit1. Coverage completion remains separate.

Accounting. Setup and constructor copies enter a ledger keyed physical archive row. Repeated values must agree; aggregation counts each target once. Inconsistency or malformed phase invalidates totals and audit_pass. Native code changes only by an explanatory nonadditive metadata field.

Preserved scope. All manifest hashes/sizes match. Archive, index, labels, fixture and duplicate helper are unchanged. The60 p739 targets/420 cases, target-local state, all-comparison policy, terminal graph cutoff and120-second plus5-second cap remain fixed. AST parsing passed; wrapper was not run.

Reachable paths. Successful result paths always emit both setup phases. Missing-phase paths are recognized binding/panic/poison failures. Missing target output fails coverage. Unknown statuses or absent ledger entries could evade arbitrary external-log validation, but are not reachable successful outputs of this frozen producer. No speculative repair is required. Failed-audit totals describe observed entries, not complete runtime charges.

The v1 candidate/review remain immutable. Root retains admission. No native result, informative-duplicate count, natural yield or complete cost is claimed.