Affine dispatch outputs pass stored validity

Two composition declarations and five fixed controls compiled. Seven separate named axiom readbacks passed; three malformed-inventory controls and a deliberately false theorem were rejected. Independent source-fidelity review is pending.

Construction. Every modeled affine execution, under the existing input assumptions, produces an output accepted by StoredValidity.test. A second declaration supplies existence of an accepted execution at the classifier-selected branch. The universal declaration derives output wellformedness from AffineDispatch.every_execution_preserves, then applies StoredValidity.test_accepts_wellformed. Output validity is not a premise of the new declaration.

Assumptions. The modulus is prime with 2<p<2^31; curve coefficients are canonical and decode to degree five. Both stored inputs satisfy WellFormed, including their capacities, canonical slots, active leading coefficient and residual divisibility. Runs is the existing source-ordered modeled call relation. These results cover the n=1/no-table value model. They do not add compiler, counter, extension-field or divisor-class semantics.

Controls. A malformed operand returned by the left-identity branch fails the validity test, exhibiting why input validity cannot simply be discarded. A test-accepted value with noncanonical inactive padding is not WellFormed, preserving the external canonical-storage boundary. Existing degree, norm-zero and slope-zero fallback fixtures each yield an accepted output. The fixed controls reuse established fixtures; they are not a new scientific sample.

Evidence and custody. The main module was checked once initially, then checked again after all source modules were written. Both successes are retained. Successful module receipts bind unchanged source, native snapshot, toolchain and dependency files; the false theorem has exit one. Imported compiled caches were reused, not independently rebuilt. Pre/post hashes do not exclude transient edits. The separate inventory checker validates all seven declaration names and permits only propext, Classical.choice and Quot.sound.

Review and delivery. This is a new composition of the existing dispatch and stored-validity proofs, not an independent review of either dependency. Publish immutable sources and this packet, then obtain separate source-fidelity review of the source relation and validity wrapper before promoting the correspondence claim. The graph displays the proof dependency chain; no timing or cost measurement was made. Scientific limits and the frozen cohort remain unchanged.